

NEW NBF GINGIVAL GEL- glycerin, menthol gel NanoCureTech

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

New NBF GINGIVAL GEL

Drug Facts

Active ingredients

Glycerin 9.01%
Menthol 0.40%

Purpose

Oral demulcent
Oral Pain Reliever

Uses

For the temporary relief of • occasional minor irritation, pain, sore mouth, sore throat • pain associated with canker sores • minor discomfort and protection of irritated areas in sore mouth and sore throat • pain due to minor dental procedures, minor irritation or injury of the mouth and gums

Warnings

Do not use full strength, dilute with two or three volumes of water.

Stop use and ask a doctor or dentist • if sore throat is severe, persists more than 2 days, is accompanied or followed by fever headache, rash, swelling, nausea or vomiting • if sore mouth symptoms do not improve in 7 days, or if irritation, pain or redness persists or worsens

Do not exceed recommended dosage.

Keep out of reach of children. If an excessive amount of gel is accidentally swallowed or in case of allergic reaction, get medical help or contact Poison Control Center right away.

Directions

• Adults and children 2 years of age and older: Apply the gel diluted with 2 or 3 parts of water to the affected area. Gargle, swish around in the mouth or allow to remain in place for at least 1 minute and then spit out. Use up to 4 times daily or as directed by a dentist or doctor.

- Children under 12 years of age: Should be supervised in the use of this product.
- Children under 3 years of age: Consult a dentist or doctor.

Inactive ingredients

Aloe vera (Aloe barbandesis) leaf extract, Ascorbic acid, Calcium glycerophosphate, Cellulose gum, Eucalyptus oil, Grapefruit (Citrus paradisi) extract, Green tea (Camellia sinensis) leaf extract, Hydrated silica, PEG-32, Peppermint oil, Pot Marigold (Calendula officinalis) leaf extract, Propolis extract, Sorbitol, Steviol glycosides, Tocopheryl acetate, Water, Xylitol.

Other information

- Store at room temperature (1-30°C) – (34-86°F).
- Do not use if seal under cap is broken or missing.

Questions?

Tel : +82-2-474-82224
 Mon-Fri (8 am -5 pm).

Technology provider and distributor:

NanoCureTech Co. Ltd.
 #502, 24, Yeokjeon-gil, Yangpyeong-eup, Yangpyeong-gu, Gyonggido, South Korea,
 Zip Code: 134-864.

Country of origin: South Korea

Packaging



Eucalyptus oil, Grapefruit (Citrus paradisi) extract, Green tea (Camellia sinensis) leaf extract, Hydrated silica, PEG-32, Peppermint oil, Pot Marigold (Calendula officinalis) leaf extract, Propolis extract, Sorbitol, Steviol glycosides, Tocopheryl acetate, Water, Xylitol.

Questions?

Tel : +82-2-474-82224
Mon-Fri (8 am - 5 pm).

Technology provider and distributor:

NanoCureTech Co. Ltd.
#502, 24, Yeokjeon-gil, Yangpyeong-eup, Yangpyeong-gu, Gyonggido, Seoul, South Korea, Zip Code: 134-864.

Country of origin:
South Korea

Expiry date:

Date of manufacturing:

LOT Number:

Net weight:
1.06 oz (30 g)

GINGIVAL PROTECTING GEL

NEW NBF GINGIVAL GEL

VITAMIN C · E · PROPOLIS EXTRACT · ALOE EXTRACT · GREEN TEA EXTRACT

Nano-Bio Fusion Technology Gel

This gel is absorbed into the gingival cellular level and maintained with a nano bioactive protection film

Complete oral care with specific antioxidants

For LOT Number/Manufacturing Date/Expiry Date: See on tube.
Storage: Airtight container. Store at room temperature (1-30°C)

Weight : 30g

8 809130 161184

- minor discomfort and protection of irritated areas in sore mouth and sore throat
- pain due to minor dental procedures, minor irritation or injury of the mouth and gums

Warnings

Do not use full strength, dilute with two or three volumes of water.

Stop use and ask a doctor or dentist ■ if sore throat is severe, persists more than 2 days, is accompanied or followed by fever headache, rash, swelling, nausea or vomiting ■ if sore mouth symptoms do not improve in 7 days, or if irritation, pain or redness persists or worsens

Do not exceed recommended dosage.

Keep out of reach of children. If an excessive amount of gel is accidentally swallowed or in case of allergic reaction, get medical help or contact Poison Control Center right away.

Directions ■ Adults and children 2 years of age and older: Apply the gel diluted with 2 or 3 parts of water to the affected area. Gargle, swish around in the mouth or allow to remain in place for at least 1 minute and then spit out. Use up to 4 times daily or as directed by a dentist or doctor.

- Children under 12 years of age: Should be supervised in the use of this product.
- Children under 3 years of age: Consult a dentist or doctor.

Other information

- Store at room temperature (1-30°C) - (34-86°F).
- Do not use if seal under cap is broken or missing.



NEW NBF GINGIVAL GEL

glycerin, menthol gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:23636-1002
Route of Administration	DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	9.01 g in 100 g
LEVOMENTHOL (UNII: BZ1R15MTK7) (LEVOMENTHOL - UNII:BZ1R15MTK7)	LEVOMENTHOL	0.4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CALCIUM GLYCEROPHOSPHATE (UNII: XWV9Z12C1C)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
GRAPEFRUIT (UNII: O82C39RR8C)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
POLYETHYLENE GLYCOL 1600 (UNII: 1212Z7S33A)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
CALENDULA OFFICINALIS WHOLE (UNII: PFR03EBU0H)	
PROPOLIS WAX (UNII: 6Y8XYV2NOF)	
SORBITOL (UNII: 506T60A25R)	
STEVIOLE (UNII: 4741LYX6RT)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
WATER (UNII: 059QF0KO0R)	
XYLITOL (UNII: VCQ006KQ1E)	

Product Characteristics

Color	brown (light brown)	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:23636-1002-1	1 in 1 CARTON	11/27/2017	12/14/2023
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	11/27/2017	12/14/2023

