

**ZICAM COLD REMEDY MEDICATED FRUIT DROPS - ASSORTED FRUIT- zinc acetate anhydrous and zinc gluconate bar, chewable  
Church & Dwight Co., Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Zicam® Cold Remedy Medicated Fruit Drops - Assorted Fruit**

**Active ingredients (in each medicated drop)**

Zincum aceticum 2x

Zincum gluconicum 2x

**Purpose**

Reduces duration of the common cold and helps relieve nasal congestion

**Uses**

Reduces duration of the common cold and helps relieve nasal congestion

Zicam® Cold Remedy was not formulated to be effective for flu or allergies.

**Warnings**

**If you are allergic or sensitive to zinc,** consult a doctor before using.

**Stop use and ask a doctor if** symptoms persist or are accompanied by a fever or new symptoms occur.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- **for best results, use at the first sign of a cold and continue to use until symptoms completely subside**
- adults and children 12 years of age and older:
  - take one medicated drop at onset of symptoms
  - chew slowly and dissolve completely before swallowing
  - repeat every 2 – 3 hours, not to exceed 5 medicated drops in 24 hours. Take until symptoms are gone.
  - to avoid minor stomach upset, do not take on an empty stomach
  - do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or

juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.

- children under 12 years of age: ask a doctor before use

### **Other information**

- store between 15-29°C (59-84°F)
- avoid freezing and excessive heat

### **Inactive ingredients**

citric acid, corn syrup, D&C Yellow #10, dextrose, dicalcium phosphate, disodium phosphate, FD&C Blue #1, FD&C Red #40, FD&C Yellow #6, malic acid, menthol, natural flavors, pectin, purified water, sodium citrate, sodium polyphosphate, sucralose, sucrose

### **Questions? Comments?**

**Call 877-942-2626 toll free. [www.zicam.com](http://www.zicam.com)**

### **PRINCIPAL DISPLAY PANEL - 25 Drop Bottle Label**

ZICAM®

COLD REMEDY

SHORTENS COLDS

TAKE AT THE FIRST

SIGN OF A COLD

THE

PRE-COLD®

MEDICINE

MEDICATED

FRUIT DROPS

ASSORTED FRUIT FLAVORS

25 DROPS • HOMEOPATHIC



SAFETY SEALED. DO NOT USE IF MARKED INNER FOIL SEAL IS DISTURBED OR MISSING.

Take every 2-3 HOURS until symptoms are gone.

SATISFACTION GUARANTEED Questions? Comments? Call 877-942-2626 toll free. [www.zicam.com](http://www.zicam.com)

This product is not required to go through the FDA's New Drug Application approval process.



DISTRIBUTED BY  
CHURCH & DWIGHT CO., INC.  
EWING, NJ 08628  
70101524  
ZCLB-30135-01

**Drug Facts**

**Active ingredients (in each medicated drop)** Purpose  
Zincum acetatum 2x Reduces duration of the common cold  
Zincum gluconicum 2x.....and helps relieve nasal congestion

**Uses**  
Reduces duration of the common cold and helps relieve nasal congestion  
Zicam® Cold Remedy was not formulated to be effective for flu or allergies.

**Warnings**  
If you are allergic or sensitive to zinc, consult a doctor before using.  
Stop use and ask a doctor if symptoms persist or are accompanied by a fever or new symptoms occur.  
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
■ for best results, use at the first sign of a cold and continue to use until symptoms completely subside  
■ adults and children 12 years of age and older: ■ chew slowly and take one medicated drop at onset of symptoms ■ repeat every 2-3 hours, not to exceed 5 medicated drops in 24 hours. Take until symptoms are gone.  
■ to avoid minor stomach upset, do not take on an empty stomach  
■ do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.  
■ children under 12 years of age: ask a doctor before use

**Other information** ■ store between 15-29°C (59-84°F)  
■ avoid freezing and excessive heat

**Inactive ingredients** citric acid, com syrup, D&C Yellow #10, dextrose, dicalcium phosphate, disodium phosphate, FD&C Blue #1, FD&C Red #40, FD&C Yellow #6, flavors, malic acid, pectin, purified water, sodium citrate, sodium polyphosphate, sucralose, sucrose



# ZICAM COLD REMEDY MEDICATED FRUIT DROPS - ASSORTED FRUIT

zinc acetate anhydrous and zinc gluconate bar, chewable

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10237-468
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC ACETATE ANHYDROUS</b> (UNII: H2ZEY72PME) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	2 [hp_X]
<b>ZINC GLUCONATE</b> (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC GLUCONATE	2 [hp_X]

## Inactive Ingredients

Ingredient Name	Strength
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>CORN SYRUP</b> (UNII: 9G5L16BK6N)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>DEXTROSE, UNSPECIFIED FORM</b> (UNII: IY9XDZ35W2)	
<b>ANHYDROUS DIBASIC CALCIUM PHOSPHATE</b> (UNII: L11K75P92J)	
<b>SODIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: 22ADO53M6F)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>MALIC ACID</b> (UNII: 817L1N4CKP)	
<b>PECTIN</b> (UNII: 89NA02M4RX)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SODIUM POLYMETAPHOSPHATE</b> (UNII: P1BM4ZH95L)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	ORANGE, RED, YELLOW	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	24mm
<b>Flavor</b>	CITRUS, CHERRY, LEMON	<b>Imprint Code</b>	Z
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10237-468-25	25 in 1 BOTTLE; Type 0: Not a Combination Product	10/12/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED HOMEOPATHIC		10/12/2021	

**Labeler** - Church & Dwight Co., Inc. (001211952)

Revised: 1/2024

Church & Dwight Co., Inc.