

ARNICARE - arnica montana gel
Laboratoires Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Arnicare

Arnica montana 1X

For relief of muscle pain and stiffness due to minor injuries, overexertion and falls. Reduces pain and swelling as well as discoloration from bruising.

Do not use if tube seal is broken.

Apply a thin layer of Arnicare Gel to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed.

Alcohol, carbomer, dimethicone copolyol, sodium hydroxide. purified water

Tube 2.6, 1.5, or .5 OZ

Arnica montana 1X trauma, muscle pain and stiffness, swelling from injuries, discoloration from bruising.

Store at 68-77⁰ F (20-25⁰ C)

Questions, Comments?

www.boironusa.com

info@boironusa.com

1-800-BOIRON-1 (1-800-264-7661)

Boiron Information Center
6 Campus Boulevard
Newtown Square, PA 19073-3267

Stop use and ask doctor if condition persists for more than 3 days or worsens.

Keep out of reach of children

For external use only

Avoid contact with eyes and with open wounds.

If swallowed, get medical help or contact a Poison Control Center immediately

PAIN RELIEF

#1
HOMEOPATHIC
PAIN RELIEVER

Arnicare

—ARNICA GEL

Works Naturally • Quickly Absorbed
Unscented • Non-Greasy • Paraben-Free

BOIRON

HOMEOPATHIC
MEDICINE
NET WT. 2.6 OZ. (75g)

Drug Facts	
Active ingredient Arnica montana 1X HPUS-7%	Purpose Trauma, muscle pain & stiffness, swelling from injuries, discoloration from bruising
<small>The letters "HPUS" indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.</small>	
Uses For relief of muscle pain and stiffness due to minor injuries, overexertion and falls. Reduce pain and swelling, as well as discoloration from bruising.	
Warnings For external use only. Avoid contact with eyes and with open wounds. Do not use if tube seal is broken. Stop use and ask a doctor if condition persists for more than 3 days or worsens.	
Warnings (continued) Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.	
Directions Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed.	
Other information Store at 55-77°F (20-25°C)	
Inactive ingredients alcohol, carbonic dioxide, copolymer, purified water, sodium hydroxide	
Questions, Comments? www.boironusa.com • info@boironusa.com 1-800-BOIRON • 1-800-254-7261 Boiron Information Center 6 Campus Boulevard, Newton Square, PA 19073-3257	

NDC 0220-9000-54

PAIN RELIEF

**Neck, Back, Shoulder & Leg
Muscle Pain & Stiffness
Swelling from Injuries
Bruising**

Arnicare

—ARNICA GEL

HOMEOPATHIC MEDICINE
Unscented • Quickly Absorbed
Non-Greasy • Paraben-Free
Works Naturally with Your Body

FEEL BETTER FASTER
HOMEOPATHIC
#1
PAIN RELIEVER

NET WT.
1.5 oz (45 g)

BOIRON

World Leader in Homeopathic Medicines

Drug Facts	
Active ingredient Arnica montana 1X HPUS-7%	Purpose Trauma, muscle pain & stiffness, swelling from injuries, discoloration from bruising
<small>The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.</small>	
Uses temporarily relieves muscle pain and stiffness due to minor injuries, overexertion and falls reduces pain, swelling and discoloration from bruises	
Warnings For external use only. Avoid contact with eyes and with open wounds. Stop use and ask a doctor if condition persists for more than 3 days or worsens. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions Apply a thin layer of Arnicare Gel to affected area and massage gently as soon as possible after minor injury. Repeat 3 times a day or as needed.	
Other information do not use if glued carton end flaps are open or if the tube seal is broken store at 68-77°F (20-25°C)	

NDC 0220-9000-65

PAIN RELIEF

**Muscle Pain & Stiffness
Swelling from Injuries
Bruising**

Arnicare Gel

—Quickly Absorbed

- Unscented
- Non-Greasy
- Paraben-Free
- Works Naturally with Your Body

FEEL BETTER FASTER
HOMEOPATHIC
#1
PAIN RELIEVER

NET WT.
0.5 oz (14 g)

BOIRON

World Leader in Homeopathic Medicines

Drug Facts	
Active ingredient Arnica montana 1X HPUS-7%	Purpose Trauma, muscle pain & stiffness, swelling from injuries, discoloration from bruising
<small>The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.</small>	
Uses temporarily relieves muscle pain and stiffness due to minor injuries, overexertion and falls reduces pain, swelling and discoloration from bruises	
Warnings For external use only. Avoid contact with eyes, mucous membranes, damaged skin or wounds. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients. When using this product use only as directed do not bandage tightly or use a heating pad. Stop use and ask a doctor if condition persists for more than 3 days or worsens. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions Apply a thin layer of Arnicare Gel to affected area and massage gently as soon as possible after minor injury. Repeat 3 times a day or as needed.	

NDC 0220-9000-66

PAIN RELIEF*

Muscle Pain & Stiffness
Swelling from Injuries
Bruising*

Arnicare

Gel

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Unscented, Paraben-Free

VALUE SIZE

Drug Facts

Active ingredient**	Purpose*
Arnica montana 1X HPUS-7%	Trauma, muscle pain & stiffness, swelling from injuries, discoloration from bruising
<small>The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.</small>	
Uses*	
<ul style="list-style-type: none"> ■ temporarily relieves muscle pain and stiffness due to minor injuries, overexertion and falls ■ reduces pain, swelling and discoloration from bruises 	
Warnings	
For external use only. Avoid contact with eyes, mucous membranes, damaged skin or wounds. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.	
When using this product use only as directed do not bandage tightly or use a heating pad.	
Stop use and ask a doctor if condition persists for more than 3 days or worsens.	



Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply a thin layer of Arnicare Gel to affected area and massage gently as soon as possible after minor injury. Repeat 3 times a day or as needed.

Other information

- do not use if glued carton end flaps are open or if the tube seal is broken

*These "Uses" have not been evaluated by the Food and Drug Administration.
 **C, K, CK, and X are homeopathic dilutions: see www.boironusa.com/info for details.

ARNICARE

arnica montana gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-9000
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	1 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
CARBOMER HOMO POLYMER TYPE C (UNII: 4Q93RCW27E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-9000-66	1 in 1 PACKAGE		
1		120 g in 1 TUBE		

2	NDC:0220-9000-59	1 in 1 PACKAGE		
2		75 g in 1 TUBE		
3	NDC:0220-9000-54	1 in 1 PACKAGE		
3		45 g in 1 TUBE		
4	NDC:0220-9000-65	1 in 1 PACKAGE		
4		14 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/09/2007	

Labeler - Laboratoires Boiron (282560473)

Registrant - Boiron Inc. (014892269)

Revised: 3/2015

Laboratoires Boiron