## HEAD AND SHOULDERS SCALP X MINOXIDIL HAIR REGROWTH TREATMENT FOR WOMEN- minoxidil aerosol, foam The Procter & Gamble Manufacturing Company

-----

# Head & Shoulders Scalp X Minoxidil Hair Regrowth Treatment for Women Drug Facts

### **Active ingredient**

Minoxidil 5% w/w (without propellant)

#### **Purpose**

Hair regrowth treatment for women

#### Use

to regrow hair on the top of the scalp (see pictures on side of this carton)

#### Warnings

For external use only.

**Extremely Flammable:** Avoid fire, flame, or smoking during and immediately following application.

#### Do not use if

- your degree of hair loss is different than that shown on side of this carton because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- · your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children
- your scalp is red, inflamed, infected, irritated or painful
- you use other medicines on the scalp

# Ask a doctor before use if you have heart disease

## When using this product

- do not use more than directed
- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 3 months with **once-daily use.** For some women, you may need to use this product **once a day** for at least 6

- months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for allwomen.

### Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 6 months

### May be harmful if used when pregnant or breast-feeding.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

(1-800-222-1222)

#### **Directions**

- see enclosed leaflet for complete directions on how to use
- apply half a capful **once** daily directly to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth,

or hair loss will begin again

#### Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- store at 20-25° C (68-77° F)
- contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

# Inactive ingredients

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, dehydrated alcohol, isobutane, lactic acid, polysorbate 60, propane, purified water, stearyl alcohol

### **Questions?**

1-800-723-9569

DIST. BY PROCTER & GAMBLE CINCINNATI OH 45202.

#### **PRINCIPAL DISPLAY PANEL - Carton**

Head & Shoulders

SCALP X

**MINOXIDIL** 

TOPICAL AEROSOL, 5% (FOAM)

HAIR REGROWTH

**TREATMENT** 

FOR WOMEN

CLINICALLY PROVEN TO HELP REGROW HAIR

Reactivates hair follicles to stimulate regrowth

Once-a-day foam for women

Six month supply

Unscented

3 CANS - 2.11 OZ (60 g) EACH



# HEAD AND SHOULDERS SCALP X MINOXIDIL HAIR REGROWTH TREATMENT FOR WOMEN

minoxidil aerosol, foam

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69423-586
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 g	

Inactive Ingredients		
Ingredient Name	Strength	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)		
BUTANE (UNII: 6LV4FOR43R)		

CETYL ALCOHOL (UNII: 936 ST6 CN)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
ISOBUTANE (UNII: BXR49TP611)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
DEHYDRATED ALCOHOL (UNII: 3K9958V90M)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PROPANE (UNII: T75W9911L6)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
WATER (UNII: 059QF0KO0R)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69423-586- 01	3 in 1 CARTON	11/01/2021	12/15/2024
1		60 g in 1 CAN; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA091344	11/01/2021	12/15/2024

# **Labeler -** The Procter & Gamble Manufacturing Company (004238200)

Revised: 1/2023 The Procter & Gamble Manufacturing Company