

SENNA SYRUP- natural vegetable laxative liquid

Method Pharmaceuticals

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Senna Syrup

Active Ingredients

Sennosides 8.8 mg

Purpose

Laxative

Warning

Do not use laxative products for longer than 1 week unless directed by a doctor.

Uses

- Relieves occasional constipation (irregularity)
- Generally causes bowel movement in 6 to 12 hours

Ask a doctor before use if you

- have stomach pain, nausea or vomiting
- notice a change in bowel habits that last over 2 weeks
- are **pregnant or breastfeeding.**

Stop Use and ask a doctor

if you have rectal bleeding or failure to have a bowel movement after use.

Keep out of Reach of Children

In case of accidental overdose, get medical help or contact a Poison Control Center immediately.

Directions

Shake well before using. Do not exceed maximum dose. Take at bedtime or as directed by a doctor.

Store at controlled room temperature 20-25°C(68-77°F). Excursions permitted 15-30° (59-86°F).

Tamper Evident: Do not use if foil seal over bottle opening is torn, broken or missing.

Inactive Ingredients

Chocolate flavor, methylparaben, propylene glycol, proylparaben, purified water and sucrose


Dosage

<u>Age</u>	<u>Usual Dose</u>	<u>Maximum Dose</u>
Adults and Children 12 years and older	2-3 teaspoons once a day	3 teaspoons twice a day
6-12 years	1 to 1 1/2 teaspoons once a day	1 1/2 teaspoons twice a day
2-6 years	1/2 to 3/4 teaspoon once a day	3/4 teaspoons twice a day
under 2 years	Consult a doctor	

Senna Syrup

Manufactured for :
Method Pharmaceuticals, LLC
419 Bank St Ste 100 Southlake, TX 76092

Rev 01.0721



NDC 58657-518-08

Senna Syrup


Natural Vegetable Laxative

8.8 mg/5 mL

Alcohol Free • Dye Free

8 fl. oz (237 mL)

Drug Facts		Drug Facts (continued)			
Active Ingredient (per 5 mL teaspoon) Purpose Sennosides 8.8 mg.....Laxatives		Age	Usual Dose	Maximum Dose	Let/Exp Date 0.875" x 1.125" UNVARNISHED AREA
Uses • Relieves occasional constipation (irregularity) • Generally causes bowel movement in 6 to 12 hours		Adults and children 12 years and older	2-3 teaspoons once a day	3 teaspoons twice a day	
Warnings Do not use laxative products for longer than 1 week unless directed by a doctor. Ask a doctor before use if you • have stomach pain, nausea or vomiting • notice a change in bowel habits that last over 2 weeks • are pregnant or breastfeeding. Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center immediately.		6 to 12 years	1 to 1 1/2 teaspoons once a day	1 1/2 teaspoons twice a day	
Directions Shake well before using. Do not exceed maximum dose. Take at bedtime or as directed by a doctor.		2 to 6 years	1/2 to 3/4 teaspoon once a day	3/4 teaspoon once a day	
		Under 2 years	Consult a doctor		
Other Information Store at controlled room temperature 20-25°C (68-77°F). Excursions permitted 15-30° (59-86°F). Tamper Evident: Do not use if foil seal over bottle opening is torn, broken or missing.					
Inactive Ingredients Chocolate flavor, methylparaben, propylene glycol, proylparaben, purified water and sucrose					
Manufactured for : Method Pharmaceuticals, LLC 419 Bank St Ste 100 Southlake, TX 76092 Rev 01.0721					



N 3 58657 51808 0

SENNA SYRUP

natural vegetable laxative liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58657-518
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.8 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SUCROSE (UNII: C151H8M554)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58657-518-08	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/28/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	09/28/2021	

Labeler - Method Pharmaceuticals (060216698)

Revised: 12/2021

Method Pharmaceuticals