

SODIUM CHLORIDE NORMAL SALT- sodium chloride tablet
Method Pharmaceuticals

Sodium Chloride 1 gram

Uses

- for the normal preparation of isotonic solution of sodium chloride
- as an electrolyte replinisher for the prevention of heat cramps due to excessive perspiration
- any alternative use as directed by a physician

Indication

Electrolyte Replenisher

Ask a physician

before use if you have a sodium restricted diet due to multiple organ disease

Stop use

and ask a physician if symptoms of heat cramps continue for more than 24 hours.

If pregnant or breastfeeding,

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- to make isotonic solutions of sodium chloride, dissolve one tablet in 120 mL (four ounces) of distilled water and use as directed by a physician.
- if used an electrolyte replinisher for the prevention of heat cramps due to excessive perspiration take one tablet orally as directed by a physician.

Warnings

Do not use without consulting a physician.



Active ingredients

Sodium Chloride

Inactive Ingredient

NONE

Sodium Chloride

 <p>NDC 58657-118-01</p> <h1>Sodium Chloride Tablets, USP</h1> <p>1 gram</p> <p>Normal salt tablets For solution or oral use 100 Tablets</p>	<p>TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING</p>	<p>Drug Facts</p> <p>Active Ingredient (in each tablet) Purpose Sodium Chloride, USP 1.0 gram ... Electrolyte Replenisher</p> <p>Directions • to make isotonic solution of sodium chloride, dissolve one tablet in 120 mL (four ounces) of distilled water and use as directed by a physician • if used as an electrolyte replenisher for the prevention of heat cramps due to excessive perspiration take one tablet orally as directed by physician</p>	 <p>3 58657 11801 3</p>
		<p>Uses: • for the preparation of normal isotonic solution of sodium chloride • as an electrolyte replenisher for the prevention of heat cramps due to excessive perspiration • any alternative use as directed by a physician</p> <p>Warnings Do not use without consulting a physician Ask a physician before use if you have a sodium restricted diet due to multiple organ disease Stop use and ask a physician if symptoms of heat cramps continue for more than 24 hours If pregnant or breast-feeding, ask a health professional before use Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away</p> <p>Other information: • each tablet contains: sodium 394 mg • store at room temperature 15°-30°C (59°-86°F) • Product does not contain any inactive ingredients • Supplied as round white tablet imprinted with "M118"</p> <p>Questions or comments? 1-877-250-3427</p> <p>Rev. 02/19 R-00 Manufactured in the U.S.A. for Method Pharmaceuticals, LLC Southlake, Texas 76092</p>	

Lot No.:
Exp. Date:

SODIUM CHLORIDE NORMAL SALT

sodium chloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58657-118
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	1 g

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	M118
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58657-118-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	09/28/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	09/23/2021	

Labeler - Method Pharmaceuticals (060216698)

Revised: 12/2023

Method Pharmaceuticals