

SENNA- S- docusate sodium and sennosides tablet
Western Family Foods, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50 mg

Sennosides 8.6 mg

Purpose

Stool softener

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 6-12 hours

Warnings

Do not use

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take preferably at bedtime or as directed by a doctor

age	starting dose	maximum dosage
-----	---------------	----------------

adults and children 12 years of age or older	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

- each tablet contains: **calcium 20 mg**
- each tablet contains: **sodium 6 mg** VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

carnauba wax*, croscarmellose sodium, D&C yellow #10 aluminum lake, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake*, FD&C red #40 aluminum lake*, FD&C yellow #6 aluminum lake, hypromellose*, magnesium stearate, maltodextrin*, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol*, purified water*, silicon dioxide, sodium benzoate*, stearic acid, talc*, titanium dioxide

*contains one or more of these ingredients

Questions or comments?

Call 1-503-639-6300 Monday-Friday 8AM-4PM PST

Principal Display Panel

For Relief of Constipation

Made from Natural Vegetable Laxative Ingredient Plus Stool Softener,

Senna-S

Docusate Sodium 50 mg / Sennosides 8.6 mg

TABLETS

Compare to the Active Ingredients in Senokot-S®**

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

**This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Senokot-S®.

Proudly Distributed by **Western Family Foods, Inc.**

P.O. Box 4057, Portland, OR 97208 USA

www.westernfamily.com

Product Label

For Relief of Constipation.



For Relief of Constipation.
Made from Natural Vegetable Laxative
Ingredient Plus Stool Softener.

Natural Vegetable Laxative
Ingredient Plus Stool Softener
Senna-S
Docusate Sodium 50 mg/ Sennosides 8.6 mg

60 TABLETS

Compare to the Active Ingredients in Senokot-S[®]**



Proudly Distributed by Western Family Foods, Inc.
P.O. Box 4167, Portland, OR 97208 USA
Copyright © 2015, Marca Registrada
www.westernfamily.com

TAMPER EVIDENT: DO NOT USE IF PRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE
WARNINGS AND PRODUCT INFORMATION.

Lot No.:
Exp. Date:



07251-F-PLD

9

PLD-E18U
FC0202899

**This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Senokot-S[®].

<p>Drug Facts (continued)</p> <p>Inactive ingredients carnuba wax^x, croscarmellose sodium, D&C yellow #10 aluminum lake, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake^y, FD&C red #40 aluminum lake^y, FD&C yellow #6 aluminum lake, hypromellose^z, magnesium stearate, maltoedextrin^z, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol^z, purified water^z, silicon dioxide, sodium benzoate^z, stearic acid, talc^z, titanium dioxide^z, contains one or more of these ingredients</p>	<p>Questions or comments? Call 1-503-639-6300 Monday-Friday 8AM-4PM PST</p>
---	--

<p>Drug Facts</p> <p>Active ingredients (in each tablet) Docusate sodium 50 mg.....Stool softener Sennosides 8.6 mg.....Laxative</p>	<p>Drug Facts (continued)</p> <p>Purpose Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>															
<p>Uses ■ relieves occasional constipation (irregularity) ■ generally produces bowel movement in 6-12 hours</p>	<p>Directions ■ take preferably at bedtime or as directed by a doctor</p>															
<p>Warnings ■ Do not use ■ if you are now taking mineral oil, unless directed by a doctor ■ laxative products for longer than 1 week unless directed by a doctor</p>	<p>Other information ■ each tablet contains: calcium 20 mg ■ each tablet contains: sodium 6 mg VERRY LOW SODIUM ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)</p>															
<p>Do not use ■ if you are now taking mineral oil, unless directed by a doctor ■ laxative products for longer than 1 week unless directed by a doctor</p>	<p>Directions</p> <table border="1"> <tr> <th>age</th> <th>starting dosage</th> <th>maximum dosage</th> </tr> <tr> <td>adults and children 12 years of age or older</td> <td>1 tablet once a day</td> <td>2 tablets twice a day</td> </tr> <tr> <td>children 6 to under 12 years</td> <td>1 tablet once a day</td> <td>2 tablets twice a day</td> </tr> <tr> <td>children 2 to under 6 years</td> <td>1/2 tablet once a day</td> <td>1 tablet twice a day</td> </tr> <tr> <td>children under 2 years</td> <td>ask a doctor</td> <td>ask a doctor</td> </tr> </table>	age	starting dosage	maximum dosage	adults and children 12 years of age or older	1 tablet once a day	2 tablets twice a day	children 6 to under 12 years	1 tablet once a day	2 tablets twice a day	children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day	children under 2 years	ask a doctor	ask a doctor
age	starting dosage	maximum dosage														
adults and children 12 years of age or older	1 tablet once a day	2 tablets twice a day														
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day														
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day														
children under 2 years	ask a doctor	ask a doctor														
<p>Ask a doctor before use if you have ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that lasts over 2 weeks</p>	<p>Warnings ■ Do not use ■ if you are now taking mineral oil, unless directed by a doctor ■ laxative products for longer than 1 week unless directed by a doctor</p>															
<p>Stop and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.</p>	<p>Other information ■ each tablet contains: calcium 20 mg ■ each tablet contains: sodium 6 mg VERRY LOW SODIUM ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)</p>															
<p>If pregnant or breast-feeding, ask a health professional before use.</p>	<p>Directions ■ take preferably at bedtime or as directed by a doctor</p>															

Western Family Senna S Orange

SENNA- S

docusate sodium and sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55312-016
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
TALC (UNII: 7SEV7J4R1U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ALUMINUM OXIDE (UNII: LM26O6933)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	
WATER (UNII: 059QF0K00R)	

Product Characteristics

Color	ORANGE	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	TCL081;SS1;S35
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55312-016-60	1 in 1 BOX		
1		60 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	03/01/2013	

Labeler - Western Family Foods, Inc. (192166072)

Registrant - P & L Development, LLC (800014821)

Revised: 7/2015

Western Family Foods, Inc.