

DRAMAMINE- dimenhydrinate tablet, chewable
Mechanical Servants, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Dramamine

DRUG FACTS

Drug Facts

Active ingredient (in each tablet)

Dimenhydrinate 50 mg

Purpose

Antiemetic

Use

for prevention and treatment of these symptoms associated with motion sickness:

- nausea
- vomiting
- dizziness

Warnings

Do not use for children under 2 years of age unless directed by a doctor

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a doctor before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- to prevent motion sickness, the first dose should be taken 1/2 to 1 hour before starting activity
- to prevent or treat motion sickness, see below:

Adults and children 12 years and over	<ul style="list-style-type: none">▪ Take 1 to 2 chewable tablets every 4-6 hours▪ Do not take more than 8 chewable tablets in 24 hours, or as directed by a doctor
Children 6 to under 12 years	<ul style="list-style-type: none">▪ Give 1/2 to 1 chewable tablet every 6-8 hours▪ Do not give more than 3 chewable tablets in 24 hours, or as directed by a doctor
Children 2 to under 6 years	Give 1/2 chewable tablet every 6-8 hours Do not give more than 1 1/2 chewable tablets in 24 hours, or as directed by a doctor

Other Information

- **Phenylketonurics:** contains phenylalanine 0.84 mg per tablet.
- store at room temperature 68°-77°F (20°-25°C)
- **do not use if packet is torn**
- see bottom panel for lot number and expiration date

Inactive ingredients

anhydrous citric acid, aspartame, FD&C yellow 6 aluminum lake, flavors, magnesium stearate, maltodextrin, methacrylic acid copolymer, modified starch, sorbitol

Questions?

1-800-382-7219 Dramamine.com

Dist. by Medtech Products Inc., Tarrytown, NY 10591
A Prestige Consumer Healthcare company. Made in Italy.
© 2021 Trade dress is owned by Medtech Products Inc.
All rights reserved.

PRINCIPAL DISPLAY PANEL - 50mg Tablet Pouch Blister

#1
Pharmacist
Recommended
Brand

Dimenhydrinate
Tablets/Antiemetic

Dramamine ®

motion sickness

CHEWABLE

Dual Action:

Prevents & Relieves Nausea,
Dizziness and Vomiting

4

Orange Flavored

Tablets (50 mg each)

#1
Pharmacist
Recommended
BRAND

**DIMENHYDRINATE
TABLETS / ANTIEMETIC**

Dramamine®

motion sickness

CHEWABLE

Dual Action:

Prevents & Relieves Nausea,
Dizziness and Vomiting

4

Orange Flavored Tablets (50 mg each)

PRINCIPAL DISPLAY PANEL - 50mg Tablet Pouch Blister

#1
Pharmacist
Recommended
Brand

Dimenhydrinate
Tablets/Antiemetic

Dramamine®

motion sickness

CHEWABLE
Dual Action:

Prevents & Relieves Nausea,
Dizziness and Vomiting

6

Orange Flavored Tablets (50 mg each)



PRINCIPAL DISPLAY PANEL - 50mg Tablet Pouch Box

#1
Pharmacist
Recommended
Brand

Dimenhydrinate
Tablets/Antiemetic

Dramamine ®

motion sickness


CHEWABLE
Dual Action:

Prevents & Relieves Nausea,

Dizziness and Vomiting

25 POUCHES

2 Orange Flavored Tablets (50 mg each) per Pouch



DRAMAMINE

dimenhydrinate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:29485-6925
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMENHYDRINATE (UNII: JB937PER5C) (CHLORTHEOPHYLLINE - UNII:GE2UA340FM)	DIMENHYDRINATE	50 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)	
SORBITOL (UNII: 506T60A25R)	
ASPARTAME (UNII: Z0H242BBR1)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	orange	Score	2 pieces
Shape	ROUND	Size	12mm
Flavor	ORANGE	Imprint Code	DRA
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29485-6925-3	3 in 1 BLISTER PACK	02/06/2017	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	02/06/2017	

DRAMAMINE

dimenhydrinate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:29485-1216
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMENHYDRINATE (UNII: JB937PER5C) (CHLORTHEOPHYLLINE - UNII:GE2UA340FM)	DIMENHYDRINATE	50 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)	
SORBITOL (UNII: 506T60A25R)	
ASPARTAME (UNII: Z0H242BBR1)	
STARCH, CORN (UNII: O8232NY3SJ)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	orange	Score	2 pieces
Shape	ROUND	Size	12mm
Flavor	ORANGE	Imprint Code	DRA
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29485-1216-2	2 in 1 BLISTER PACK	05/10/2010	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	01/01/1994	

DRAMAMINE

dimenhydrinate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:29485-8048
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMENHYDRINATE (UNII: JB937PER5C) (CHLORTHEOPHYLLINE - UNII:GE2UA340FM)	DIMENHYDRINATE	50 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)	
SORBITOL (UNII: 506T60A25R)	
ASPARTAME (UNII: Z0H242BBR1)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	orange	Score	2 pieces
Shape	ROUND	Size	12mm
Flavor	ORANGE	Imprint Code	DRA
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29485-8048-2	25 in 1 BOX	07/10/2020	
1		1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	01/01/1994	

Labeler - Mechanical Servants, LLC (005530951)

Revised: 8/2022

Mechanical Servants, LLC