

**CALCIUM GLUCONATE- calcium gluconate injection, solution
MWI/VetOne**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

Calcium Gluconate 23%

**EACH 100 mL CONTAINS
Active Ingredients**

Calcium Gluconate
(provides 2.14 grams Calcium).....23 grams

ELECTROLYTES PER 1000 mL:

Calcium 1069 mEq
Hypertonic

Inactive Ingredients

Water for Injection.....q.s.
Contains borid acid as a solubilizing agent.

INDICATIONS:

To be used as an aid in the treatment of parturient paresis (milk fever) in cattle.

Distributed by: MWI
Boise, ID 83705
(888) 694-8381
www.VetOne.net

Manufactured by: Nova-Tech, Inc.
Grand Island, NE 68801

Solution, USP

**Sterile
Preservative Free**

V1 510104 Net Contents: 500 mL

RMS 92-1003
18-802
Rev 05/23

LOT NO.: EXP. DATE:

For animal use only.

Keep out of reach of children.

DOSAGE AND ADMINISTRATION:

Cattle: 250 mL to 500 mL. Administer intravenously or intraperitoneally. Solution should be warmed to body temperature and administered slowly.

This product is sterile in unopened container. It contains no preservative. Use entire contents when first opened. Discard any unused portion. Handle under aseptic conditions. If there is no apparent improvement in the animal's condition within 24 hours, consult a veterinarian.

STORAGE:

Store between 15 degrees and 30 degrees C (59 degrees - 86 degrees F).

TAKE TIME OBSERVE LABEL DIRECTIONS

EACH 100 mL CONTAINS:

Active Ingredients
Calcium Gluconate
(provides 2.14 grams Calcium) 23 grams

Inactive Ingredients
Water for Injection q.s.
Contains boric acid as a solubilizing agent.

ELECTROLYTES PER 1000 mL:

Calcium 1069 mEq
Hypertonic

INDICATIONS: To be used as an aid in the treatment of parturient paresis (milk fever) in cattle.



Distributed by: MWI
Boise, ID 83705
www.VetOne.net

Manufactured by:
Nova-Tech, Inc.
Grand Island, NE 68801

RMS 92-1003
18-802
Rev. 05/23



NDC 13985-802-50

500 mL



Calcium Gluconate 23%

Solution, USP

**Sterile
Preservative Free**

For animal use only.

Keep out of reach
of children.



V1 510104

Net Contents: 500 mL (16.91 fl oz)

DOSAGE AND ADMINISTRATION: Cattle: 250 mL to 500 mL. Administer intravenously or intraperitoneally. Solution should be warmed to body temperature and administered slowly.

This product is sterile in unopened container. It contains no preservative. Use entire contents when first opened. Discard any unused portion. Handle under aseptic conditions. If there is no apparent improvement in the animal's condition within 24 hours, consult a veterinarian.

For technical questions, call 1-833-833-4883.

STORAGE: Store between 15° and 30°C (59°–86°F).

TAKE TIME



OBSERVE LABEL
DIRECTIONS

LOT NO.:

EXP. DATE:

EACH 100 mL CONTAINS:
Active Ingredients
 Calcium Gluconate
 (provides 2.14 grams Calcium)23 grams
Inactive Ingredients
 Water for InjectionQ.S.
 Contains boric acid as a solubilizing agent.
ELECTROLYTES PER 1000 mL:
 Calcium 1069 mEq
 Hypertonic

INDICATIONS: To be used as an aid in the treatment of parturient paresis (milk fever) in cattle.



Distributed by: MWI
 Boise, ID 83705
 www.VetOne.net
 Manufactured by:
 Nova-Tech, Inc.
 Grand Island, NE 68801
 RMS 92-1003
 18-802
 Rev. 05/23



NDC 13985-802-50

500 mL



Calcium Gluconate 23%

Solution, USP

**Sterile
Preservative Free**

For animal use only.

Keep out of reach
of children.



V1 510104

Net Contents: 500 mL (16.91 fl oz)

DOSAGE AND ADMINISTRATION: Cattle: 250 mL to 500 mL. Administer intravenously or intraperitoneally. Solution should be warmed to body temperature and administered slowly.

This product is sterile in unopened container. It contains no preservative. Use entire contents when first opened. Discard any unused portion. Handle under aseptic conditions. If there is no apparent improvement in the animal's condition within 24 hours, consult a veterinarian.

For technical questions, call 1-833-833-4883.

STORAGE: Store between 15° and 30°C (59°–86°F).



LOT NO.:

EXP. DATE:

CALCIUM GLUCONATE

calcium gluconate injection, solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:13985-802
Route of Administration	INTRAVENOUS, INTRAPERITONEAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM GLUCONATE (UNII: SQE6VB453K) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM GLUCONATE	23 g in 100 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13985-802-50	500 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/12/2014	

Labeler - MWI/VetOne (019926120)

Registrant - MWI/VetOne (019926120)

Establishment

Name	Address	ID/FEI	Business Operations
Nova-Tech, Inc.		196078976	manufacture

Revised: 12/2023

MWI/VetOne