

**PAIN RELIEVER PM EXTRA STRENGTH- acetaminophen, diphenhydramine
hcl capsule, gelatin coated
Best Choice (Valu Merchandisers Company)**

Drug Facts

Active ingredients (in each geltaab)

Acetaminophen 500 mg

Diphenhydramine HCl 25 mg

Purposes

Pain reliever

Nighttime sleep-aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)
- adults and children 12 years and over: take 2 gels at bedtime. Do not take more than 2 gels of this product in 24 hours.
- children under 12 years: do not use

Other information

- store between 20-25°C (68-77°F)
- avoid high humidity and excessive heat

Inactive ingredients

corn starch, croscarmellose sodium, D&C red #27 aluminum lake, edible black ink, FD&C blue #1 aluminum lake, gelatin, glycerin, hypromellose, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, purified water, silicon dioxide, stearic acid, titanium dioxide

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredients in Extra Strength Tylenol® PM*

EXTRA STRENGTH

Pain Reliever PM

ACETAMINOPHEN 500 mg

PAIN RELIEVER

DIPHENHYDRAMINE HCl 25 mg

NIGHTTIME SLEEP-AID

Non-habit forming

For ages 12 years and over

GELTABS

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Extra Strength Tylenol® PM.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

PROUDLY DISTRIBUTED BY:

ASSOCIATED WHOLESALE GROCERS, INC.

KANSAS CITY, KANSAS 66106

Product Label

Exp. Date:
 Lot No.:
 P.L.D.-H30U
 F0008383



BEST CHOICE 58323 0823 PLD

Drug Facts

Active ingredients (in each geltab)
 Acetaminophen 500 mg.....Pain reliever
 Diphenhydramine HCl 25 mg.....Nighttime sleep-aid

Uses Temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness.

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:
 ■ more than 4,000 mg of acetaminophen in 24 hours
 ■ with other drugs containing acetaminophen
 ■ 3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
 ■ skin reddening ■ blisters ■ rash
 If a skin reaction occurs, stop use and seek medical help right away.

Do not use
 ■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ with any other product containing diphenhydramine, even one used on skin
 ■ in children under 12 years of age
 ■ if you have ever had an allergic reaction to this product or any of its ingredients

Drug Facts (continued)

Ask a doctor before use if you have
 ■ liver disease
 ■ a breathing problem such as emphysema or chronic bronchitis
 ■ trouble urinating due to an enlarged prostate gland
 ■ glaucoma

Ask a doctor or pharmacist before use if you are
 ■ taking the blood thinning drug warfarin
 ■ taking sedatives or tranquilizers

When using this product
 ■ drowsiness will occur
 ■ avoid alcoholic drinks
 ■ do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if
 ■ sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
 ■ new symptoms occur
 ■ redness or swelling is present
 ■ pain gets worse or lasts more than 10 days
 ■ fever gets worse or lasts more than 3 days
 These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)

Directions
 ■ do not take more than directed (see Overdose warning)
 ■ adults and children 12 years and over: take 2 geltabs at bedtime. Do not take more than 2 geltabs of this product in 24 hours.
 ■ children under 12 years: do not use

Other information
 ■ store between 20-25°C (68-77°F)
 ■ avoid high humidity and excessive heat

Inactive ingredients corn starch, croscarmellose sodium, D&C red #27 aluminum lake, edible black ink, FD&C blue #1 aluminum lake, gelatin, glycerin, hypromellose, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, purified water, silicon dioxide, stearic acid, titanium dioxide

Questions or comments?
 Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Extra Strength Tylenol® PM.

Best Choice, 100% Guaranteed
 www.bestchoicebrand.com

PROUDLY DISTRIBUTED BY:
 ASSOCIATED WHOLESALE GROCERS, INC.
 KANSAS CITY, KANSAS 66106

For product information please visit:
 bestchoicebrand.com/58323

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Best Choice®

EXTRA STRENGTH

Pain Reliever PM

ACETAMINOPHEN 500 mg

PAIN RELIEVER

DIPHENHYDRAMINE HCl 25mg

NIGHTTIME SLEEP-AID

Compare to the active ingredients in
Extra Strength Tylenol® PM*

Actual Size

50 GELTABS

Non-habit forming
 For ages 12 years and over

BEST CHOICE Extra Strength Pain Reliever PM**PAIN RELIEVER PM EXTRA STRENGTH**

acetaminophen, diphenhydramine hcl capsule, gelatin coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-231
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
WATER (UNII: 059QF0KO0R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

Product Characteristics

Color	blue, white	Score	no score
Shape	ROUND	Size	13mm
Flavor		Imprint Code	BPI50
Contains			

Packaging

		Marketing Start	Marketing End
--	--	------------------------	----------------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-231-50	1 in 1 BOX	03/08/2013	
1		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/08/2013	

Labeler - Best Choice (Valu Merchandisers Company) (868703513)

Revised: 2/2024

Best Choice (Valu Merchandisers Company)