

BRONCOTRON PED- dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid
Seyer Pharmatec, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients **Purpose**
(in each 5 mL teaspoonful)

Dextromethorphan HBr 15 mg Cough Suppressant

Guaifenesin 350 mg Expectorant

Phenylephrine HCl 10 mg Nasal Decongestant

Purpose

Cough Suppressant

Expectorant

Nasal Decongestant

Uses non-narcotic cough suppressant which temporarily calms cough due to minor throat and bronchial irritation as may occur with the common cold

- calms the cough control center and relieves coughing
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive.
- temporarily relieves nasal congestion due to the common cold
- helps decongest sinus openings and passages; temporarily relieves sinus congestions and pressure

Warnings

- **do not exceed recommended dosage**
- a persistent cough may be a sign of a serious condition. If cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash or persistent headache, consult a doctor.

Ask a doctor before use if you have

- a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema, or where cough is accompanied by excessive phlegm (mucus), unless directed by a doctor
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- if symptoms do not improve within 7 days or are accompanied by fever

Ask a doctor before use if you are taking sedatives or tranquilizers.

Do not use this product

- If you are taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

If pregnant or breast-feeding, ask a health care professional before use.

Directions

- take every 4 hours, not to exceed 6 doses in 24 hours or as directed by a physician

Adults and children 12 years of age or older	1 teaspoonful (5 mL)
Children 6 to under 12 years of age	1/2 teaspoonful (2.5 mL)
Children under 6 years of age	Ask a doctor

Inactive ingredients

Citric acid, flavor, magnasweet, methylparaben, potassium citrate, potassium sorbate, propylparaben, propylene glycol, purified water, sorbitol, sucralose, xanthan gum

Questions or comments 1-888-782-3585

Delicious Grape Flavor!

Broncotron PED

**SUGAR FREE
ALCOHOL FREE
DYE FREE
GLUTEN FREE**

*Cough Suppressant
Expectorant
Nasal Decongestant*

SEYER PHARMATEC INC.
4 fl. oz. (118 mL)

Drug Facts
Active Ingredients Purpose
(in each 5 mL teaspoonful)
Dextromethorphan HBr 15 mgCough Suppressant
Guaifenesin 350 mg Expectorant
Phenylephrine HCl 10 mg Nasal Decongestant

Uses non-narcotic cough suppressant which temporarily calms cough due to minor throat and bronchial irritation as may occur with the common cold ■ calms the cough control center and relieves coughing ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive ■ temporarily relieves nasal congestion due to the common cold ■ helps decongest sinus openings and passages; temporarily relieves sinus congestion and pressure

Warnings
■ **do not exceed recommended dosage**
■ a persistent cough may be a sign of a serious condition. If cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache, consult a doctor

Do not use this product ■ if you are taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have
■ a persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema, or where cough is accompanied by excessive phlegm (mucus) unless directed by a doctor ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ difficulty in urination due to enlargement of the prostate gland

Cont. ►

Drug Facts (continued)
Stop use and ask a doctor if
■ nervousness, dizziness or sleeplessness occur
■ if symptoms do not improve within 7 days of use accompanied by fever

Ask a doctor before use if you are taking sedatives or tranquilizers.

If pregnant or breast-feeding, ask a health care professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions
■ take every 4 hours, not to exceed 6 doses in 24 hours or as directed by a physician

Adults and children 12 years of age and older	1 teaspoonful (5 mL)
Children 6 to under 12 years of age	1/2 teaspoonful (2.5 mL)
Children under 6 years of age	Ask a doctor

Other information
■ Store at room temperature 59°-86°F (15°-30°C)

Inactive Ingredients
Citric Acid, Flavor, Magnasweet, Methyl Paraben, Potassium Citrate, Potassium Sorbate, Propyl Paraben, Propylene Glycol, Purified Water, Sorbitol, Sucralose, Xanthan Gum

Questions or comments 1-888-782-3585

TAMPER-EVIDENT DISCLOSURE: Do not use this product if foil under cap is torn, broken or missing. CODE# SEY2780-4UC REV. 10/12

SEYER PHARMATEC INC. Manufactured in the USA for: SEYER PHARMATEC, INC. Guaynabo, Puerto Rico 00970

Each dose of Grape flavored Broncotron-PED:

Temporarily helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive.

Temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold.

Temporarily relieves nasal congestion.

NO ASPARTAME | NO SACCHARIN

dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11026-2780
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	350 mg in 5 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE (Grape Flavor)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11026-2780-4	1 in 1 CARTON	12/15/2012	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	12/15/2012	

Labeler - Seyer Pharmatec, Inc. (832947126)

Revised: 12/2020

Seyer Pharmatec, Inc.