

**VITAMIN E-AD-300- alpha tocopherol vitamin a vitamin d3 injection**  
**Agri Laboratories, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**INJECTABLE TOCOPHEROL WITH A+D**

**(Vitamin A, D<sub>3</sub> and E)**

**FOR ANIMAL USE ONLY**

**KEEP OUT OF REACH OF CHILDREN**

**INTRAMUSCULAR OR SUBCUTANEOUS ONLY**

**TAKE TIME OBSERVE LABEL DIRECTIONS**

**ADMINISTRATION AND DOSAGE**

Intramuscular or subcutaneous administration only. If dose is greater than 5 mL, equally divide the dose and inject at two different sites. May be repeated.

**SUGGESTED DOSAGE** **mL**

**CATTLE** (Diary and Beef)

Cows and Heifers

2-3 wks pre-partum ..... 6-10

At calving ..... 8-10

End of lactation ..... 8-10

Calves

At birth ..... 4-6

At weaning ..... 4-6

Yearlings ..... 5-6

**CAUTION**

Anaphylactoid or allergic reactions, which have resulted in deaths, have been reported in individual animals as well as entire herds. Should such reactions or hypersensitivity occur, treat immediately with injection of epinephrine and/or antihistamines. Do not exceed recommended dosage. Administration of this product to well-nourished animals may cause hypervitaminosis D, which may result in hypercalcemia and hyperphosphatemia.

**WARNING**

Do not add water to solution. Not for human use. Keep out of reach of children.

**Store between 15° and 30°C (59°-86°F) in a dark place.**

**Each mL contains:**

**Active Ingredients:** 300 I.U. of vitamin E (as d-alpha-tocopherol, a natural source of vitamin E); 100,000 I.U. Vitamin A Propionate. 10,000 I.U. vitamin D<sub>3</sub> **Inactive Ingredients:** 2% benzyl alcohol (preservative) in a water emulsifiable base.

## INDICATIONS

Vitamin E-AD-300 is a clear, sterile, non-aqueous solution of vitamin A, vitamin D<sub>3</sub> and vitamin E. The product is intended as a supplemental source of vitamins A, D, and E.

Natural vitamin A (carotenes), and tocopherols can be destroyed in feedstuffs through processing, ensiling and storage. Due to these losses, reduced intakes of fat-soluble vitamins can occur in animals maintained in continual confinement compared to animals allowed to graze lush pasture. Intramuscular or subcutaneous injections offer an efficient and rapid method to increase vitamin A, vitamin D and vitamin E status of animals.

**ADMINISTRATION AND DOSAGE:** Intramuscular or subcutaneous administration only. If dose is greater than 5 mL, equally divide the dose and inject at two different sites. May be repeated.

**SUGGESTED DOSAGE:** mL

CATTLE (Dairy and Beef)	mL
Cows and Heifers	
2-3 wks pre-partum .....	8-10
At calving .....	8-10
End of lactation .....	8-10
Calves	
At birth .....	4-6
At weaning .....	4-6
Yearlings .....	5-6

**CAUTION:** Anaphylactoid or allergic reactions, which have resulted in deaths, have been reported in individual animals as well as entire herds. Should such reactions or hypersensitivity occur, treat immediately with injection of epinephrine and/or antihistamines. Do not exceed recommended dosage. Administration of this product to well-nourished animals may cause hypervitaminosis D, which may result in hypercalcemia and hyperphosphatemia.

**WARNING:** Do not add water to solution. Not for human use. Keep out of reach of children. **Store between 15° and 30°C (59°-86°F) in a dark place.**

© Registered Trademark of Agri Laboratories, Ltd.

**LOT NO.:**                      **EXP. DATE:**

NDC 57561-413-05


### VITAMIN E-AD-300

**INJECTABLE TOCOPHEROL WITH A+D**  
**(Vitamin A, D<sub>3</sub> and E)**

**FOR ANIMAL USE ONLY**  
**KEEP OUT OF REACH OF CHILDREN**

**INTRAMUSCULAR OR SUBCUTANEOUS INJECTION ONLY**

**Net Contents: 250 mL (8 fl. oz.)**




**AgriLabs®**  
*Making A Healthy Difference®*

**Each mL contains: Active Ingredients:** 300 I.U. of vitamin E (as d-alpha-tocopherol, a natural source of vitamin E); 100,000 I.U. Vitamin A Propionate; 10,000 I.U. vitamin D<sub>3</sub>; **Inactive Ingredients:** 2% benzyl alcohol (preservative) in a water emulsifiable base.


**INDICATIONS:** Vitamin E-AD 300 is a clear, sterile, non-aqueous solution of vitamin A, vitamin D<sub>3</sub>, and vitamin E. The product is intended as a supplemental source of vitamins A, D, and E.

Natural vitamin A (carotenes), and tocopherols can be destroyed in feedstuffs through processing, ensiling and storage. Due to these losses, reduced intakes of fat-soluble vitamins can occur in animals maintained in continual confinement compared to animals allowed to graze lush pasture. Intramuscular or subcutaneous injections offer an efficient and rapid method to increase vitamin A, vitamin D and vitamin E status of animals.

V-3234-05    Rev. 04-11

**TAKE TIME**  **OBSERVE LABEL DIRECTIONS**

**Manufactured for**  
**Agri Laboratories, Ltd.**  
**St. Joseph, MO 64503**



3 57561 01090 1

## VITAMIN E-AD-300

alpha tocopherol vitamin a vitamin d3 injection

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:5756 1-413
<b>Route of Administration</b>	INTRAMUSCULAR, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
.ALPHA.-TOCOPHEROL, D- (UNII: N9 PR3490 H9) (.ALPHA.-TOCOPHEROL, D- - UNII:N9 PR3490 H9)	.ALPHA.-TOCOPHEROL, D-	201 mg in 1 mL
VITAMIN A (UNII: 8 1G40H8B0T) (VITAMIN A - UNII:8 1G40H8B0T)	VITAMIN A	3.6 mg in 1 mL
VITAMIN D (UNII: 9 VU1KI44GP) (CHOLECALCIFEROL - UNII:1C6 V77QF41)	VITAMIN D	2.5 mg in 1 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57561-413-05	250 mL in 1 VIAL		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/01/2008	

**Labeler** - Agri Laboratories, Inc. (155594450)

Establishment			
Name	Address	ID/FEI	Business Operations
Sparhawk Laboratories, Inc.		147979082	manufacture, api manufacture, analysis

Revised: 10/2018

Agri Laboratories, Inc.