ZZIP COLD SORE TREATMENT- allantoin, dimethicone, menthol solution Zzip AG

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Zzip Cold Sore Treatment

Drug Facts

Active Ingredients

□Allantoin 0.5%

Dimethicone 1%

Menthol 0.1%

Purpose

Cold sore/fever blister treatment

Uses

- Temporarily relieves the pain and itching associated with cold sores/fever blisters.
- Temporarily protects and helps relieve chapped or cracked lips.

Warnings

For external use only

Do not use

- if you are allergic to any ingredient in this product
- during pregnancy or breast-feeding.

When using this product

- avoid contact with eyes
- apply only to affected areas
- avoid applying directy inside your mouth
- do not share this product with anyone. This may spread infection.
- dispose cotton swab immediately after use
- discard after 1 month of opening the tube

Stop use and ask a doctor if

- condition worsens
- symptoms last more than 7 days
- symptoms clear up and return in a few days.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

ladults and children 12 years or over:

- Apply to affected area on face or lips at first sign (tingle) of cold sore/fever blister
- Open tube, saturate cotton swab with 8 drops of liquid
- Use the cotton swab to apply to affeted area on face or lips. Do ot touch the sore with your fingers. Continue for 3 seconds until the cold sore is completely covered and sealed.
- Dispose of cotton swab do not reuse
- Wash hands before and after application.
- Apply 2 times daily, not to exceed 3 to 4 times daily until sore is healed

Ichildren under 12 years: ask a doctor

Other information

Store at room temperature

Do not freeze

Inactive Ingredients

Aloe Barbadensis, Calendula Officinalis Flower, Copper Sulfate, Demineralized water, Ethylhexylglycerin, Glycerin, Laureth-9, Maltodextrin, Opuntia Ficus Indica Stem, PEG-40 Hydrogenated CAstor Oil, Pentylene Glycol, Phenoxyethanol, Propylene Glycol, Rhododendrum Ferrugineum, Trideceth-9.

Questions or comments?

Call 1-800-257-7071 (English/Spanish) Weekdays

Visit us at www.zzipusa.com

Distributed in the USA by:

GG Advisors, LLC

923 Haddonfield Rd., Suite 300

Cherry Hill, NJ 08002

1-800-257-7071

Switzerland developed by Zzip AG

Made in the Netherlands

Product labeling





Text ZZIP to 26786 for Promotions!

Cold Sore Treatment Relieves Pain Halts Itching



NETWT 0.1oz (3ml)

Cold Sore Treatment
Relieves Pain
Halts Itching

747410°


Allantoin, Dimethicone, Menthol
Cold Sore/ Fever Blister Treatment/ Lip Protectant





Purpose





Drug Facts

Active ingredients

Allantoin 0.5%}

Dimethicone 1% Cold sore/fever blister treatment Menthol 0.1%

- Uses Temporarily relieves pain and itching associated with cold sores/fever blisters
 - . Temporarily protects and helps relieve chapped or cracked lips

Warnings

For external use only

Do not use • if you are allergic to any ingredient in this product during pregnancy or breast-feeding

When using this product • avoid contact with eyes • apply only to affected areas . avoid applying directly inside your mouth

- do not share this product with anyone. This may spread infection. . dispose cotton swab immediately after use
- . discard after 1 month of opening the tube

Stop use and ask a doctor if • condition worsens • symptoms last more than 7 days • symptoms clear up and return in a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions

- · adults and children 12 years or over:
- . Apply to affected area on face or lips at first sign (tingle) of cold sore/fever blister.
- Open tube, saturate cotton swab with 8 drops of liquid
- . Use the cotton swab to apply to affected area on face or lips. Do not touch the sore with your fingers. Continue for 3 seconds until the cold sore is completely covered and sealed.
- Dispose of cotton swab do not reuse.
- Wash hands before and after application.
- Apply 2 times daily, not to exceed 3 to 4 times daily until sore is healed.
- children under 12 years: ask a doctor

Other information

Store at room temperature
 Do not freeze

Inactive ingredients

Aloe Barbadensis, Calendula Officinalis Hower, Copper Sulfate, Demineralized Water, Ethylhexylglycerin, Glycerin, Laureth-9, Maltodextrin, Opuntia Ficus-Indica Stem, PEG-40 Hydrogenated Castor Oil, Pentylene Glycol, Phenoxyethanol, Propylene Glycol, Rhododendrum Ferrugineum, Trideceth-9.

Questions or comments? Call 1-800-257-7071 (English/Spanish) weekdays • Visit us at www.zzipusa.com

COLD SORE TREATMENT

COLD SORE/ FEVER BLISTER TREATMENT/ LIP PROTECTANT

- TRANSPARENT
- HELPS TO PROVIDE PAIN AND ITCH RELIEF
- HELPS TO PROMOTE HEALING
- . HELPS TO PROTECT AND RELIEVE CHAPPED OR CRACKED LIPS

- Zzip® Zzip is a protective water resistant film layer forming liquid for treating cold sores
- Zzip* forms a protective breathable layer over the cold sore and thereby helps to prevent spreading of the cold sore virus
- Zzip* helps to relieve the painful itching and tingling associated with cold sores/fever bliste is
- Zzipe helps to promote healing of cold sores/fever

If you feel an uncomfortable tingling, pain and or fiching on your face or lips this could be the first sign of a cold sore, also called a fever blister. This could mean that the cold sore is starting to develop. Simply apply Zzip* to the affected are a with a supplied cotton swab. Zzip* forms a protective layer over the cold sore preventing further spreading of the cold sore virus. Zzip* temporarily relieves the symptoms of pain and tiching associated with cold sores/lever blisters and itching associated with cold sores/fever blisters and helps promote healing.

Warnings For external use only.

Do not use

- if you are allergic to any ingredient in this product
- if you are pregnant or are breast-feeding
 discard 1 month after opening the tube

When using this product

- apply only to affected areas
- avoid contact with eyes
 avoid applying directly inside your mouth
- do not share this product with anyone. This may spread infection.
- dispose of cotton swab immediately after use

Stop use and ask a doctor if:

- condition worsens
- symptoms last more than 7 days
- symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Questions or comments? Call toll-free 1-800- 257-7071

Store at room temperature. Do not freeze.

Distributed in the USA by: GGAdvisors, LLC

923 Haddonfield Road, Suite 300 Che my Hill, NJ 08002 USA

Switzerland Developed by ZZIP AG Made in the Netherlands

Serb us side effects associated with use of this product may be reported to this number, 1-800-257-7071

Visit us at www.zzipusa.com



Directions

How to apply for

adults and children 12 years or older:



 Wash hands before application of Zzip[®] to help prevent the spread of the cold sore.

- 2. Remove cotton swab from plastic bag.
 - 3. Open tube and saturate cotton swab with 8 drops of liquid.



4. Use cotton swab to apply to affected area on face or lips. Do not touch sore with your fingers. Continue for 3 seconds until the sore is completely covered and



5. Dispose of cotton swab-Do not re-use.



6. Wash hands after application of Zzip* to help prevent the spread of cold sore.



Apply 2 times daily not to exceed 3-4 times daily.

· children under 12 years: ask a doctor

Active Ingredients: Allantoin 0.5%, Dimethicone 1%, Menthol 0.1%

Inactive Ingredients: Aloe Barbadensis, Calendula Officinalis Flower, Copper Sulfate, Demineralized Water, Ethylhexylglycerin, Glycerin, Laureth-9, Matodextrin, Opuntia Ficus-Indica Stern, PEG-40 Hydrogenated Castor Oil, Pentylene Glycol, Phenoxyethanol, Propylene Glycol, Rhododendrum Ferrugineum, Trideceth-9

ZZIP COLD SORE TREATMENT

allantoin, dimethicone, menthol solution

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70019-100	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ALLANTO IN (UNII: 344S277G0Z) (ALLANTO IN - UNII:344S277G0Z)	ALLANTOIN	5 mg in 1 mL	
DIMETHICO NE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	10 mg in 1 mL	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 mg in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength
ALOE (UNII: V5VD430 YW9)	
CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)	
BASIC COPPER SULFATE (UNII: CUP529 P5NS)	
WATER (UNII: 059QF0KO0R)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERIN (UNII: PDC6A3C0OX)	
LAURETH-9 (UNII: 0 AWH8 BFG9 A)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
OPUNTIA FICUS-INDICA STEM (UNII: MUD8892KHL)	
PEG-40 CASTOR OIL (UNII: 4ERD2076EF)	
PENTYLENE GLYCOL (UNII: 50 C130 7PZG)	
TRIDECETH-9 (UNII: X9 HD79 I514)	

l	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:70019- 100-00	3 mL in 1 TUBE; Type 4: Device Coated/Impregnated/Otherwise Combined with Drug		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	07/30/2015	

Labeler - Zzip AG (480040768)

Registrant - Hen L Verpakkingen B.V. (407736821)

Establishment				
Name	Address	ID/FEI	Business Operations	
Hen L Verpakkingen B.V.		407736821	manufacture (70019-100)	

Establishment			
Name	Address	ID/FEI	Business Operations
Flores Natural Cosmetic		404875689	pack(70019-100)

Revised: 7/2015 Zzip AG