

ACETAMINOPHEN EXTRA STRENGTH- acetaminophen tablet
KROGER COMPANY

Drug Facts

Active ingredient (in each caplet)

Acetaminophen USP 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen.

Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning:In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets every 6 hours while symptoms last• do not take more than 6 caplets in 24 hours, unless directed by a doctor• do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- **do not use if carton is open or printed foil seal under cap is torn or missing.**

Inactive ingredients

povidone, pregelatinized starch (maize), stearic acid.

Questions or comments?

1-800-632-6900

**DISTRIBUTED BY HE KROGER CO.
CINCINNATI, OHIO 45202
MADE IN INDIA**

Code: TS/DRUGS/16/2014

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL 500 mg (24 Caplets Bottle)

NDC 30142-033-07

Kroger®

for adults

Extra Strength

Acetaminophen

Caplets 500 mg

Pain Reliever/

Fever Reducer

SEE NEW WARNINGS

INFORMATION &

DIRECTIONS

24

CAPLETS

500 mg EACH



NDC 30142-033-07

for adults

Extra Strength

Acetaminophen Caplets 500 mg

**Pain Reliever/
Fever Reducer**

24 CAPLETS

500 mg EACH

SEE NEW WARNINGS
INFORMATION &
DIRECTIONS

**DO NOT USE WITH OTHER MEDICINES
CONTAINING ACETAMINOPHEN**

Drug Facts

Active ingredient (in each caplet)
Acetaminophen USP 500 mg. **Pain reliever/fever reducer**

Uses ■ Temporarily relieves minor aches and pains due to:
■ the common cold ■ headache ■ backache ■ minor pain
of arthritis ■ toothache ■ muscular aches ■ premenstrual
and menstrual cramps ■ Temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe
liver damage may occur if you take ■ more than 4,000 mg of
acetaminophen in 24 hours ■ with other drugs containing
acetaminophen ■ 3 or more alcoholic drinks every day while
using this product. **Allergy alert:** acetaminophen may cause
severe skin reactions. Symptoms may include: ■ skin
redness ■ blisters ■ rash. If a skin reaction occurs, stop
use and seek medical help right away. Do not use ■ with any
other drugs containing acetaminophen (prescription or
nonprescription). If you are not sure whether a drug contains
acetaminophen, ask a doctor or pharmacist. ■ If you are
allergic to acetaminophen or any of the inactive ingredients
in this product. **Ask a doctor before use if you have liver
disease. Ask a doctor or pharmacist before use if you are
taking the blood thinning drug warfarin. Stop use and ask a
doctor if ■ pain gets worse or lasts more than 10 days
■ fever gets worse or lasts more than 3 days ■ new
symptoms occur ■ redness or swelling is present. These
could be signs of a serious condition. ■ If pregnant or
breast-feeding, ask a health professional before use. Keep
out of reach of children. **Overdose warning:** In case of
overdose, get medical help or contact a Poison Control
Center right away. 1-800-222-1222. Quick medical
attention is critical for adults as well as for children even if
you do not notice any signs or symptoms. **Directions**
■ **Do not take more than directed (see overdose warning)**
adults and children 12 years and over ■ take 2 caplets every
6 hours while symptoms last ■ do not take more than 6
caplets in 24 hours ■ unless directed by a doctor ■ do not
use for more than 10 days unless directed by a doctor.
■ **Other information** ■ **Do not use if**
score between 20° to 25° C (68° to 77° F) ■ **Do not use if**
printed foil seal under cap is torn or missing. Inactive ingredients
povidone, polyethylene glycol, croscarmellose sodium, stearic acid.**

Questions or comments? 1-800-832-6900

Contains
DIST. BY THE KROGER CO.
CINCINNATI, OHIO 45202
MADE IN INDIA

Code: TS/DRUGS/16/2014

LM-4753 P1429348



* Lot: XXXXXXXXX
EXP: MM/YYYY
Prefix & Variables of Lot, EXP shall be
printed online during packing.

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL 500 mg (24 Caplets Bottle Carton)

COMPARE TO the active ingredient of
033-07

NDC 30142-

EXTRA STRENGTH TYLENOL[®] CAPLETS^{*} See top panel
Kroger[®]

for adults

SEE NEW WARNINGS

INFORMATION & DIRECTIONS

Extra Strength
Acetaminophen Caplets
500 mg
Pain Reliever/Fever Reducer

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

actual
size

24 CAPPLETS
500 mg EACH



ACETAMINOPHEN EXTRA STRENGTH

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-033
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
POVIDONE K30 (UNII: U725QWY32X)	
STARCH, CORN (UNII: O8232NY3SJ)	
PALMITOSTEARIC ACID (UNII: Q8Y7S3B85M)	

Product Characteristics

Color	white (White to off White)	Score	no score
Shape	CAPSULE (Biconvex)	Size	18mm
Flavor		Imprint Code	N79
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-033-07	1 in 1 CARTON	02/02/2022	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/02/2022	

Labeler - KROGER COMPANY (006999528)

Registrant - Aurohealth LLC (078728447)

Establishment

Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	analysis(30142-033) , manufacture(30142-033)

Revised: 12/2023

KROGER COMPANY