

**KIDS GRAVOL CHEWABLES MOTION SICKNESS DIMENHYDRINATE-**  
**dimenhydrinate tablet, chewable**  
**Church & Dwight Co., Inc.**

-----  
**Kids Gravol™ Chewables Motion Sickness Dimenhydrinate**

***Drug Facts***

**Active ingredient**

Dimenhydrinate 15 mg

**Purpose**

antiemetic

**Uses**

For the prevention and treatment of the nausea, vomiting and dizziness associated with motion sickness

**Warnings**

**Do not use** for children under 2 years of age unless directed by a doctor

**Ask a doctor before use if you or your child has**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

**Ask a doctor before use if you or your child is** taking a sedative or tranquilizer

**When using this product**

- may cause marked drowsiness
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase the drowsiness effect
- use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

To prevent motion sickness, the first dose should be taken ½ to 1 hour before starting activity

- Adults and children 12 years of age and older: take 4 to 6 tablets every 4 to 6 hours. Do not exceed 24 tablets in 24 hours, or as directed by a doctor
- Children 6 to under 12 years of age: take 2 or 3 tablet every 6 to 8 hours. Do not exceed 10 tablets in 24 hours, or as directed by a doctor
- Children 2 to under 6 years of age: give 1 tablet every 6-8 hours. Do not give more than 5 tablets in 24 hours, or as directed by a doctor

### **Other information**

- **Phenylketonurics: contains phenylalanine 5 mg per tablet**
- Store between 59° - 77°F

### **Inactive ingredients**

acetylated monoglycerides, amino methacrylate copolymer, aspartame, cherry flavor, citric acid, corn starch, ethylcellulose, magnesium stearate, mannitol, microcrystalline cellulose, polyethylene glycol

### **Questions or comments?**

Call us at **1-888-334-5387** M-F 9am-5pm ET

### **PRINCIPAL DISPLAY PANEL - 15 mg Blister Pack Carton**

kids

Gravol™

MOTION SICKNESS

Dimenhydrinate tablets 15 mg

18

TABLETS

CHERRY

FLAVOR

DYE FREE

Children 2+  
Prevents and Treats:  
**Nausea, Vomiting  
& Dizziness\***

\*Prevention and treatment of nausea, vomiting and dizziness due to motion sickness



kids  
**Gravol™** CHEWABLES

kids  
**Gravol™**

MOTION SICKNESS  
Dimenhydrinate tablets 15 mg

**18**  
TABLETS



CHERRY  
FLAVOR  
DYE FREE

kids  
**Gravol™** CHEWABLES

<p><b>Directions</b> To prevent motion sickness, the first dose should be taken 1/2 to 1 hour before starting activity.</p> <p>• Adults and children 12 years of age and older, take 4 to 6 tablets every 4 to 6 hours. Do not exceed 24 tablets in 24 hours, or as directed by a doctor.</p> <p>• Children 6 to under 12 years of age, take 2 or 3 tablet every 6 to 8 hours. Do not exceed 10 tablets in 24 hours, or as directed by a doctor.</p> <p>• Children 2 to under 6 years of age: give 1 tablet every 6-8 hours. Do not give more than 5 tablets in 24 hours, or as directed by a doctor.</p>	<p><b>Active ingredient</b> Dimenhydrinate 15 mg antihetic</p>	<p><b>Uses</b> For the prevention and treatment of the nausea, vomiting and dizziness associated with motion sickness.</p>	<p><b>Warnings</b> Do not use for children under 2 years of age unless directed by a doctor.</p> <p>Ask a doctor before use if you or your child has</p> <ul style="list-style-type: none"> <li>• a breathing problem such as emphysema or chronic bronchitis • glaucoma</li> <li>• difficulty in urination due to enlargement of the prostate gland</li> </ul> <p>Ask a doctor before use if you or your child is taking a sedative or tranquilizer.</p>	<p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>• may cause marked drowsiness • avoid alcoholic beverages</li> <li>• alcohol, sedatives and tranquilizers may increase the drowsiness effect</li> <li>• use caution when driving a motor vehicle or operating machinery</li> </ul> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p>
<p><b>Other information</b> • Phenylethanolamine: contains phenylethanolamine 5 mg per tablet • Store between 59° - 77°F</p>	<p><b>Inactive ingredients</b> acetylated monoglycerides, amino methacrylate copolymer, aspartame, cherry flavor, citric acid, corn starch, ethylcellulose, magnesium stearate, mannitol, microcrystalline cellulose, polyethylene glycol</p>			
<p><b>Questions or comments?</b> Call us at 1-888-334-5387 M-F 9am-5pm ET</p>				



Church & Dwight Co., Inc., Ewing, NJ 08628  
 Gravol is a trademark of Church & Dwight Canada Corp.  
 Made in Canada



**Gravol**<sup>TM</sup>

GPRC-00284-01 72028256



## KIDS GRAVOL CHEWABLES MOTION SICKNESS DIMENHYDRINATE

dimenhydrinate tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10237-944
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIMENHYDRINATE</b> (UNII: JB937PER5C) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIMENHYDRINATE	15 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>DIACETYLATED MONOGLYCERIDES</b> (UNII: 5Z17386USF)	
<b>DIMETHYLAMINOETHYL METHACRYLATE - BUTYL METHACRYLATE - METHYL METHACRYLATE COPOLYMER</b> (UNII: 905HNO1SIH)	
<b>ASPARTAME</b> (UNII: Z0H242BBR1)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>ETHYLCELLULOSE, UNSPECIFIED</b> (UNII: 7Z8S9VYZ4B)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MANNITOL</b> (UNII: 3OWL53L36A)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

Marketing Start      Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10237-944-18	1 in 1 CARTON	06/30/2024	
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M009	06/30/2024	

**Labeler** - Church & Dwight Co., Inc. (001211952)

### Establishment

Name	Address	ID/FEI	Business Operations
Church & Dwight Canada Corp		253933600	MANUFACTURE(10237-944)

Revised: 3/2024

Church & Dwight Co., Inc.