

**CHLORHEXIDINE 2% SCRUB- chlorhexidine scrub 2% liquid**

**MWI**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Chlorhexidine 2%  
Scrub**

**A Mild Scrub Containing Chlorhexidine Gluconate**

**For veterinary use only.**

**Keep out of reach of children.**

**For external use only.**

**ACTIVE INGREDIENT:**

Chlorhexidine Gluconate ..... 2.0%

**INACTIVE INGREDIENTS:**

Purified water, lauramine oxide, ethoxylated alcohol, PEG-6 cocamide, PEG-60 hydrogenated castor oil, hydroxyethylcellulose, citric acid, fragrance and artificial colors.

**INDICATIONS:**

Chlorhexidine 2% Scrub is a mild scrub containing chlorhexidine gluconate that exhibits bactericidal activity against a wide range of microorganisms.

**DIRECTIONS FOR USE:**

Wet hands with water. Use approximately 5 mL of Chlorhexidine 2% Scrub and add enough water to make a lather. Lather thoroughly. Rinse thoroughly under running water.



**CAUTION:**

Avoid contact with eyes and mucous membranes. If product gets in eyes, immediately flush with water for 15 minutes and contact a physician. If swallowed, contact a physician and/or Poison Control Center immediately.

**STORAGE:**

Store at 20°–25°C (68°–77°F). Excursions permitted between 15°–30°C (59°–86°F). Keep container tightly closed when not in use. Do not freeze.

**Net Contents:**

One Gallon (3.785 L) **V1 510050**

Distributed by: MWI

Boise, ID 83705  
www.VetOne.net  
Rev. 03/16



One Gallon (3.785 L)

NDC 13985-592-03

1 Gallon



# Chlorhexidine 2%

Scrub

**ACTIVE INGREDIENT:**

Chlorhexidine Gluconate ..... 2.0%

**INACTIVE INGREDIENTS:** Purified water, lauramine oxide, ethoxylated alcohol, PEG-6 cocamide, PEG-60 hydrogenated castor oil, hydroxyethylcellulose, citric acid, fragrance and artificial colors.

**INDICATIONS:** Chlorhexidine 2% Scrub is a mild scrub containing chlorhexidine gluconate that exhibits bactericidal activity against a wide range of microorganisms.

**DIRECTIONS FOR USE:** Wet hands with water. Use approximately 5 mL of Chlorhexidine 2% Scrub and add enough water to make a lather. Lather thoroughly. Rinse thoroughly under running water.

## A Mild Scrub Containing Chlorhexidine Gluconate

For veterinary use only.  
Keep out of reach of children.  
For external use only.

**CAUTION:** Avoid contact with eyes and mucous membranes. If product gets in eyes, immediately flush with water for 15 minutes and contact a physician. If swallowed, contact a physician and/or Poison Control Center immediately.

**STORAGE:** Store at 20°–25°C (68°–77°F). Excursions permitted between 15°–30°C (59°–86°F). Keep container tightly closed when not in use. Do not freeze.

Lot No.

Exp. Date

No Varnish

TAKE TIME



OBSERVE LABEL DIRECTIONS



V1 510050

Net Contents: 1 Gal (3.785 L)


Distributed by: MWI  
Boise, ID 83705  
www.VetOne.net  
Rev. 03/16





Quantity: **4** Jugs Chlorhexidine Scrub 2%  
(4 x 1 gallon each)

**V1 510050**



10 3 13985 01215 7

Lot No.	Exp. Date
<b>No Varnish</b>	

Label Rev. 03/14

### CHLORHEXIDINE 2% SCRUB

chlorhexidine scrub 2% liquid

#### Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:13985-592
Route of Administration	TOPICAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	100.9 g in 1 L

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:13985-592-03	4 in 1 CASE		
1		3.785 L in 1 JUG		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/10/2016	

**Labeler** - MWI(019926120)

## Establishment

Name	Address	ID/FEI	Business Operations
FIRST PRIORITY INCORPORATED		179925722	manufacture, label

Revised: 10/2019

MWI