

LIDOCAINE PATCH- lidocaine 4% menthol 1% patch
Anhui Miao De Tang Pharmaceutical Co., Ltd.

Lidocaine Patch

LIDOCAINE PATCH

Active Ingredient(s)

LIDOCAINE 4% Purpose: Topical Analgesic

MENTHOL 1% Purpose: External Analgesic

Purpose

Topical Anesthetic, External Analgesic, LIDOCAINE PATCH

Use

LIDOCAINE PATCH to help Temporarily relieve minor pain

Warnings

For external use only. Flammable.

Do not use

- More than one patch on your body at a time or on cut, irritated or swollen skin
- On open or puncture wounds
- For more than one week without consulting a doctor.

- Use only as directed. Read and follow all directions and warnings on this label.
- Rare cases of serious burns have been reported with products of this type.
- Do not apply to wounds or damaged, broken or irritated skin
- Do not allow contact with the eyes and mucous membranes.
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not use at the same time as other topical analgesics.
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children over 12 years:

- Wash and dry the affected area.
- Remove backing from patch by firmly grasping both ends and gently pulling until backing separates in the middle

- Carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- Once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area.
- Carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- Use only 1 patch for a maximum of 24 hours.

Other information

- Store at room temperature - do not exceed 86°F, 30°C

Inactive ingredients

aluminum glycinate, glycerin, sodium polyacrylate, tartaric acid, DMOM hydantoin, water

Package Label - Principal Display Panel

0821C

COOL GRAY 10

JJ CARE

NDC

MAXIMUM STRENGTH 4%


LIDOCAINE PATCH

RELIEF FOR UP TO 12 HOURS



6 PATCHES

4 x 5 INCHES

**LIDOCAINE PATCH**

lidocaine 4% menthol 1% patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81484-301
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.1 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.4 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	

DMDM HYDANTOIN (UNII: BYR0546TOW)	
TARTARIC ACID (UNII: W4888I119H)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81484-301-02	6 in 1 BOX	11/01/2021	
1	NDC:81484-301-01	1 in 1 BAG; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/01/2021	

Labeler - Anhui Miao De Tang Pharmaceutical Co., Ltd. (405744102)

Establishment

Name	Address	ID/FEI	Business Operations
Anhui Miao De Tang Pharmaceutical Co., Ltd.		405744102	manufacture(81484-301)

Revised: 11/2023

Anhui Miao De Tang Pharmaceutical Co., Ltd.