WELMATE LIDOCAINE PAIN RELIEVING PATCH- lidocaine patch Yyba Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Welmate Lidocaine Pain Relieving Patch

Active ingredient

Lidocaine 4%

Purpose

Topical anesthetic

Uses

For temporary relieves minor pain

Warnings

For external use only

Do not use

- more than one patch on your body at a time
- On cut, irritated or swollen skin
- On puncture wounds
- For more than one week without consulting a doctor
- If you are allergic to any active or inactive ingredients
- if pouch is damaged or opened.

When using this product

- use only as directed
- read and follow directions and warnings on this carton
- do not allow contact with eyes.
- Do not use at the same time as other topical analgesics
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and ask a doctor if

• conditions worsen

- Redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- You experience signs of skin injury, such as pain, swelling, or blistering where the product was applied.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children and pets

If swallowed, get medical help or contact a Poison Control Center 800-222-1222 right away.

Directions

Adults and children 12 years of age and over:

- clean and dry affected area
- carefully remove backing from patch starting at a corner.
- Apply sticky side of patch to affected area.
- Use one patch for up to 12 hours.
- Discard patch after single use

Children under 12 years of age: consult a physician

Other information

- Store in a clean, dry place outside of direct sunlight
- Protect from excessive moisture


Inactive ingredients

aluminum glycinate, carboxymethylcellulose sodium, glycerin, iodopropynyl butylcarbamate, kaolin, petrolatum, phenoxyethanol, polyacrylic acid, polysorbate80, povidone, propylene glycol, sodium polyacrylate, tartaric acid, titanium dioxide, water, 3-(2-ethylhexyloxy)propane-1,2-diol

Questions or comments?

Toll free **866-933-6337** www.salonpas.us

Principal Display Panel





Oring Facids

Active ingredient

Use Emponsity selevisem nor pan.

Wernangs
For exert failuse only

Do not use all holder than one patch on
in on parchine vounds in or more than

Wernangs

For exert failuse only

Do not use all holder than one patch on
in one parchine vounds in or more than

Wernangs

By the parchine vounds in or more than

By the parchine vounds in or more than

By the parchine vounds in or more than

By the parchine parchine that in order

By the parchine that in the parchine than the parchine that in order

By the parchine that in the parchine that in order

Contractions

Directions

Directi

6.3125 III.

4.635 In.

WELMATE LIDOCAINE PAIN RELIEVING PATCH

lidocaine patch

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73581- 911	
Route of Administration	TOPICAL, PERCUTANEOUS, TRANSDERMAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)	
PETROLATUM (UNII: 4T6H12BN9U)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K6790BS311)	
IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
KAOLIN (UNII: 24H4NWX5CO)	
GLYCERIN (UNII: PDC6A3C0OX)	

POLYSORBATE 80 (UNII: 60ZP39ZG8H)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
WATER (UNII: 059QF0KO0R)	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:73581-911- 30	30 in 1 CARTON	11/01/2021		
1		11 g in 1 POUCH; Type 0: Not a Combination Product			
2	NDC:73581-911- 15	15 in 1 CARTON	09/01/2022		
2		11 g in 1 POUCH; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	11/01/2021	
	part348	11/01/2021	

Labeler - Yyba Corporation (006339772)

Establishment				
Name	Address	ID/FEI	Business Operations	
Foshan Aqua Gel Biotech Co., Ltd.,		529128763	manufacture(73581-911)	

Revised: 9/2022 Yyba Corporation