

**POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
28C- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
30N- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
32N- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
34W- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
36C- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
38N- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
40N- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
42N- homosalate, titanium dioxide, zinc oxide lotion
Rare Beauty, LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Positive Light Tinted Moisturizer Broad Spectrum SPF 20 Sunscreen

Drug Facts

Active ingredients

Homosalate 9.0%
Titanium Dioxide 1.8%
Zinc Oxide 0.9%

Purpose

Sunscreen

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use if irritation occurs

and ask a doctor if a rash occurs.

Keep out of reach of children.

If swallowed, get medical help right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentyldiol, Sorbitol, Tocopheryl Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/Vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Distearidimonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxycaprylylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other Information

Protect the product in this container from excessive heat and direct sun.

Questions?

Call **1-888-892-7273**

Monday-Friday, 7am-4pm PST

Company Information


Dist. By Rare Beauty, LLC

El Segundo, CA 90245

Made in Italy

www.rarebeauty.com

28C



Drug Facts

Active Ingredients Purpose
Homosalate 9.0% } Sunscreen
Titanium Dioxide 1.8% }
Zinc Oxide 0.9%

Uses

• Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use if irritation occurs and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed, get medical help right away.

Directions

• Apply liberally and evenly 15 minutes before sun exposure.
• Children under 6 months of age: Ask a doctor.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentylidol, Sorbitol, Tocopheryl Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Disteardimonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxycaprylylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
Monday-Friday, 7am-4pm PST

<A1004>



A weightless tinted moisturizer that instantly plumps and hydrates skin with light to medium coverage and a natural finish.

No. **30N**

BROAD SPECTRUM SPF 20 SUNSCREEN

Positive Light
Tinted Moisturizer

Rare Beauty
1.0 fl. oz. / 30 mL

Dist. By Rare Beauty, LLC
El Segundo, CA 90245
Made in Italy
www.rarebeauty.com

Drug Facts

Active Ingredients Purpose
Homosalate 9.0% Sunscreen
Titanium Dioxide 1.8%
Zinc Oxide 0.9%

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use if irritation occurs and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed, get medical help right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentylidol, Sorbitol, Tocopherol Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Distearidimonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxycaprylylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
Monday-Friday, 7am-4pm PST

<AI004>

1 3/16



Rare Beauty
1.0 fl. oz. / 30 mL

Positive Light
Tinted Moisturizer
BROAD SPECTRUM SPF 20 SUNSCREEN
No. 59N

A weightless tinted moisturizer that instantly plumps and hydrates skin with light to medium coverage and a natural finish.

1 1/4

Dist. By Rare Beauty, LLC
El Segundo, CA 90245
Made in Italy
www.rarebeauty.com

UNCP LMO30NF4

Drug Facts

Active Ingredients	Purpose
Homosalate 0.0%	Sunscreen
Titanium Dioxide 1.8%	
Zinc Oxide 0.0%	

Uses
• Helps prevent sunburn

Warnings

For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use if irritation occurs and ask a doctor if a rash occurs.
Keep out of reach of children. If swallowed, get medical help right away.

Directions

• Apply liberally and evenly 15 minutes before sun exposure.
• Children under 6 months of age: Ask a doctor.
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Tri-C12-15 Alkyl Benzate, Isododecane, Octyl PEG/PPG-10/1 Dimethicone, Isopentylidol, Sorbitol, Tocopheryl Acetate, Phenoxethanol, Sodium Chloride, Dimethicone/Vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Dethandrinonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxypropylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)

Other Information
Protect the product in this container from excessive heat and direct sun.

Questions?
Call 1-888-832-1278
Monday-Friday, 7am-4pm PST

-A1004-



30N

Positive
Light
Tinted
Moisturizer

BROAD SPECTRUM
SPF 20 SUNSCREEN

No. 30N

A weightless tinted moisturizer that instantly blurs and hydrates skin with light to medium coverage and a natural finish.

Rare Beauty
1.0 fl. oz. / 30 mL



Dist. By Rare Beauty, LLC
El Segundo, CA 90245
Made in Italy
www.rarebeauty.com

UNCP LMO30NF4



EQPLM030NF1



8 40122 90380 8

Drug Facts

Active ingredients Purpose
 Homosalate 0.1% } Sunscreen
 Titanium Dioxide 1.8% }
 Zinc Oxide 0.9%

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use if irritation occurs and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed, get medical help right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentylidol, Sorbitol, Tocopheryl Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Distearidimonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Trithoxycaprylylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
 Monday-Friday, 7am-4pm PST

<AI004>



A weightless tinted moisturizer that instantly plumps and hydrates skin with light to medium coverage and a natural finish.

No. 927


BROAD SPECTRUM SPF 20 SUNSCREEN

Positive Light
 Tinted Moisturizer

Rare Beauty
 1.0 fl. oz. / 30 mL



Dist. By Rare Beauty, LLC
 El Segundo, CA 90245
 Made in Italy
www.rarebeauty.com



Drug Facts

Active Ingredients	Purpose
Homosalate 0.0%	Sunscreen
Titanium Dioxide 1.8%	
Zinc Oxide 0.0%	
Uses	
• Helps prevent sunburn	
Warnings	
For external use only.	
Do not use on damaged or broken skin.	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use if irritation occurs and ask a doctor if a rash occurs.	
Keep out of reach of children. If swallowed, get medical help right away.	
Directions	
• Apply liberally and evenly 15 minutes before sun exposure.	
• Children under 6 months of age: Ask a doctor.	
• Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:	
• limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
Inactive Ingredients	
Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentylolol, Sorbitol, Tocopheryl Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/Vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Octylaziridinium Hydrochloride, Lecithin, Benzoic Acid, Aluminium Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxycaprylylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)	

Drug Facts (continued)

Other Information
Protect the product in this container from excessive heat and direct sun.

Questions?
Call 1-888-892-7273
Monday-Friday, 7am-4pm PST


 **32N**

Positive Light Tinted Moisturizer

BROAD SPECTRUM SPF 20 SUNSCREEN

No. 32N

A weightless tinted moisturizer that instantly blurs and hydrates skin with light to medium coverage and a natural finish.



Dist. By Rare Beauty, LLC
El Segundo, CA 90245
Made in Italy
www.rarebeauty.com

Rare Beauty
1.0 fl. oz. / 30 mL



FGPPLM032NF1


8 40122 90381 8

UNCPLM032NF4

UNCPLM032NF4

Drug Facts

Active Ingredients Purpose
 Homosalate 0.02% Sunscreen
 Titanium Dioxide 1.8%
 Zinc Oxide 0.9%

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use if irritation occurs and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed, get medical help right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentylidol, Sorbitol, Tocopheryl Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/Vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Distearidimonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxycaprylylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
 Monday-Friday, 7am-4pm PST

<AI004>

1 3/16




Positive Light
 Tinted Moisturizer
 BROAD SPECTRUM SPF 20 SUNSCREEN
 No. 5211
 A weightless tinted moisturizer that instantly plumps and hydrates skin with light to medium coverage and a natural finish.

Rare Beauty
 1.0 fl. oz. / 30 ml
 1 1/4



Dist. By Rare Beauty, LLC
 El Segundo, CA 90245
 Made in Italy
www.rarebeauty.com



Drug Facts

Active Ingredients Purpose
 Homosalate 8.0% } Sunscreen
 Titanium Dioxide 1.8% }
 Zinc Oxide 0.0%

Uses
 • Helps prevent sunburn

Warnings

For external use only.
 Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use if irritation occurs and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed, get medical help right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopropyl Alcohol, Sorbitol, Tocopheryl Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/Vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroascorbate, Hydrogen Dimethicone, Potassium Sorbate, Disodium EDTA, Hexadecyl Lactate, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxypropylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Melaleuca Nucleata Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)

Other Information
 Protect the product in this container from excessive heat and direct sun.


Questions?
 Call 1-888-892-7273
 Monday-Friday, 7am-4pm PST

-A1004-

Positive Light Tinted Moisturizer
 BROAD SPECTRUM SPF 20 SUNSCREEN

No. 34W
 A weightless tinted moisturizer that instantly blurs and hydrates skin with light to medium coverage and a natural finish.

Rare Beauty
 1.0 fl. oz. / 30 mL


 Dist. By Rare Beauty, LLC
 El Segundo, CA 90245
 Made in Italy
www.rarebeauty.com

 
 FSC Recycled
 PFC® C128428
 US ONLY RECYCLABLE CARTON

FGPPLM034WF1

 8 40122 90382 3

Drug Facts

Active Ingredients Purpose
 Homosalate 0.1% } Sunscreen
 Titanium Dioxide 1.8% }
 Zinc Oxide 0.9%

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use if irritation occurs and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed, get medical help right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentylidol, Sorbitol, Tocopherol Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Distearidimonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxycaprylylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
 Monday-Friday, 7am-4pm PST

<AI004>

1 3/16



A weightless tinted moisturizer that instantly plumps and hydrates skin with light to medium coverage and a natural finish.

No. 88C


Positive Light
Tinted Moisturizer
 BROAD SPECTRUM SPF 20 SUNSCREEN

Rare Beauty
 1.0 fl. oz. / 30 mL

1 1/4



Dist. By Rare Beauty, LLC
 El Segundo, CA 90245
 Made in Italy
www.rarebeauty.com



Drug Facts

Active Ingredients	Purpose
Homosalate 8.0%	Sunscreen
Titanium Dioxide 1.8%	
Zinc Oxide 0.9%	

Uses
• Helps prevent sunburn

Warnings

For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use if irritation occurs and ask a doctor if a rash occurs.
Keep out of reach of children. If swallowed, get medical help right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age. Ask a doctor.
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m.; wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentyl Diol, Sorbitol, Tocopheryl Acetate, Phenoxylethanol, Sodium Chloride, Dimethicone/Vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dihydroascorbate, Hydrogen Dimethicone, Potassium Sorbate, Tetraaminodimium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxypropylsiloxane, Tocopherol, Ethylhexylglycerin, Acetyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Melaleuca Nudifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)

Other Information
Protect the product in this container from excessive heat and direct sun.

Questions?
Call 1-888-892-7273
Monday-Friday, 7am-4pm PST

-A1004-



Positive Light Tinted Moisturizer

BROAD SPECTRUM SPF 20 SUNSCREEN

No. 36C

A weightless tinted moisturizer that instantly blurs and hydrates skin with light to medium coverage and a natural finish.

Rare Beauty
1.0 fl. oz. / 30 mL



Dist. By Rare Beauty, LLC
El Segundo, CA 90245
Made In Italy
www.rarebeauty.com



FGPPLM036CF1

Drug Facts

Active Ingredients Purpose
Homosalate 9.0% } Sunscreen
Titanium Dioxide 1.8% }
Zinc Oxide 0.9% }

Uses

• Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use if irritation occurs and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed, get medical help right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentylidol, Sorbitol, Tocopherol Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/Vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Distearidimonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxycaprylylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
Monday-Friday, 7am-4pm PST

<AI004>

1 3/16



Rare Beauty
1.0 fl. oz. / 30 mL

No. 8701


A weightless tinted moisturizer that instantly plurs and hydrates skin with light to medium coverage and a natural finish.

BROAD SPECTRUM SPF 20 SUNSCREEN

Positive Light
Tinted Moisturizer



Dist. By Rare Beauty, LLC
El Segundo, CA 90245
Made in Italy
www.rarebeauty.com



Drug Facts

Active ingredients	Purpose
Hemisebacic Acid 0.1%	Sunscreen
Titanium Dioxide 1.8%	
Zinc Oxide 0.5%	

Uses
 • Helps prevent wrinkles

Warnings
For external use only.
 Do not use on damaged or broken skin.
 When using this product keep out of eyes. Rinse with water to remove.
 Stop use if irritation occurs and ask a doctor if a rash occurs.
 Keep out of reach of children. If swallowed, get medical help right away.

Directions
 • Apply liberally and evenly 15 minutes before sun exposure.
 • Children under 6 months of age: Ask a doctor.
 • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients
 Water (Aqua), Dimethicone, Ilic, C12-15 Alkyl Benzoate, Isododecane, Gyl, PEG/PPG-10/1 Dimethicone, Isopentylol, Sorbitol, Tocopheryl Acetate, Pterocarys, Sodium Chloride, Dimethicone/Vinyl Dimethicone Copolymer, Magnesium Sulfate, Sodium Dihydroxide, Hydrogen Dimethicone, Polylactam Sorbitol, Disodium Ironium Hexafluoride, Lactin, Stearic Acid, Aluminum Hydroxide, Alumina, Dihydroxyacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triacontylpolyethylsiloxane, Tocopherol, Ethylhexylglycerin, Benzyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Melaleuca Nucleata Flower Extract, Nymphaea Gloriosa Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)

Other Information
 Protect the product in this container from excessive heat and direct sun.

Questions?
 Call 1-888-862-3273
 Monday-Friday, 9am-4pm PST

-A1004-

Positive Light Tinted Moisturizer

BROAD SPECTRUM SPF 20 SUNSCREEN

No. **38N**

A weightless tinted moisturizer that instantly blurs and hydrates skin with light to medium coverage and a natural finish.

Rare Beauty
 1.0 fl. oz. / 30 mL

Dist. By Rare Beauty, LLC
 El Segundo, CA 90245
 Made In Italy
www.rarebeauty.com

PSC Recycled Content 100%
 FSC® C128428
 US ONLY RECYCLABLE CARTON

8 40122 90354 7

Drug Facts

Active Ingredients	Purpose
Homosalate 9.0%	Sunscreen
Titanium Dioxide 1.8%	
Zinc Oxide 0.9%	

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use if irritation occurs and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed, get medical help right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentyl diol, Sorbitol, Tocopherol Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Distearidimonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxycaprylylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
Monday-Friday, 7am-4pm PST

<A1004>

1 3/16



Rare Beauty
1.0 fl. oz. / 30 mL

A weightless tinted moisturizer that instantly plumps and hydrates skin with light to medium coverage and a natural finish.

No. **RBN**

BROAD SPECTRUM SPF 20 SUNSCREEN

Positive Light
Tinted Moisturizer



Dist. By Rare Beauty, LLC
El Segundo, CA 90245
Made in Italy
www.rarebeauty.com



Positive Light Tinted Moisturizer

BROAD SPECTRUM SPF 20 SUNSCREEN

No. 40N

A weightless tinted moisturizer that instantly blurs and hydrates skin with light to medium coverage and a natural finish.



Dist. By Rare Beauty, LLC
El Segundo, CA 90245
Made in Italy
www.rarebeauty.com

Rare Beauty
1.0 fl. oz. / 30 mL



GGPPLM040NF-1



8 40122 90389 4

Drug Facts

Active Ingredients
Homosalate 8.0%
Titanium Dioxide 1.8%
Zinc Oxide 0.0%

Purpose
Sunscreen

Uses

• Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use if irritation occurs and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed, get medical help right away.

Directions

• Apply liberally and evenly 15 minutes before sun exposure.
• Children under 6 months of age: Ask a doctor.
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopropyl Alcohol, Sorbitol, Triphenyl Acetate, Phenyltrimethylammonium Chloride, Dimethicone/Vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Disodium EDTA, Lecithin, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxypropylsiloxane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
Monday-Friday, 7am-4pm PST

-A1004-

UNCP LMO40NF 4

UNCP LMO40NF 4



42N

Positive Light Tinted Moisturizer

BROAD SPECTRUM SPF 20 SUNSCREEN

No. 42N

A weightless tinted moisturizer that instantly blurs and hydrates skin with light to medium coverage and a natural finish.

Rare Beauty
1.0 fl. oz. / 30 mL



Dist. By Rare Beauty, LLC
El Segundo, CA 90245
Made in Italy
www.rarebeauty.com

Drug Facts

Active Ingredients	Purpose
Homosalate 0.0%	Sunscreen
Titanium Dioxide 1.8%	
Zinc Oxide 0.9%	

Uses

• Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use if irritation occurs and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed, get medical help right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients

Water/Aqua, Dimethicone, Tab. C12-15 Alkyl Benzoate, Isododecane, Carb. PEG/PPG-10/1 Dimethicone, Isopentylol, Sorbitol, Tocopheryl Acetate, Phenylethanol, Sodium Chloride, Dimethicone/Vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dihydroascorbate, Hydrogen Dimethicone, Potassium Sorbate, Distardrinonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxypropylsiloxane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmirate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container from excessive heat and direct sun.

Questions?

Call 1-888-692-7278
Monday-Friday, 7am-4pm PST

-A1004-



J

UNCP LMO42NF4



UNCP LMO42NF4



822PLMO42NF1



8 40122 90386 1

Drug Facts

Active Ingredients

Homosalate 9.0% } Purpose
Titanium Dioxide 1.8% } Sunscreen
Zinc Oxide 0.9% }

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use if irritation occurs and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed, get medical help right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: ask a doctor.
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentylidol, Sorbitol, Tocopherol Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Distearidimonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxycaprylylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
Monday-Friday, 7am-4pm PST

<AI004>

Positive Light
Tinted Moisturizer

BROAD SPECTRUM SPF 20 SUNSCREEN

No. 422N

A weightless tinted moisturizer that instantly plumps and hydrates skin with light to medium coverage and a natural finish.

Rare Beauty

1.0 fl. oz. / 30 mL

Dist. By Rare Beauty, LLC
El Segundo, CA 90245
Made in Italy
www.rarebeauty.com

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 28C

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-108
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SORBITOL (UNII: 506T60A25R)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
WATER (UNII: 059QF0KO0R)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)	
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TALC (UNII: 7SEV7J4R1U)	
ISODODECANE (UNII: A8289P68Y2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-108-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

**POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20
SUNSCREEN 30N**

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-109
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SORBITOL (UNII: 506T60A25R)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
WATER (UNII: 059QF0KO0R)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
TOCOPHEROL (UNII: R0ZB2556P8)	

ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)	
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TALC (UNII: 7SEV7J4R1U)	
ISODODECANE (UNII: A8289P68Y2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-109-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/30/2022	

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 32N

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-110
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE080375AB)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
SUNFLOWER OIL (UNII: 3W1JG795YI)
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)
FERRIC OXIDE RED (UNII: 1K09F3G675)
DIMETHICONE (UNII: 92RU3N3Y1O)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
ALUMINUM OXIDE (UNII: LMI26O6933)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
SORBITOL (UNII: 506T60A25R)
ISOPENTYLDIOL (UNII: 19NOL5474Q)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
BENZOIC ACID (UNII: 8SKN0B0MIM)
WATER (UNII: 059QF0KO0R)
DEHYDROACETIC ACID (UNII: 2KAG279R6R)
TOCOPHEROL (UNII: R0ZB2556P8)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
TALC (UNII: 7SEV7J4R1U)
ISODODECANE (UNII: A8289P68Y2)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-110-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/30/2022	

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 34W

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-111
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SORBITOL (UNII: 506T60A25R)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
WATER (UNII: 059QF0KO0R)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)	

NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TALC (UNII: 7SEV7J4R1U)	
ISODODECANE (UNII: A8289P68Y2)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-111-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/30/2022	

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 36C

homosalate, titanium dioxide, zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-112
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	

SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
SUNFLOWER OIL (UNII: 3W1JG795YI)
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)
FERRIC OXIDE RED (UNII: 1K09F3G675)
DIMETHICONE (UNII: 92RU3N3Y1O)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
ALUMINUM OXIDE (UNII: LMI26O6933)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
SORBITOL (UNII: 506T60A25R)
ISOPENTYLDIOL (UNII: 19NOL5474Q)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
BENZOIC ACID (UNII: 8SKN0B0MIM)
WATER (UNII: 059QF0KO0R)
DEHYDROACETIC ACID (UNII: 2KAG279R6R)
TOCOPHEROL (UNII: ROZB2556P8)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
TALC (UNII: 7SEV7J4R1U)
ISODODECANE (UNII: A8289P68Y2)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-112-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/30/2022	

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 38N

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-113
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SORBITOL (UNII: 506T60A25R)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
WATER (UNII: 059QF0KO0R)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)	
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
TALC (UNII: 7SEV7J4R1U)	

ISODODECANE (UNII: A8289P68Y2)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-113-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/30/2022	

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 40N

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-114
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

DIMETHICONE (UNII: 92RU3N3Y1O)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
ALUMINUM OXIDE (UNII: LMI26O6933)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
SORBITOL (UNII: 506T60A25R)
ISOPENTYLDIOL (UNII: 19NOL5474Q)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
BENZOIC ACID (UNII: 8SKN0B0MIM)
WATER (UNII: 059QF0K00R)
DEHYDROACETIC ACID (UNII: 2KAG279R6R)
TOCOPHEROL (UNII: ROZB2556P8)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
TALC (UNII: 7SEV7J4R1U)
ISODODECANE (UNII: A8289P68Y2)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-114-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/30/2022	

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 42N

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-115
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SORBITOL (UNII: 506T60A25R)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
WATER (UNII: 059QF0KO0R)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)	
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TALC (UNII: 7SEV7J4R1U)	
ISODODECANE (UNII: A8289P68Y2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-115-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/30/2022	

Labeler - Rare Beauty, LLC (117041437)

Revised: 10/2022

Rare Beauty, LLC