

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
54N- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
56N- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
58N- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
44N- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
46C- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
48W- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
50N- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
52W- homosalate, titanium dioxide, zinc oxide lotion
Rare Beauty, LLC

Positive Light Tinted Moisturizer Broad Spectrum SPF 20 Sunscreen

Drug Facts

Active ingredients

Homosalate 9.0%

Titanium Dioxide 1.8%

Zinc Oxide 0.9%

Purpose

Sunscreen

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use if irritation occurs

and ask a doctor if a rash occurs.

Keep out of reach of children.

If swallowed, get medical help right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentyldiol, Sorbitol, Tocopheryl Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/Vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Distearidimonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxycaprylylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other Information

Protect the product in this container from excessive heat and direct sun.

Questions?

Call **1-888-892-7273**

Monday-Friday, 7am-4pm PST


Company Information

Dist. By Rare Beauty, LLC

El Segundo, CA 90245

Made in Italy

44N



Drug Facts

Active Ingredients Purpose
Homosalate 9.0% } Sunscreen
Titanium Dioxide 1.8% }
Zinc Oxide 0.9% }

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes.
Rinse with water to remove.

Stop use if irritation occurs and ask a
doctor if a rash occurs.

Keep out of reach of children. If swallowed,
get medical help right away.

Directions

- Apply liberally and evenly 15 minutes
before sun exposure.
- Children under 6 months of age:
ask a doctor.
- **Sun Protection Measures.** Spending time
in the sun increases your risk of skin cancer
and early skin aging. To decrease this risk,
regularly use a sunscreen with a Broad
Spectrum SPF value of 15 or higher and
other sun protection measures including:
• limit time in the sun, especially from
10 a.m. - 2 p.m. • wear long-sleeved
shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl
Benzoate, Isododecane, Cetyl PEG/PPG-10/1
Dimethicone, Isopentylidol, Sorbitol,
Tocopheryl Acetate, Phenoxyethanol, Sodium
Chloride, Dimethicone/vinyl Dimethicone
Crosspolymer, Magnesium Sulfate, Sodium
Dehydroacetate, Hydrogen Dimethicone,
Potassium Sorbate, Distearidimonium
Hectorite, Lecithin, Benzoic Acid, Aluminum
Hydroxide, Alumina, Dehydroacetic Acid,
Propylene Carbonate, Helianthus Annuus
(Sunflower) Seed Oil, Triethoxycaprylylsilane,
Tocopherol, Ethylhexylglycerin, Ascorbyl
Palmitate, Citric Acid, Gardenia Florida Fruit
Extract, Nelumbo Nucifera Flower Extract,
Nymphaea Odorata Root Extract, Titanium
Dioxide (CI 77891), Iron Oxides (CI 77491,
CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container
from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
Monday-Friday, 7am-4pm PST

<AI004>

A weightless tinted moisturizer that instantly
plumps and hydrates skin with light to medium
coverage and a natural finish.

No.

4747N

Positive Light
Tinted Moisturizer
BROAD SPECTRUM SPF 20 SUNSCREEN

Rare Beauty
1.0 fl. oz. / 30 mL

1 3/16



1 1/4



Dist. By Rare Beauty, LLC
El Segundo, CA 90245
Made in Italy
www.rarebeauty.com

Drug Facts

Active Ingredients Purpose
Homosalate 9.1% } Sunscreen
Titanium Dioxide 1.8% }
Zinc Oxide 0.9% }

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes.
Rinse with water to remove.

Stop use if irritation occurs and ask a
doctor if a rash occurs.

Keep out of reach of children. If swallowed,
get medical help right away.

Directions

- Apply liberally and evenly 15 minutes
before sun exposure.
- Children under 6 months of age:
Ask a doctor.
- **Sun Protection Measures.** Spending time
in the sun increases your risk of skin cancer
and early skin aging. To decrease this risk,
regularly use a sunscreen with a Broad
Spectrum SPF value of 15 or higher and
other sun protection measures including
• limit time in the sun, especially from
10 a.m. - 2 p.m. • wear long-sleeved
shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl
Benzoate, Isododecane, Cetyl PEG/PPG-10/1
Dimethicone, Isopentylidol, Sorbitol,
Tocopheryl Acetate, Phenoxyethanol, Sodium
Chloride, Dimethicone/Vinyl Dimethicone
Crosspolymer, Magnesium Sulfate, Sodium
Dehydroacetate, Hydrogen Dimethicone,
Potassium Sorbate, Distearidimonium
Hectonite, Lecithin, Benzoic Acid, Aluminum
Hydroxide, Alumina, Dehydroacetic Acid,
Propylene Carbonate, Helianthus Annuus
(Sunflower) Seed Oil, Triethoxycaprylylsilane,
Tocopherol, Ethylhexylglycerin, Ascorbyl
Palmitate, Citric Acid, Gardenia Florida Fruit
Extract, Nelumbo Nucifera Flower Extract,
Nymphaea Odorata Root Extract, Titanium
Dioxide (CI 77891), Iron Oxides (CI 77491,
CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container
from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
Monday-Friday, 7am-4pm PST

<AI004>



A weightless tinted moisturizer that instantly
plumps and hydrates skin with light to medium
coverage and a natural finish.

No. 42C

Positive Light
Tinted Moisturizer
BROAD SPECTRUM SPF 20 SUNSCREEN


Rare Beauty
1.0 fl. oz. / 30 mL



Dist. By Rare Beauty, LLC
El Segundo, CA 90245

Made in Italy

www.rarebeauty.com



48W

Drug Facts

Active Ingredients Purpose
Homosalate 0.8% Sunscreen
Titanium Dioxide 1.8%
Zinc Oxide 0.9%

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes.
Rinse with water to remove.

Stop use if irritation occurs and ask a
doctor if a rash occurs.

Keep out of reach of children. If swallowed,
get medical help right away.

Directions

- Apply liberally and evenly 15 minutes
before sun exposure.
- Children under 6 months of age:
ask a doctor.
- **Sun Protection Measures.** Spending time
in the sun increases your risk of skin cancer
and early skin aging. To decrease this risk,
regularly use a sunscreen with a Broad
Spectrum SPF value of 15 or higher and
other sun protection measures including
- limit time in the sun, especially from
10 a.m. to 2 p.m. • wear long-sleeved
shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl
Benzoate, Isododecane, Cetyl PEG/PPG-10/1
Dimethicone, Isopentylidol, Sorbitol,
Tocopheryl Acetate, Phenoxyethanol, Sodium
Chloride, Dimethicone/Vinyl Dimethicone
Crosspolymer, Magnesium Sulfate, Sodium
Dehydroacetate, Hydrogen Dimethicone,
Potassium Sorbate, Distearidimonium
Hectorite, Lecithin, Benzoic Acid, Aluminum
Hydroxide, Alumina, Dehydroacetic Acid,
Propylene Carbonate, Helianthus Annuus
(Sunflower) Seed Oil, Triethoxycaprylylsilane,
Tocopherol, Ethylhexylglycerin, Ascorbyl
Palmitate, Citric Acid, Gardenia Florida Fruit
Extract, Nelumbo Nucifera Flower Extract,
Nymphaea Odorata Root Extract, Titanium
Dioxide (CI 77891), Iron Oxides (CI 77491,
CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container
from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
Monday-Friday, 7am-4pm PST

<AI004>

A weightless tinted moisturizer that instantly
plumps and hydrates skin with light to medium
coverage and a natural finish.

No.

7811

Positive Light
Tinted Moisturizer
BROAD SPECTRUM SPF 20 SUNSCREEN

Rare Beauty
1.0 fl. oz. / 30 mL

1 ³/₁₆



MIX
Packaging from
responsible sources
FSC® C125426



1 ¹/₄



Dist. By Rare Beauty, LLC
El Segundo, CA 90245

Made in Italy

www.rarebeauty.com

Drug Facts

Active Ingredients	Purpose
Homosalate 9.0%	Sunscreen
Titanium Dioxide 1.8%	
Zinc Oxide 0.9%	

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use if irritation occurs and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed, get medical help right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentylidol, Sorbitol, Tocopherol Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Distearidimonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxycaprylylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
Monday-Friday, 7am-4pm PST

<A1004>



Rare Beauty
1.0 fl. oz. / 30 mL

No. 550N
A weightless tinted moisturizer that instantly colors and hydrates skin with light to medium coverage and a natural finish.

Positive Light
Tinted Moisturizer
BROAD SPECTRUM SPF 20 SUNSCREEN



Dist. By Rare Beauty, LLC
El Segundo, CA 90245

Made in Italy

www.rarebeauty.com



UNCPLM050NF4

Drug Facts

Active Ingredients
Homosalate 0.0%
Titanium Dioxide 1.8%
Zinc Oxide 0.0%

Purpose
Sunscreen

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes.
Rinse with water to remove.

Stop use if irritation occurs and ask a
doctor if a rash occurs.

Keep out of reach of children. If swallowed,
get medical help right away.

Directions

- Apply liberally and evenly 15 minutes
before sun exposure.
- Children under 6 months of age:
Ask a doctor.
- Sun Protection Measures: Spending time
in the sun increases your risk of skin cancer
and early skin aging. To decrease this risk,
regularly use a sunscreen with a Broad
Spectrum SPF value of 15 or higher and
other sun protection measures including:
• limit time in the sun, especially from
10 a.m. - 2 p.m. • wear long-sleeved
shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl
Benzoate, Isododecane, Cetyl PEG/PPG-10/1
Dimethicone, Isopropyl Alcohol, Sorbitol,
Tocopheryl Acetate, Phenoxyethanol, Sodium
Chloride, Dimethicone/Vinyl Dimethicone
Crosspolymer, Magnesium Sulfate, Sodium
Dehydroacetate, Hydrogen Dimethicone,
Potassium Sorbate, Octadecyltrimonium
Hedylate, Lecithin, Benzoic Acid, Aluminum
Hydroxide, Alumina, Dehydroacetic Acid,
Propylene Carbonate, Helianthus Annuus
(Sunflower) Seed Oil, Triethoxycaprylylsilane,
Tocopherol, Ethylhexylglycerin, Ascorbyl
Palmitate, Citric Acid, Lactaria Ferulic Fruit
Extract, Nektaro Nudifera Flower Extract,
Nymphaea Odorata Root Extract, Titanium
Dioxide (CI 77891), Iron Oxides (CI 77491,
CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container
from excessive heat and direct sun.

Questions?

Call 1-888-892-7278
Monday-Friday, 7am-4pm PST

-A1004-



Positive Light Tinted Moisturizer

BROAD SPECTRUM
SPF 20 SUNSCREEN

No. 50N

A weightless tinted moisturizer
that instantly blurs and hydrates
skin with light to medium
coverage and a natural finish.



Dist. By Rare Beauty, LLC
El Segundo, CA 90245

Made in Italy

www.rarebeauty.com



FGPPLM050NF1



8 40122 90390 8

Drug Facts

Active Ingredients Purpose
Homosalate 9.0% } Sunscreen
Titanium Dioxide 1.8%
Zinc Oxide 0.9%

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes.
Rinse with water to remove.

Stop use if irritation occurs and ask a
doctor if a rash occurs.

Keep out of reach of children. If swallowed,
get medical help right away.

Directions

- Apply liberally and evenly 15 minutes
before sun exposure.
- Children under 6 months of age:
Ask a doctor.
- Sun Protection Measures. Spending time
in the sun increases your risk of skin cancer
and early skin aging. To decrease this risk,
regularly use a sunscreen with a Broad
Spectrum SPF value of 15 or higher and
other sun protection measures including
• limit time in the sun, especially from
10 a.m. - 2 p.m. • wear long-sleeved
shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl
Benzoate, Isododecane, Cetyl PEG/PPG-10/1
Dimethicone, Isopentylidol, Sorbitol,
Tocopherol Acetate, Phenoxyethanol, Sodium
Chloride, Dimethicone/vinyl Dimethicone
Crosspolymer, Magnesium Sulfate, Sodium
Dehydroacetate, Hydrogen Dimethicone,
Potassium Sorbate, Distearidimonium
Hectorite, Lecithin, Benzoic Acid, Aluminum
Hydroxide, Alumina, Dehydroacetic Acid,
Propylene Carbonate, Helianthus Annuus
(Sunflower) Seed Oil, Triethoxycaprylylsilane,
Tocopherol, Ethylhexylglycerin, Ascorbyl
Palmitate, Citric Acid, Gardenia Florida Fruit
Extract, Nelumbo Nucifera Flower Extract,
Nymphaea Odorata Root Extract, Titanium
Dioxide (CI 77891), Iron Oxides (CI 77491,
CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container
from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
Monday-Friday, 7am-4pm PST

<AI004>



A weightless tinted moisturizer that instantly
plumps and hydrates skin with light to medium
coverage and a natural finish.

No.

5211

BROAD SPECTRUM SPF 20 SUNSCREEN

Positive Light
Tinted Moisturizer

Rare Beauty
1.0 fl. oz. / 30 mL

1 1/4


1 3/16



Dist. By Rare Beauty, LLC
El Segundo, CA 90245

Made in Italy

www.rarebeauty.com



Drug Facts

Active Ingredients Purpose
Homosalate 9.0% Sunscreen
Titanium Dioxide 1.8%
Zinc Oxide 0.9%

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes.
Rinse with water to remove.

Stop use if irritation occurs and ask a
doctor if a rash occurs.

Keep out of reach of children. If swallowed,
get medical help right away.

Directions

- Apply liberally and evenly 15 minutes
before sun exposure.
- Children under 6 months of age:
Ask a doctor.
- Sun Protection Measures. Spending time
in the sun increases your risk of skin cancer
and early skin aging. To decrease this risk,
regularly use a sunscreen with a Broad
Spectrum SPF value of 15 or higher and
other sun protection measures including:
• limit time in the sun, especially from
10 a.m. - 2 p.m. • wear long-sleeved
shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl
Benzoate, Isododecane, Cetyl PEG/PPG-10/1
Dimethicone, Isopentylidol, Sorbitol,
Tocopheryl Acetate, Phenoxyethanol, Sodium
Chloride, Dimethicone/Vinyl Dimethicone
Crosspolymer, Magnesium Sulfate, Sodium
Dehydroacetate, Hydrogen Dimethicone,
Potassium Sorbate, Distearidimonium
Hectorite, Lecithin, Benzoic Acid, Aluminum
Hydroxide, Alumina, Dehydroacetic Acid,
Propylene Carbonate, Helianthus Annuus
(Sunflower) Seed Oil, Triethoxycaprylylsilane,
Tocopherol, Ethylhexylglycerin, Ascorbyl
Palmitate, Citric Acid, Gardenia Florida Fruit
Extract, Nelumbo Nucifera Flower Extract,
Nymphaea Odorata Root Extract, Titanium
Dioxide (CI 77891), Iron Oxides (CI 77491,
CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container
from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
Monday-Friday, 7am-4pm PST

<AI004>



Rare Beauty
1.0 fl. oz. / 30 mL

A weightless tinted moisturizer that instantly
plumps and hydrates skin with light to medium
coverage and a natural finish.


No. 5211

BROAD SPECTRUM SPF 20 SUNSCREEN

Positive Light
Tinted Moisturizer



Dist. By Rare Beauty, LLC
El Segundo, CA 90245
Made in Italy
www.rarebeauty.com



Drug Facts

Active Ingredients: Purpose
Homosalate 8.0% } Sunscreen
Titanium Dioxide 1.8% }
Zinc Oxide 0.9% }

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes.
Rinse with water to remove.

Stop use if irritation occurs and ask a
doctor if a rash occurs.

Keep out of reach of children. If swallowed,
get medical help right away.

Directions

- Apply liberally and evenly 15 minutes
before sun exposure.
- Children under 6 months of age:
ask a doctor.
- **Sun Protection Measures.** Spending time
in the sun increases your risk of skin cancer
and early skin aging. To decrease this risk,
regularly use a sunscreen with a Broad
Spectrum SPF value of 15 or higher and
other sun protection measures including:
• limit time in the sun, especially from
10 a.m. - 2 p.m. • wear long-sleeved
shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl
Benzate, Isododecane, Cetyl PEG/PPG-10/1
Dimethicone, Isopentyl diol, Sorbitol,
Tocopheryl Acetate, Phenoxyethanol, Sodium
Chloride, Dimethicone/vinyl Dimethicone
Crosspolymer, Magnesium Sulfate, Sodium
Dehydroacetate, Hydrogen Dimethicone,
Potassium Sorbate, Distearidimonium
Hectorite, Lecithin, Benzoic Acid, Aluminum
Hydroxide, Alumina, Dehydroacetic Acid,
Propylene Carbonate, Helianthus Annuus
(Sunflower) Seed Oil, Triethoxycaprylylsilane,
Tocopherol, Ethylhexylglycerin, Ascorbyl
Palmitate, Citric Acid, Gardenia Florida Fruit
Extract, Nelumbo Nucifera Flower Extract,
Nymphaea Odorata Root Extract, Titanium
Dioxide (CI 77891), Iron Oxides (CI 77491,
CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container
from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
Monday-Friday, 7am-4pm PST

<A1004>



Rare Beauty
1.0 fl. oz. / 30 mL

A weightless tinted moisturizer that instantly
plumps and hydrates skin with light to medium
coverage and a natural finish.

No. 7273

BROAD SPECTRUM SPF 20 SUNSCREEN


Positive Light
Tinted Moisturizer



Dist. By Rare Beauty, LLC
El Segundo, CA 90245

Made in Italy

www.rarebeauty.com



Drug Facts

Active Ingredients Purpose
Homosalate 9.0% Sunscreen
Titanium Dioxide 1.8%
Zinc Oxide 0.9%

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes.
Rinse with water to remove.

Stop use if irritation occurs and ask a
doctor if a rash occurs.

Keep out of reach of children. If swallowed,
get medical help right away.

Directions

- Apply liberally and evenly 15 minutes
before sun exposure.
- Children under 6 months of age:
Ask a doctor.
- **Sun Protection Measures.** Spending time
in the sun increases your risk of skin cancer
and early skin aging. To decrease this risk,
regularly use a sunscreen with a Broad
Spectrum SPF value of 15 or higher and
other sun protection measures including:
• limit time in the sun, especially from
10 a.m. - 2 p.m. • wear long-sleeved
shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl
Benzoate, Isododecane, Cetyl PEG/PPG-10/1
Dimethicone, Isopentylidol, Sorbitol,
Tocopheryl Acetate, Phenoxyethanol, Sodium
Chloride, Dimethicone/vinyl Dimethicone
Crosspolymer, Magnesium Sulfate, Sodium
Dehydroacetate, Hydrogen Dimethicone,
Potassium Sorbate, Distearidimonium
Hectorite, Lecithin, Benzoic Acid, Aluminum
Hydroxide, Alumina, Dehydroacetic Acid,
Propylene Carbonate, Helianthus Annuus
(Sunflower) Seed Oil, Triethoxycaprylylsilane,
Tocopherol, Ethylhexylglycerin, Ascorbyl
Palmitate, Citric Acid, Gardenia Florida Fruit
Extract, Nelumbo Nucifera Flower Extract,
Nymphaea Odorata Root Extract, Titanium
Dioxide (CI 77891), Iron Oxides (CI 77491,
CI 77492, CI 77499)

Drug Facts (continued)

Other Information

Protect the product in this container
from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
Monday-Friday, 7am-4pm PST

<AI004>

A weightless tinted moisturizer that instantly
plumps and hydrates skin with light to medium
coverage and a natural finish.

No. 58N

Positive Light
Tinted Moisturizer
BROAD SPECTRUM SPF 20 SUNSCREEN

Rare Beauty
1.0 fl. oz. / 30 mL

1 ³/₁₆



MIX
Packaging from
responsible sources
FSC® C125426




1 ¹/₄



Dist. By Rare Beauty, LLC
El Segundo, CA 90245

Made in Italy

www.rarebeauty.com



POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 54N

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-121
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SORBITOL (UNII: 506T60A25R)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
WATER (UNII: 059QF0KO0R)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)	
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
TALC (UNII: 7SEV7J4R1U)	
ISODODECANE (UNII: A8289P68Y2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-121-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/30/2022	

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 56N

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-122
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	

SORBITOL (UNII: 506T60A25R)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
WATER (UNII: 059QF0KO0R)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)	
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
TALC (UNII: 7SEV7J4R1U)	
ISODODECANE (UNII: A8289P68Y2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-122-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/30/2022	

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 58N

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-123
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL

HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SORBITOL (UNII: 506T60A25R)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
WATER (UNII: 059QF0KO0R)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)	
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
TALC (UNII: 7SEV7J4R1U)	
ISODODECANE (UNII: A8289P68Y2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-123-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/30/2022	

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 44N

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-116
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SORBITOL (UNII: 506T60A25R)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
WATER (UNII: 059QF0KO0R)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)	
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
TALC (UNII: 7SEV7J4R1U)	
ISODODECANE (UNII: A8289P68Y2)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-116-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/30/2022	

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 46C

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-117
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SORBITOL (UNII: 506T60A25R)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
WATER (UNII: 059QF0KO0R)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)	
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
TALC (UNII: 7SEV7J4R1U)	
ISODODECANE (UNII: A8289P68Y2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-117-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 48W

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-118
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SORBITOL (UNII: 506T60A25R)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
WATER (UNII: 059QF0KO0R)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)	
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
TALC (UNII: 7SEV7J4R1U)	

ISODODECANE (UNII: A8289P68Y2)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-118-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/30/2022	

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 50N

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-119
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SORBITOL (UNII: 506T60A25R)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
WATER (UNII: 059QF0KO0R)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)	
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
TALC (UNII: 7SEV7J4R1U)	
ISODODECANE (UNII: A8289P68Y2)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-119-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/30/2022	

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20
SUNSCREEN 52W

homosalate, titanium dioxide, zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-120
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SORBITOL (UNII: 506T60A25R)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
WATER (UNII: 059QF0KO0R)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)	
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

FERROSOFERRIC OXIDE (UNII: XM0M87F357)				
TALC (UNII: 7SEV7J4R1U)				
ISODODECANE (UNII: A8289P68Y2)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-120-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M020	03/30/2022	

Labeler - Rare Beauty, LLC (117041437)