

**FOSTER AND THRIVE GENTLE LAXATIVE- bisacodyl suppository**  
**Strategic Sourcing Services LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**DRUG FACTS**

**Active ingredient**

Bisacodyl USP, 10 mg

**Purpose**

Stimulant Laxative

**Uses**

- For relief of occasional constipation and irregularity
- -This product generally produces bowel movement in 15 minutes to 1 hour

**Warnings**

For rectal use only.

- stomach pain, nausea or vomiting
- noticed a sudden change in bowel habits that persists over a period of two weeks

**When using this product**

May cause abdominal discomfort, faintness, rectal burning, and mild cramps

**Stop use and ask a doctor if**

- if you have rectal bleeding or fail to have bowel movement after using a laxative. This may indicate a serious condition
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children**

**If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions**

Adults and children 12 years of age and older

Children 6 to under 12

years

Children under 6

One suppository once daily  
daily

Ask doctor.

1/2 suppository once

-Detach one suppository from the strip and remove from foil - Carefully insert one suppository well into the rectum

-Do not use more than once per day

### **Other Information**

- do not store above 30°C (86°F)

### **Inactive Ingredients**

hydrogenated vegetable oil

Foster & Thrive™

# Gentle Laxative

NDC 70677-1091-1

COMPARE TO DULCOLAX®  
SUPPOSITORIES  
ACTIVE INGREDIENT\*

Foster & Thrive™

# Gentle Laxative

## Bisacodyl USP 10 mg STIMULANT LAXATIVE

Relief of Constipation  
15 Minutes to 1 Hour

- Gentle Yet Effective



8 SUPPOSITORIES

EMPTY AREA FOR PRINTER  
DO NOT PRINT



©2023 McKesson Corporation  
Distributed by: McKesson Corp.,  
via SSSL, Memphis, TN 38141  
Money Back Guarantee  
www.fosterandthrive.com  
You may report serious side effects to  
833-358-6431 Monday to Friday  
9:00am to 7:00pm EST

EMPTY AREA  
FOR PRINTER  
DO NOT PRINT

P16788

**DO NOT USE THIS PRODUCT IF THE INDIVIDUAL SEAL IS BROKEN.**

<b>Drug Facts</b>	<b>Active ingredient (in each suppository)</b> Bisacodyl USP 10 mg Stimulant laxative
<b>Purpose</b>	Stimulant laxative
<b>Use</b>	For temporary relief of occasional constipation and irregularity This product generally produces bowel movement in 15 minutes to 1 hour
<b>Warnings</b>	For rectal use only Ask a doctor before use if you have stomach pain, nausea or vomiting A sudden change in bowel habits that lasts more than 2 weeks When using laxative products it may cause stomach discomfort, flatness, rectal burning and mild cramps Stop use and ask a doctor if you have rectal bleeding or no bowel movement after using laxative products. These could be signs of a serious condition. If you need to use a laxative for more than 1 week If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact Poison Control at 1-800-222-1222 immediately.
<b>Directions</b>	adults and children 12 years of age and over 1 suppository in a single daily dose. Feel open plastic, insert suppository well into rectum, pointed end first. Retain about 15 to 20 minutes. children 6 to under 12 years of age 1/2 suppository in a single daily dose children under 6 years of age ask a doctor

\*This product is not manufactured or distributed by Sandoz or Sandoz International GmbH, owners of the registered trademark, Dulcolax®.

**Drug Facts (continued)**  
**Other information** ■ do not store above 30°C (86°F)  
**Inactive ingredients** hydrogenated vegetable oil

REV 3/23 SUPP008FT



**FOSTER AND THRIVE GENTLE LAXATIVE**  
bisacodyl suppository

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70677-1091
<b>Route of Administration</b>	RECTAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	10 mg in 2000 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
FAT, HARD (UNII: 8334LX7S21)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>	BULLET	<b>Size</b>	34mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-1091-1	2 in 1 CARTON	01/27/2023	
1		40 mg in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part334	01/27/2023	

**Labeler** - Strategic Sourcing Services LLC (116956644)

**Registrant** - Reese Pharmaceutical Co (004172052)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
DSC Laboratories, Inc.		097807374	manufacture(70677-1091)