

METZ IODINE DETERGENT- iodine solution
Surpass Chemical. Company, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Metz Iodine Detergent

METZ IODINE DETERGENT

AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE
MASTITIS PRODUCT #: 630650

DANGER

Causes severe skin burns and eye damage.

DIRECTIONS:

Prepare an udder washing solution by mixing 1/2 ounce of METZ IODINE DETERGENT with 10 quarts of warm water.

Solution will provide 25 PPM available iodine. Just before milking, wash the base of the udder and teats. Use a fresh towel for each cow. Do not dip used towel back into solution. When solution loses its bright amber color or becomes visibly dirty, discard and provide fresh solution. Do not use for sanitizing equipment.

Only use as directed. Do not take internally. Avoid contact with eyes, skin, clothing, and food. Avoid breathing vapors. Discard solution if it becomes faded or noticeably dirty. Do not use to sanitize milking equipment or utensils.

INGREDIENTS:

ACTIVE: Iodine complex (Provides 1.75% titratable iodine. Equivalent to 17,500 ppm).

Contains Phosphoric Acid

FIRST AID:

IF SPLASHED IN EYES: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.

IF ON SKIN (or hair) Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek immediate medical attention/advice.

IF INHALED: Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested

or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.

IF SWALLOWED: Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

PRECAUTIONARY STATEMENTS

Prevention: Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Do not eat, drink or smoke when using this product.

Response: Immediately call a POISON CENTER or doctor/physician. Specific treatment (see supplemental first aid instructions on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. **IF ON SKIN (or hair):** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. **IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

Storage

Store locked up.
approved waste disposal plant.

Disposal

Dispose of contents/container to an

KEEP OUT OF REACH OF CHILDREN!

Surpass Chemical Company, Inc.

24 HOUR EMERGENCY ASSISTANCE

www.surpasschemical.com
CHEMTREC 1-800-424-9300
1254 Broadway Albany NY, 12204
customerservice@surpasschemical.com

Phone: (518) 434-8101

Fax: (518) 434-2798

Email:



METZ IODINE DETERGENT

AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE MASTITIS

KEEP OUT OF REACH OF CHILDREN!

PNUM: 630650



UN1760

Corrosive liquids, n.o.s. (Phosphoric Acid, Iodine), 8, PGI1



DANGER

Causes severe skin burns and eye damage.

INGREDIENTS

ACTIVE: Iodine complex (Provides 1.75% titratable iodine. Equivalent to 17,500 ppm. **Contains Phosphoric Acid.**

DIRECTIONS

Prepare an udder washing solution by mixing 1/2 ounce of METZ IODINE DETERGENT with 10 quarts of warm water. Solution will provide 25 PPM available iodine. Just before milking, wash the base of the udder and teats. Use a fresh towel for each cow. Do not dip used towel back into solution. When solution loses its bright amber color or becomes visibly dirty, discard and provide fresh solution. Do not use for sanitizing equipment.

Only use as directed. Do not take internally. Avoid contact with eyes, skin, clothing, and food. Avoid breathing vapors. Discard solution if it becomes faded or noticeably dirty. Do not use to sanitize milking equipment or utensils.

PRECAUTIONARY STATEMENTS

PREVENTION: Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Do not eat, drink or smoke when using this product.

RESPONSE: Immediately call a POISON CENTER or doctor/physician. Specific treatment (see supplemental first aid instructions on this label). **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. **IF ON SKIN (or hair):** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. **IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. **IF SWALLOWED:** Rinse mouth. DO NOT induce vomiting.

FIRST AID

IF IN EYES: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.

IF ON SKIN (or hair): Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek immediate medical attention/advice.

IF INHALED: Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.

IF SWALLOWED: Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.



Storage: Store locked up

Disposal: Dispose of contents/ container to an approved waste disposal plant.



Surpass Chemical Company, Inc.
www.surpasschemical.com
1254 Broadway Albany NY, 12204

Phone: (518) 434-8101
Email: customerservice@surpasschemical.com
Fax: (518) 434-2798

BEFORE USING THIS MATERIAL, READ AND UNDERSTAND THE CURRENT SAFETY DATA SHEET.

24 HOUR EMERGENCY ASSISTANCE:
CHEMTREC 1-800-424-9300

NPE FREE

LOT NUMBER
NET CONTENTS



METZ IODINE DETERGENT

AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE MASTITIS

KEEP OUT OF REACH OF CHILDREN!

PNUM: 630650



UN1760

Corrosive liquids, n.o.s. (Phosphoric Acid, Iodine), 8, PGI1



DANGER

Causes severe skin burns and eye damage.

INGREDIENTS

ACTIVE: Iodine complex (Provides 1.75% titratable iodine. Equivalent to 17,500 ppm. **Contains Phosphoric Acid.**

DIRECTIONS

Prepare an udder washing solution by mixing 1/2 ounce of METZ IODINE DETERGENT with 10 quarts of warm water. Solution will provide 25 PPM available iodine. Just before milking, wash the base of the udder and teats. Use a fresh towel for each cow. Do not dip used towel back into solution. When solution loses its bright amber color or becomes visibly dirty, discard and provide fresh solution. Do not use for sanitizing equipment.

Only use as directed. Do not take internally. Avoid contact with eyes, skin, clothing, and food. Avoid breathing vapors. Discard solution if it becomes faded or noticeably dirty. Do not use to sanitize milking equipment or utensils.

PRECAUTIONARY STATEMENTS

PREVENTION: Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Do not eat, drink or smoke when using this product.

RESPONSE: Immediately call a POISON CENTER or doctor/physician. Specific treatment (see supplemental first aid instructions on this label). **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. **IF ON SKIN (or hair):** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. **IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. **IF SWALLOWED:** Rinse mouth. DO NOT induce vomiting.

FIRST AID

IF IN EYES: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.

IF ON SKIN (or hair): Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek immediate medical attention/advice.

IF INHALED: Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.

IF SWALLOWED: Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.



Storage: Store locked up

Disposal: Dispose of contents/ container to an approved waste disposal plant.



Surpass Chemical Company, Inc.
www.surpasschemical.com
1254 Broadway Albany NY, 12204

Phone: (518) 434-8101
Email: customerservice@surpasschemical.com
Fax: (518) 434-2798

BEFORE USING THIS MATERIAL, READ AND UNDERSTAND THE CURRENT SAFETY DATA SHEET.

24 HOUR EMERGENCY ASSISTANCE:
CHEMTREC 1-800-424-9300

NPE FREE

LOT NUMBER
NET CONTENTS



METZ IODINE DETERGENT

AIDS IN CONTROLLING THE SPREAD OF BACTERIA THAT MAY CAUSE MASTITIS



KEEP OUT OF REACH OF CHILDREN!

PNUM: 630650

Storage: Store locked up

Disposal: Dispose of contents/ container to an approved waste disposal plant.

Surpass Chemical Company, Inc.
www.surpasschemical.com

1254 Broadway Albany NY, 12204

Phone: (518)434-8101

Email: customerservice@surpasschemical.com

Fax: (518) 434-2798

24 HOUR EMERGENCY ASSISTANCE:
CHEMTREC 1-800-424-9300

BEFORE USING THIS MATERIAL, READ AND UNDERSTAND THE CURRENT SAFETY DATA SHEET.

UN1760

Corrosive liquids, n.o.s. (Phosphoric Acid, Iodine), 8, PGII

DAANGER

Causes severe skin burns and eye damage.

DIRECTIONS

Prepare an udder washing solution by mixing 1/2 ounce of METZ IODINE DETERGENT with 10 quarts of warm water. Solution will provide 25 PPM available iodine. Just before milking, wash the base of the udder and teats. Use a fresh towel for each cow. Do not dip used towel back into solution. When solution loses its bright amber color or becomes visibly dirty, discard and provide fresh solution. Do not use for sanitizing equipment.

Only use as directed. Do not take internally. Avoid contact with eyes, skin, clothing, and food. Avoid breathing vapors. Discard solution if it becomes faded or noticeably dirty. Do not use to sanitize milking equipment or utensils.

INGREDIENTS

ACTIVE: Iodine complex (Provides 1.75% Iodine. Equivalent to 17,500 ppm). Contains Phosphoric Acid

PRECAUTIONARY STATEMENTS

Prevention: Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Do not eat, drink or smoke when using this product.

Response: Immediately call a POISON CENTER or doctor/physician. Specific treatment (see supplemental first aid instructions on this label). **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. **IF ON SKIN (or hair):** Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. **IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. **IF SWALLOWED:** Rinse mouth. DO NOT induce vomiting.

FIRST AID

IF SPLASHED IN EYES: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.

IF ON SKIN (or hair): Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Seek immediate medical attention/advice.

IF INHALED: Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.

IF SWALLOWED: Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

LOT

NUMBER:

NET

CONTENTS:

METZ IODINE DETERGENT

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:86067-0123
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	0.0875 kg in 1 kg

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	0.7192 kg in 1 kg
C9-11 PARETH-8 (UNII: 80E6PSE1XL)	0.1066 kg in 1 kg
PHOSPHORIC ACID (UNII: E4GA8884NN)	0.0867 kg in 1 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86067-0123-2	4 in 1 BOX		
1	NDC:86067-0123-1	4.06 kg in 1 JUG		
2	NDC:86067-0123-3	20.41 kg in 1 PAIL		
3	NDC:86067-0123-4	60.78 kg in 1 DRUM		
4	NDC:86067-0123-5	121.56 kg in 1 DRUM		
5	NDC:86067-0123-6	223.17 kg in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/29/2017	

Labeler - Surpass Chemical. Company, Inc. (002075133)

Establishment

Name	Address	ID/FEI	Business Operations
Surpass Chemical. Company, Inc.		002075133	manufacture, api manufacture

Revised: 5/2024

Surpass Chemical. Company, Inc.