

JET-ASLEEP DOUBLE STRENGTH NIGHT TIME SLEEP AID- diphenhydramine hydrochloride tablet
Bell Pharmaceuticals, Inc.

Jet-Asleep Double Strength Night Time Sleep Aid

Drug Facts

Active ingredient (in each caplet)

Diphenhydramine HCL 50mg

Purpose

Nighttime sleep-aid

Uses

- for relief of occasional sleeplessness

Warnings

Do not use

- in children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking Sedatives or tranquilizers

When using this product

avoid alcoholic drinks

Stop use and ask a doctor

if sleeplessness lasts continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years and over	take 1 caplets at bedtime if needed, or as directed by a doctor
children under 12 years	do not use

Other information

- each caplet contains: calcium 35 mg
- store between 15°-30°C (59°-86°F)
- do not use if tamper-evident seal is broken or missing

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD & C blue #1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, stearic acid

Questions or comments?

1-800-328-5890 Weekdays 8:30-5:00 CST

Package Labeling:

Drug Facts RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

Active ingredient (in each caplet)	Purpose
Diphenhydramine HCl 50 mg	Nighttime sleep-aid

Use for relief of occasional sleeplessness

Warnings

Do not use

- in children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product avoid alcoholic drinks

Stop use and ask a doctor if sleeplessness lasts continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness. ▼

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years and over	take 1 caplet at bedtime if needed, or as directed by a doctor
children under 12 years	do not use

Other information ■ each caplet contains: calcium 35 mg ■ store between 15°-30°C (59°-86°F) ■ do not use if tamper-evident seal is broken or missing ▼

Drug Facts (continued)

Inactive ingredients colloidal silicon dioxide, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD & C blue #1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, stearic acid

Questions or comments? 1-800-328-5890 Weekdays 8:30-5:00 CST

Manufactured in the USA
For Bell Pharmaceuticals, Inc.
200 W. Beaver St.
Belle Plaine, MN 56011

REV. 4/16

visit www.jet-asleep.com

JET-ASLEEP
50mg Diphenhydramine HCl

Safe & Effective • Easy t' Take®
Non-Habit Forming • Fast Acting
100 CAPLETS (50 mg each)



06-16 W
248753-1
1-12908

- Fast Acting
- Easy t' Take®
- Safe & Effective
- Non-Habit Forming

100
CAPLETS
(50 mg each)

Sleep, At Last!

50mg Diphenhydramine HCl

Double Strength
Nighttime
Sleep-Aid

JET-ASLEEP

JET-ASLEEP
50mg Diphenhydramine HCl

Sleep, At Last!

- Fast Acting
- Easy t' Take®
- Safe & Effective
- Non-Habit Forming

100
CAPLETS
(50 mg each)

JET-ASLEEP DOUBLE STRENGTH NIGHT TIME SLEEP AID

diphenhydramine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:15579-828
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
MINERAL OIL (UNII: T5L8T28FGP)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	14mm
Flavor		Imprint Code	350
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:15579-828-23	3 in 1 BOX	10/07/2017	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:15579-828-17	1 in 1 BOX	10/07/2017	
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	10/07/2017	

Labeler - Bell Pharmaceuticals, Inc. (140653770)

Revised: 12/2023

Bell Pharmaceuticals, Inc.