

**MALE GENITAL DESENSITIZER STUD 100- lidocane spray, metered  
Pound International Corp**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Stud 100 Male Desensitizer**

Active Ingredient	Purpose
Lidocaine Base 9.6% w/w (approximately 10 mg per spray)	Topical Anesthetic

**Use**

temporarily reduces sensitivity of the penis, which helps to delay ejaculation in cases of over-rapid or premature ejaculation (coming to a climax too quickly)

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Stop and consult a doctor

if you or your partner develop a rash or irritation, such as burning or itching

if you do feel unwell or have any unpleasant effects after using the spray

If this product, used as directed, does not provide relief. Premature ejaculation may be due to a condition requiring medical supervision

**Warnings**

For external use only

Allergy alert: do not use this product if you or your partner are allergic (sensitive) to local Anesthetics.

Do not use - on broken or inflamed skin -if your partner is pregnant

Ask a doctor before use if you have, or ever had, liver or kidney problems

Ask a doctor or pharmacist before use if you are already taking prescribed drugs when using this product

- do not get into eyes

- do not inhale

- do not exceed 24 sprays in 24 hours

**Directions**

-apply 3 or more sprays, not to exceed 10, to the head and shaft of the penis before intercourse, or as directed by a doctor

-wash product after intercourse

-correct quantity and time of application will be determined by individual requirements and you should always use the minimum effective quantity

**Inactive Ingredients**

Fragrance, isopropyl myristate, solvent, stearic acid

STUD 100  
Male Genital  
Desensitizer Spray

BN:  
EXP:

**Drug Facts**

**Active Ingredient**

Lidocaine Base USP 9.6% w/w  
(approximately 10 mg per spray)

**Purpose**

Topical Anesthetic

**Use** temporarily reduces sensitivity of the penis, which helps to delay ejaculation in cases of over-rapid or premature ejaculation (coming to a climax too quickly)

**Warnings**

**For external use only.**

**Allergy alert:** do not use this product if you or your partner are allergic (sensitive) to local anesthetics

**Do not use** • on broken or inflamed skin • if your partner is pregnant

**Ask a doctor before use** if you have, or have had, liver or kidney problems

**Ask a doctor or pharmacist before use** if you are already taking prescribed drugs

**When using this product**

- do not get into eyes • do not inhale
- do not exceed a maximum of 24 sprays in 24 hours.

**Stop use and consult a doctor**

- if you or your partner develop a rash or irritation, such as burning or itching
- if you do feel unwell or have any unpleasant effects after using the spray
- if this product, used as directed, does not provide relief. Premature ejaculation may be due to a condition requiring medical supervision

**Keep out of reach of children.** If swallowed get medical help or contact a Poison Control. Center right away

**Directions**

- apply 3 or more sprays, not to exceed 10, to the head and shaft of the penis before intercourse, or use as directed by a doctor
- wash product off after intercourse
- correct quantity and time of application will be determined by individual requirements and you should always use the minimum effective quantity

**Other information**

• this product is fitted with a Child Resistant Cap - insert key or coin, twist it to flip top open. • Store below 25°C (77°F).

**Inactive ingredients** Fragrance, isopropyl myristate, solvent, stearic acid

**Questions?** +1 971 255 1185 Monday to Friday, 9am to 5pm.

4093F



MANUFACTURED IN THE UK

VARNISH FREE



STUD  
100

US Distributor  
Pound Int'l. Corp.,  
1500 SW 1<sup>st</sup> Ave.,  
Suite 1018, Portland,  
Oregon 97201,  
U.S.A

Made in the UK for:  
Pound Int'l. Ltd.,  
109 Baker St.,  
London W1U 6RP,  
UK

Helps to  
Delay  
Ejaculation

www.stud100.com

STUD 100<sup>®</sup>

Male Genital Desensitizer Spray

The  
Delay  
Spray  
for Men

Active  
Ingredient:  
Lidocaine  
Base USP  
9.6% w/w  
7/16 fl. oz.

ESPAÑOL: Encontrará instrucciones  
completas en el inserto adjunto



STUD  
100

Helps in cases  
of over-rapid  
or premature  
ejaculation  
Pre-measured  
metered pump  
spray for topical  
application –  
contains NO CFCs  
Active Ingredient:  
Lidocaine Base USP  
9.6% w/w

Helps to  
Delay  
Ejaculation

www.stud100.com

STUD 100<sup>®</sup>  
Male Genital  
Desensitizer Spray

BN:  
EXP:

**Drug Facts**

**Active Ingredient**

Lidocaine Base USP 9.6% w/w  
(approximately 10 mg per spray)

**Purpose**

Topical Anesthetic

**Use** temporarily reduces sensitivity of the penis, which helps to delay ejaculation in cases of over-rapid or premature ejaculation (coming to a climax too quickly)

**Warnings**

**For external use only.**

**Allergy alert:** do not use this product if you or your partner are allergic (sensitive) to local anesthetics

**Do not use** • on broken or inflamed skin • if your partner is pregnant

**Ask a doctor before use** if you have, or have had, liver or kidney problems

**Ask a doctor or pharmacist before use** if you are already taking prescribed drugs

**When using this product**

- do not get into eyes
- do not inhale
- do not exceed a maximum of 24 sprays in 24 hours.

**Stop use and consult a doctor**

- if you or your partner develop a rash or irritation, such as burning or itching
- if you do feel unwell or have any unpleasant effects after using the spray
- if this product, used as directed, does not provide relief. Premature ejaculation may be due to a condition requiring medical supervision

**Keep out of reach of children.** If swallowed get medical help or contact a Poison Control Center right away

**Directions**

- apply 3 or more sprays, not to exceed 10, to the head and shaft of the penis before intercourse, or use as directed by a doctor
- wash product off after intercourse
- correct quantity and time of application will be determined by individual requirements and you should always use the minimum effective quantity

**Other information**

- this product is fitted with a Child Resistant Cap - insert key or coin, twist it to flip top open.
- Store below 25°C (77°F).

**Inactive ingredients** Fragrance, isopropyl myristate, solvent, stearic acid

**Questions?** +1 971 255 1185 Monday to Friday, 9am to 5pm.

4093E



MANUFACTURED IN THE UK



STUD  
100

US Distributor  
Pound Int'l. Corp.,  
1500 SW 1<sup>st</sup> Ave.,  
Suite 1018, Portland,  
Oregon 97201,  
U.S.A

Made in the UK for:  
Pound Int'l. Ltd.,  
109 Baker St.,  
London W1U 6RP,  
UK

Helps to  
Delay  
Ejaculation

www.stud100.com

STUD 100<sup>®</sup>

Male Genital Desensitizer Spray

The  
Delay  
Spray  
for Men

Active  
Ingredient:  
Lidocaine  
Base USP  
9.6% w/w  
7/16 fl. oz.



STUD  
100

Helps in cases  
of over-rapid  
or premature  
ejaculation  
Pre-measured  
metered pump  
spray for topical  
application –  
contains NO CFCs  
Active Ingredient:  
Lidocaine Base USP  
9.6% w/w

Helps to  
Delay  
Ejaculation

www.stud100.com



# STUD 100 Male Genital Desensitizer

Lidocaine  
9.6% w/w  
7/16 FL.OZ.  
Helps to Delay  
Ejaculation

**Active Ingredient:**

Lidocaine 9.6%  
(approx. 10mg per spray)

**Purpose:**

Topical  
Anesthetic

**Uses:** For reducing over-sensitivity in the male in advance of intercourse. Helps in the prevention of over-rapid or premature ejaculation

**Warnings: SEE SEPARATE WARNINGS AND INSTRUCTION LEAFLET.**

**Do Not Use** this product if you or your partner are allergic (sensitive) to local anesthetics. If swallowed get medical help right away.

**Do Not** puncture or incinerate can.  
**KEEP OUT OF REACH OF CHILDREN.**  
**FOR EXTERNAL USE ONLY**

**Directions:** Apply 3 or more sprays, not to exceed 10, to the head and shaft of the penis before intercourse, or use as directed by a doctor. Wash product off after intercourse.

**Made in the UK for:** Pound International Ltd., 109 Baker Street, London W1U 6RP, England  
**USA Distributor -** Pound International Corp., 1500 SW 1st Avenue, Suite 1018, Portland, Oregon 97201, USA

3033G

Stud 100 Male Genital Desensitizer Spray

The Delay Spray for Men

Active ingredient

Lidocaine Base USP

9.6% w/w 7/16 fl. oz.

## MALE GENITAL DESENSITIZER STUD 100

lidocane spray, metered

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57707-050
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE	9.6 mg in 100 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:57707-050-02	1 in 1 CARTON	03/13/2013	
1	NDC:57707-050-01	12.5 mL in 1 CAN; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part348		03/13/2013	

**Labeler** - Pound International Corp (802685065)

**Registrant** - FLEET LABORATORIES LTD (217269489)

### Establishment

Name	Address	ID/FEI	Business Operations
FLEET LABORATORIES LTD		217269489	manufacture(57707-050)

Revised: 4/2016

Pound International Corp