

MECLIZINE HYDROCHLORIDE- meclizine hydrochloride tablet, chewable
NuCare Pharmaceuticals, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

5172C- Rubgy

Drug Facts

Active ingredient (in each chewable tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

prevents and treats nausea, vomiting or dizziness due to motion sickness

Do not use in

children under 12 years of age unless directed by a doctor

Ask a doctor before use if you have

- ☐ glaucoma
- ☐ a breathing problem such as emphysema or chronic bronchitis
- ☐ trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if

you are taking sedatives or tranquilizers

When using this product

- ☐ Do not exceed recommended dosage
- ☐ may cause drowsiness
- ☐ alcohol, sedatives, and tranquilizers may increase drowsiness
- ☐ avoid alcoholic drinks
- ☐ use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

□ Dosage should be taken one hour before travel starts

adults and children 12 years of age and over	chew 1 to 2 tablets once daily, or as directed by a doctor
children under 12 years of age	do not give this product to children under 12 years of age unless directed by a doctor

Other information

□ Each tablet contains 0.09 mg of Magnesium and 0.82 mg of Sodium

□ store at room temperature in a dry place

□ keep lid tightly closed

Croscarmellose Sodium, Crospovidone, FD&C Red #40 Lake, French Vanilla Flavor, Lactose, Magnesium Stearate, Raspberry Flavor, Silica, Sodium Saccharin, Stearic Acid

Questions or comments?

1-800-645-2158

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by Prestige Brands, Inc owner of the registered trademark Bonine®.

Distributed by:

RUGBY® LABORATORIES

17177 N Laurel Park Dr., Suite 233

Livonia, MI 48152

www.rugbylaboratories.com

Distributed by: 3
 6807125742
 7
 Rugby Laboratories Indianapolis, IN
 46268
 Packaged By:
 NuCare Pharmaceuticals, Inc.
 Orange, CA 92867
 Patient Instructions
 Chew _____ times a day.
 every _____ hours
 6807125742-20*0000000000
 Rev 01/01/19

NDC: 68071-2574-2
Meclizine 25mg
#20 Chewtabs

Each chewable tablet contains: Meclizine HCl 25mg Antiemetic
 Warnings: Do not use in children under 12 years of age unless directed by a
 doctor. Ask a doctor before use if you have, glaucoma, a breathing problem
 such as emphysema or chronic bronchitis, trouble urinating due to an
 enlarged prostate gland. Ask a doctor or pharmacist before use if you are
 taking sedatives or tranquilizers. When using this product. Do not exceed
 recommended dosage, drowsiness may occur, alcohol, sedatives, and
 tranquilizers may increase drowsiness, avoid alcoholic drinks, use caution
 when driving a motor vehicle or operating machinery. If pregnant or
 breast-feeding, ask a health professional before use. In case of overdose,
 get medical help or contact a Poison Control Center right away
 (1-800-222-1222). Round pink scored chewtab imprinted "5172" on the
 score side

Product #: P1763020

Meclizine 25mg
 Lot: 00000 NDC: 68071-2574-02
 MFR NDC: 0536-1299-01 Exp.: 00-00
 Serial# 0000000002

Meclizine 25mg
 Lot: 00000 NDC: 68071-2574-02
 MFR NDC: 0536-1299-01 Exp.: 00-00
 Serial# 0000000002



GTIN 00368071257427
 Serial# 0000000002
 Exp. Date 00-00
 LOT#: 00000

Call your doctor for medical advice about side
 effects. You may report side effects to FDA at
 1-800-FDA-1088.

WARNING: KEEP OUT OF REACH OF CHILDREN

STORE AT CONTROLLED TEMPERATURE 59-86°F.

MECLIZINE HYDROCHLORIDE

meclizine hydrochloride tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68071-2574(NDC:0536-1299)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CROSPVIDONE (UNII: 2S7830E561)	
VANILLA (UNII: Q74T35078H)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
RASPBERRY (UNII: 4N14V5R27W)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	pink (Rosy)	Score	2 pieces
Shape	ROUND	Size	9mm

Flavor		VANILLA, RASPBERRY	Imprint Code		5172
Contains					
Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:68071-2574-2	20 in 1 BOTTLE; Type 0: Not a Combination Product	11/15/2021		
2	NDC:68071-2574-3	30 in 1 BOTTLE; Type 0: Not a Combination Product	11/15/2021		
3	NDC:68071-2574-6	60 in 1 BOTTLE; Type 0: Not a Combination Product	11/15/2021		
Marketing Information					
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final		part336	10/30/2020		

Labeler - NuCare Pharmaceuticals,Inc. (010632300)

Establishment

Name	Address	ID/FEI	Business Operations
NuCare Pharmaceuticals,Inc.		010632300	repack(68071-2574)

Revised: 9/2023

NuCare Pharmaceuticals,Inc.