

**BANOPHEN- diphenhydramine hcl capsule**  
**Bryant Ranch Prepack**

-----

**0836-Major(100C/1000C)**

**Active Ingredient (in each banded capsule)**

Diphenhydramine Hydrochloride 50 mg

**Purpose**

Antihistamine

**Use**

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies

- runny nose
- sneezing
- itchy, watery eyes
- itchy throat and nose
- Temporarily relieves these symptoms due to the common cold
  - runny nose
  - sneezing

**WARNINGS**

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist**

before use if you are taking sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness

- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

### **If pregnant or breast-feeding**

ask a health professional before use.

### **KEEP OUT OF REACH OF CHILDREN**

In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

- Take every 4-6 hours
- Do not take more than 6 doses in 24 hours

adults and children 12 years of age and over	Take 1 capsule (50 mg)
children under 12 years of age	ask a doctor, the proper dosage strength is not available in this package**

\*\*Do not attempt to break capsules. The proper dosage strength and dosing information for children under 12 years of age is available on the 25 mg package.

### **Other Information**

- Store at room temperature, USP.
- Do not use if either capsule band or imprinted safety seal under cap is broken or missing
- Protect from moisture
- Contains lactose

### **Inactive Ingredients**

D&C Red #28, FD&C Blue #1, FD&C Red #40, Gelatin, Lactose and Starch.

### **Questions?**

Questions or comments? (800) 616-2471

### **Distributed by**

MAJOR® PHARMACEUTICALS  
17177 N Laurel Park Drive, Suite 233,  
Livonia, MI 48152

HOW SUPPLIED

NDC: 63629-9451-1: 30 CAPSULEs in a BOTTLE

NDC: 63629-9451-2: 60 CAPSULEs in a BOTTLE

Diphenhydramine HCl 50mg Capsule



GTIN 003629945115  
Lot 208820  
Exp 1/24/2026  
SN 0123456789

Drug Facts	
Active ingredient (in each banded capsule)	Purpose
Diphenhydramine Hydrochloride 50 mg	Antihistamine
Uses	
Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: •runny nose •sneezing •itchy, watery eyes •itchy throat and nose •Temporarily relieves these symptoms due to the common cold •runny nose •sneezing	
Warnings	
Do not use •to make a child sleepy •with any other product containing diphenhydramine, even one used on skin. Ask a doctor before use if you have •glaucoma •a breathing problem such as emphysema or chronic bronchitis •trouble urinating due to an enlarged prostate gland. Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers. When using this product •marked drowsiness may occur •avoid alcoholic drinks •alcohol, sedatives, and tranquilizers may increase drowsiness •be careful when driving a motor vehicle or operating machinery •excitability may occur, especially in children. If pregnant or breast-feeding ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
Other Information	
•Store at room temperature, USP. •Do not use if either capsule band or imprinted safety seal under cap is broken or missing •Protect from moisture •Contains lactose	
Directions	
•Take every 4-6 hours •Do not take more than 6 doses in 24 hours adults and children 12 years of age and over: Take 1 capsule (50 mg) children under 12 years of age: ask a doctor; the proper dosage strength is not available in this package** **Do not attempt to break capsules. The proper dosage strength and dosing information for children under 12 years of age is available on the 25 mg package.	
Inactive Ingredients	
D&C Red #28, FD&C Blue #1, FD&C Red #40, Gelatin, Lactose and Starch.	

NDC 63629-9451-1

Banophen Capsules, USP

50 mg

30 Capsules



Repackaged by:  
Bryant Ranch Prepack, Inc.  
Burbank, CA 91504 USA

Manufactured by:  
Major  
Pharmaceuticals



BANOPHEN

diphenhydramine hcl capsule

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63629-9451(NDC:0904-5307)
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)		DIPHENHYDRAMINE HYDROCHLORIDE	50 mg
Inactive Ingredients			
Ingredient Name			Strength
D&C RED NO. 28 (UNII: 767IP0Y5NH)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)			
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
STARCH, CORN (UNII: O8232NY3SJ)			
Product Characteristics			
Color	pink	Score	no score
Shape	CAPSULE	Size	14mm

Flavor			Imprint Code	CPC;836
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63629-9451-1	30 in 1 BOTTLE; Type 0: Not a Combination Product	09/26/2022	
2	NDC:63629-9451-2	60 in 1 BOTTLE; Type 0: Not a Combination Product	09/26/2022	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M012	11/02/2009	

**Labeler -** Bryant Ranch Prepack (171714327)

**Registrant -** Bryant Ranch Prepack (171714327)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Bryant Ranch Prepack		171714327	REPACK(63629-9451) , RELABEL(63629-9451)