

HEMORRHOIDAL- cocoa butter, phenylephrine hcl suppository

Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreen Co. Hemorrhoidal Suppositories Drug Facts

Active ingredients (in each suppository)

Cocoa butter 85.39%

Phenylephrine HCl 0.25%

Purposes

Protectant

Vasoconstrictor

Uses

- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily relieves burning and shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

Warnings

For rectal use only

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug for high blood pressure or depression

When using this product

do not exceed the recommended daily dosage unless directed by a doctor

Stop use and ask a doctor if

- bleeding occurs
- condition worsens or does not improve within 7 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before insertion of this product.
- detach one suppository from the strip; remove the foil wrapper before inserting into the rectum as follows:
- hold suppository with rounded end up
- see illustrations: carefully separate foil tabs by inserting tip of fingernail at end marked “peel down”
- slowly and evenly peel apart (do not tear) foil by pulling tabs down both sides, to expose the suppository
- remove exposed suppository from wrapper
- insert one suppository into the rectum up to 4 times daily, especially at night, in the morning or after each bowel movement
- children under 12 years of age: ask a doctor

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

corn starch, methylparaben, propylparaben, shark liver oil

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel



Hemorrhoidal Suppositories

Helps shrink swelling of irritated hemorrhoidal tissues

Gives prompt temporary relief from the painful burning, itching & discomfort of hemorrhoids

E-Z open wrapper

Compare to Preparation H® Hemorrhoidal Suppositories active ingredients



HEMORRHOIDAL

cocoa butter, phenylephrine hcl suppository

Product Information

| | | | |
|-------------------------|----------------|--------------------|------------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0363-0160-53 |
| Route of Administration | RECTAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------------|---------------------|
| COCOA BUTTER (UNII: 512OYT1CRR) (COCOA BUTTER - UNII:512OYT1CRR) | COCOA BUTTER | 2.135 g in 2.5 g |
| PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV) | PHENYLEPHRINE HYDROCHLORIDE | .0065 g in 2.5 g |

Inactive Ingredients

| Ingredient Name | Strength |
|------------------------------------|----------|
| STARCH, CORN (UNII: O8232NY3SJ) | |
| METHYLPARABEN (UNII: A2I8C7HI9T) | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | |
| SHARK LIVER OIL (UNII: 4B24275HEU) | |

Product Characteristics

| | | | |
|----------|--------|--------------|----------|
| Color | YELLOW | Score | no score |
| Shape | BULLET | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|------------------------|----------------------|--------------------|
| 1 | NDC:0363-0160-53 | 2 in 1 CARTON | | |
| 1 | | 15 g in 1 BLISTER PACK | | |
| 2 | NDC:0363-0160-62 | 4 in 1 CARTON | | |
| 2 | | 30 g in 1 BLISTER PACK | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part346 | 09/29/2012 | |

Labeler - Walgreen Company (008965063)

Revised: 3/2013

Walgreen Company