

ATOMIC BALM- methyl salicylate, capsaicin ointment
The Hygenic Company, LLC

Atomic Balm

Drug Facts

Active Ingredients

Methyl Salicylate 12.5%

Capsaicin 0.025%

Purpose

Counterirritant

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with strains, sprains, bruises, simple backache, and arthritis. Combined with stretching and calisthenics, Atomic Balm assists in the warm-up process, especially in cool, damp weather. Do not bandage tightly.

Warnings

For external use only.

Use only as directed. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. Do not apply to wounds or damaged skin. Avoid contact with the eyes. If condition worsens, or if the symptoms persist for more than 7 days, or clear up and occur again within a few days, discontinue use and consult a doctor.

Consult a doctor

before administering to children, including teenagers, with chicken pox or flu.

Keep this and all drugs out of the reach of children

to avoid accidental poisoning.

Directions

Gently massage into painful area. Adults and children 6 years of age and older: apply to affected area not more than 3 - 4 times daily. Children under 6 years of age: consult a doctor. To apply: spread 1/8 " layer of Atomic Balm over area. Do not bandage tightly.

Other Information

This product will cause mild skin irritation. Discontinue use if excessive irritation of skin develops. Use with caution on sensitive skin. Store in a cool, dry place with cap closed tightly.

Inactive Ingredients

Lanolin, Paraffin Wax, Petrolatum

Questions?

(800) 345-2231

Package Labeling:



ATOMIC BALM[®]

World Leader in Sports Medicine Since 1918™

MEDIUM TOPICAL ANALGESIC OINTMENT

- Relieves Minor Pain of Strains and Sprains
- Relaxes Tight, Aching Muscles
- Assists in Warm-up

NET WT 1 Lb (454 g)



3 1960 04314 4

Drug Facts

| | |
|---|-----------------|
| Active Ingredients | Purpose |
| Methyl Salicylate 12.5% Capsaicin 0.025% | Counterirritant |
| Uses | |
| For the temporary relief of minor aches and pains of muscles and joints associated with strains, sprains, bruises, simple backache, and arthritis. Combined with stretching and calisthenics, Atomic Balm assists in the warm-up process, especially in cool, damp weather. Do not bandage tightly. | |
| Warnings | |
| For external use only. Use only as directed. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. Do not apply to wounds or damaged skin. Avoid contact with the eyes. If condition worsens, or if the symptoms persist for more than 7 days, or clear up and occur again within a few days, discontinue use and consult a doctor. Consult a doctor before administering to children, including teenagers, with chicken pox or flu. Keep this and all drugs out of the reach of children to avoid accidental poisoning. | |
| Directions | |
| Gently massage into painful area. Adults and children 6 years of age and older: apply to affected area not more than 3 - 4 times daily. Children under 6 years of age: consult a doctor. To apply: spread 1/8" layer of Atomic Balm over area. Do not bandage tightly. | |
| Other Information | |
| This product will cause mild skin irritation. Discontinue use if excessive irritation of skin develops. Use with caution on sensitive skin. Store in a cool, dry place with cap closed tightly. | |
| Inactive Ingredients Lanolin, Paraffin wax, Petrolatum | |
| Questions? (800) 345-2231 | |
| Stock No. 015538 P08494-R02 NDC 82345-856-01 The Hygienic Company, LLC, Akron, Ohio 44310 | |
| Made in the U.S.A. | |

ATOMIC BALM

methyl salicylate, capsaicin ointment

| Product Information | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:82345-856 |
| Route of Administration | TOPICAL | | |

| Active Ingredient/Active Moiety | | |
|---|-------------------|----------------|
| Ingredient Name | Basis of Strength | Strength |
| METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ) | METHYL SALICYLATE | 125 mg in 1 g |
| CAPSAICIN (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM) | CAPSAICIN | 0.25 mg in 1 g |

| Inactive Ingredients | |
|-------------------------------|----------|
| Ingredient Name | Strength |
| LANOLIN (UNII: 7EV65EAW6H) | |
| PARAFFIN (UNII: I9O0E3H2ZE) | |
| PETROLATUM (UNII: 4T6H12BN9U) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:82345-856-01 | 454 g in 1 JAR; Type 0: Not a Combination Product | 04/01/2022 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M017 | 04/01/2022 | |

Labeler - The Hygenic Company, LLC (004163390)

Revised: 11/2023

The Hygenic Company, LLC