

SODIUM CHLORIDE- sodium chloride solution/ drops
Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens Sodium Chloride Ophthalmic Solution

**Walgreen's Sodium Chloride Ophthalmic
Solution, 5% Hypertonicity Eye Drops 15mL
NDC 0363-0193-13**

Drug Facts

Active ingredient

Sodium Chloride 5%

Purpose

Hypertonicity Agent

Use

- For the temporary relief of corneal edema.

Warnings

For use in the eyes only

Save box for complete information

Do not use

- except under the advice and supervision of a doctor.
- if solution changes color or becomes cloudy.

When using this product

- keep tightly closed.
- to avoid contamination, do not touch tip of container to any surface.
- replace cap immediately after each use.
- this product may cause temporary burning and irritation on being instilled into the eye.

Stop use and ask a doctor if

- you experience eye pain.
- changes in your vision occur.
- continued redness or irritation of the eye persists.
- condition worsens or persists.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- instill 1 or 2 drops in the affected eye(s) every 3 to 4 hours, or as directed by a doctor.

Other information

- replace cap after using and keep tightly closed.
- store at 15° to 30°C (59° to 86°F).
- remove contact lenses before using.

Inactive ingredients

Boric Acid, Hypromellose, Methylparaben, Propylene Glycol, Propylparaben, Sodium Borate, and Water for injection. Sodium Hydroxide and/or Hydrochloric Acid may be added to adjust pH.

Questions?

- 1-800-925-4733 • 9am – 5pm EST Monday - Friday

PRINCIPAL DISPLAY PANEL

Walgreens

NDC 0363-0193-13

Sodium Chloride

Ophthalmic

Solution, 5%

Hypertonicity

Eye Drops

0.5 FL OZ (15 mL)

Walgreens

Sodium Chloride Ophthalmic Solution, 5% Hypertonicity Eye Drops

NDC 0363-0193-13

Walgreens

Compare to the active ingredient in Muro 128® Hypertonicity Ophthalmic Solution, 5%^{††}



Sodium Chloride Ophthalmic Solution, 5% Hypertonicity Eye Drops

- For temporary relief of corneal edema
- Sterile



0.5 FL OZ (15 mL)

FILL LINE
ACTUAL SIZE

Drug Facts (continued)

*May contain one or more of these ingredients to adjust pH.

Questions?

1-800-925-4733
Monday thru Friday
8:30am- 5:00pm EST

Made in Jordan. DISTRIBUTED BY: WALGREEN CO.
200 WILLIAMS RD., DEERFIELD, IL 60015-1009
SATISFACTION GUARANTEED walgreens.com
©2023 Walgreen Co.



^{††}Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. This product is not manufactured or distributed by Bausch & Lomb, owner of the registered trademark Muro 128® Hypertonicity Ophthalmic Solution, 5%.



how2recycle.info

DO NOT USE IF TAMPER EVIDENT SEAL IS TORN, BROKEN OR MISSING

Drug Facts

Active ingredient	Purpose
Sodium chloride 5%.....	Hypertonicity agent

Use

- For the temporary relief of corneal edema.

Warnings

For use in the eyes only
Save box for complete information

Do not use

- Except under the advice and supervision of a doctor.
- If solution changes color or becomes cloudy.

When using this product

- Keep tightly closed.
- To avoid contamination, do not touch tip of container to any surface.
- Replace cap immediately after each use.
- This product may cause temporary burning and irritation on being instilled into the eye.

Stop use and ask a doctor if

- You experience eye pain.
- Changes in your vision occur.
- Continued redness or irritation of the eye persists.
- Condition worsens or persists.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Instill 1 or 2 drops in the affected eye(s) every 3 to 4 hours, or as directed by a doctor.

Other information

- Replace cap after using and keep tightly closed.
- Store at 15° to 30° C (59° to 86° F).
- Remove contact lenses before using.

Inactive ingredients

Boric acid, calcium chloride, hydrochloric acid*, magnesium chloride, potassium chloride, purified water, sodium borate, sodium chloride, sodium hydroxide*. Stabilized Oxychloro Complex 2.5%. ▶

no varnish

Walgreens

Sodium Chloride Ophthalmic Solution, 5% Hypertonicity Eye Drops

- For temporary relief of corneal edema
- Sterile

0.5 OZ (15 mL)

NDC 0363-01 93-13

DO NOT USE IF TAMPER EVIDENT SEAL IS TORN, BROKEN OR MISSING

Drug Facts

Active ingredient..... Purpose

Sodium Chloride 5% Hypertonicity Agent

Use: for the temporary relief of corneal edema.

Warnings: For use in the eyes only

Save outer carton for complete drug information.

Keep this and all drugs out of the reach of children.

Directions: instill 1 or 2 drops in the affected eye(s) every 3 to 4 hours, or as directed by a doctor.

Other information: Remove contact lenses before using. Store at room temperature 15° to 30°C (59° to 86°F).

Inactive ingredients: See outer carton.

Questions? 1-800-925-4733

W110-439 Made in Jordan. DISTRIBUTED BY: WALGREEN CO.

200 WILLIAMS RD., DEERFIELD, IL 60015-1009 SATISFACTION

GUARANTEED walgreens.com ©2023 Walgreen Co.

ITEM 662718 W000000-0000-0 W30R0821-F2

In:0120, RD:123



SODIUM CHLORIDE
sodium chloride solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0193	
Route of Administration	OPHTHALMIC			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
SODIUM CHLORIDE (UNII: 451W47IQ8X) (SODIUM CATION - UNII:LYR4M0NH37)		SODIUM CHLORIDE	50 mg in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
BORIC ACID (UNII: R57ZHV85D4)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
SODIUM BORATE (UNII: 91MBZ8H3QO)				
WATER (UNII: 059QF0KO0R)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
HYDROCHLORIC ACID (UNII: QTT17582CB)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0193-13	1 in 1 BOX	04/01/2019	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part349	04/01/2019		

Labeler - Walgreen Company (008965063)

Revised: 5/2023

Walgreen Company