

**DAIRY - GRAIN - NIGHTSHADES - cow milk, skim milk, cow milk fat, casein lactococcus lactis cultured aged, casein lactococcus lactis cultured penicilium roqueforti cultured aged, casein lctococcus lactis cultured penicillium camemberti cultured aged, barley, corn, wheat gluten, oat, white rice, rye, wheat, lycopersicum esculentum, sac. lac., solanum tuberosum, torula cerevisiae, ustilago maidis, antimon. crud., arg.nit., arsenicum alb., baptisia, bryonia, carduus benedictus, cinchona, gelsemium, ipecac., lachesis, lycopodium liquid  
Newton Laboratories, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Dairy - Grain - Nightshades**

## **INDICATIONS & USAGE SECTION**

Formulated for symptoms associated with respiratory, gastro-intestinal, integumentary or vascular systems.

## **DOSAGE & ADMINISTRATION SECTION**

**Directions:** Ages 12 and up, take 6 drops by mouth (ages 0 to 11, give 3 drops) as needed or as directed by a health professional.

## **OTC - ACTIVE INGREDIENT SECTION**

Allersodes 60x, Allersodes 15x, Lycopersicum 15x, Sac. lac. 15x, Solanum tub. 15x, Torula cerevisiae 15x, Ustilago maidis 15x, Antimon. crud. 10x, Arg. nit. 10x, Arsenicum alb. 10x, Baptisia 10x, Bryonia 10x, Carduus ben. 10x, Cinchona 10x, Gelsemium 10x, Ipecac. 10x, Lachesis 10x, Lycopodium 10x, Nat. mur. 10x, Phos. 10x, Podoph. pelt.10x, Pulsatilla 10x, Rhus tox. 10x, Sepia 10x, Triticum 10x, Verbascum 10x, Iris vers. 3x, Solidago 3x.

## **OTC - PURPOSE SECTION**

Formulated for symptoms associated with respiratory, gastro-intestinal, integumentary or vascular systems.

## **INACTIVE INGREDIENT SECTION**

**Inactive Ingredients:** USP Purified water, USP Gluten-free, non-GMO, organic cane dispensing alcohol 20%.

## **QUESTIONS SECTION**

www.newtonlabs.net Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012  
Questions? 1.800.448.7256

## **WARNINGS SECTION**

**Warning: Keep out of reach of children. Do not use** if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

**OTC - PREGNANCY OR BREAST FEEDING SECTION**

If **pregnant or breast-feeding**, ask a doctor before use.

**OTC - KEEP OUT OF REACH OF CHILDREN SECTION**

Keep out of reach of children.

**PACKAGE LABEL.**

**NEWTON**  
homeopathics **PRO**  
Nurturing Naturally Since 1987™

NDC#  
55714-4572-1

**Dairy~Grain  
~Nightshades**

Formulated for  
symptoms associated  
with respiratory,  
gastro-intestinal,  
integumentary or  
vascular systems.

1 FL OZ (30 ML)

Dispensed by health professionals - not sold over-the-counter.  
**Directions:** Ages 12 and up, take 6 drops by mouth (ages 0 to 11, give 3 drops) as needed or as directed by a health professional.  
**Active Ingredients:** Iris vers. 3x, Solidago 3x, Antimon. crud. 10x, Arg. nit. 10x, Arsenicum alb. 10x, Baptisia 10x, Bryonia 10x, Carduus ben. 10x, Cinchona 10x, Gelsemium 10x, Ipecac. 10x, Lachesis 10x, Lycopodium 10x, Nat. mur. 10x, Phos. 10x, Podoph. pelt. 10x, Pulsatilla 10x, Rhus tox. 10x, Sepia 10x, Triticum 10x, Verbasicum 10x, Allersodes 15x, Lycopersicum 15x, Sac. lac. 15x, Solanum tub. 15x, Torula cerevisiae 15x, Ustilago maidis 15x, Allersodes 60x.  
**Inactive Ingredients:** USP Purified water; USP Gluten-free, non-GMO, organic cane dispensing alcohol 20%.

Stock# R087 Lot#

www.newtonlabs.net  
Newton Laboratories, Inc. FDA Est# 1051203 • Conyers, GA 30012  
Questions? 800.448.7256  
Label statements have not been reviewed by the FDA.  
**Warnings:** Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If pregnant or breast-feeding, ask a doctor before use.

**DAIRY - GRAIN - NIGHTSHADES**

cow milk, skim milk, cow milk fat, casein lactococcus lactis cultured aged, casein lactococcus lactis cultured penicillium roqueforti cultured aged, casein lctococcus lactis cultured penicillium camemberti cultured aged, barley, corn, wheat gluten, oat, white rice, rye, wheat, lycopersicum esculentum, sac. lac., solanum tuberosum, torula cerevisiae, ustilago maidis, antimon. crud., arg.nit., arsenicum alb., baptisia, bryonia, carduus benedictus, cinchona, gelsemium, ipecac., lachesis, lycopodium liquid

**Product Information**

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:55714-4572
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Cow Milk</b> (UNII: 917J3173FT) (Cow Milk - UNII:917J3173FT)	Cow Milk	60 [hp_X] in 1 mL
<b>Skim Milk</b> (UNII: 6A001Y4M5A) (Skim Milk - UNII:6A001Y4M5A)	Skim Milk	60 [hp_X] in 1 mL

<b>Cow Milk Fat</b> (UNII: 463JZS0XJ3) (Cow Milk Fat - UNII:463JZS0XJ3)	Cow Milk Fat	60 [hp_X] in 1 mL
<b>Casein, Lactococcus Lactis Cultured, Aged</b> (UNII: CJP9NL7JSJ) (Casein, Lactococcus Lactis Cultured, Aged - UNII:CJP9NL7JSJ)	Casein, Lactococcus Lactis Cultured, Aged	60 [hp_X] in 1 mL
<b>Casein, Lactococcus Lactis Cultured, Penicillium Roqueforti Cultured, Aged</b> (UNII: IYI0G2057S) (Casein, Lactococcus Lactis Cultured, Penicillium Roqueforti Cultured, Aged - UNII:IYI0G2057S)	Casein, Lactococcus Lactis Cultured, Penicillium Roqueforti Cultured, Aged	60 [hp_X] in 1 mL
<b>Casein, Lactococcus Lactis Cultured, Penicillium Camemberti Cultured, Aged</b> (UNII: G44KT17KIS) (Casein, Lactococcus Lactis Cultured, Penicillium Camemberti Cultured, Aged - UNII:G44KT17KIS)	Casein, Lactococcus Lactis Cultured, Penicillium Camemberti Cultured, Aged	60 [hp_X] in 1 mL
<b>Barley</b> (UNII: 5PWM7YLI7R) (Barley - UNII:5PWM7YLI7R)	Barley	60 [hp_X] in 1 mL
<b>Corn</b> (UNII: 0N8672707O) (Corn - UNII:0N8672707O)	Corn	60 [hp_X] in 1 mL
<b>Wheat Gluten</b> (UNII: 1534K8653J) (Wheat Gluten - UNII:1534K8653J)	Wheat Gluten	60 [hp_X] in 1 mL
<b>Oat</b> (UNII: Z6J799EAJK) (Oat - UNII:Z6J799EAJK)	Oat	60 [hp_X] in 1 mL
<b>White Rice</b> (UNII: A195V20H7A) (White Rice - UNII:A195V20H7A)	White Rice	60 [hp_X] in 1 mL
<b>Rye</b> (UNII: 0R4AQI398X) (Rye - UNII:0R4AQI398X)	Rye	60 [hp_X] in 1 mL
<b>Wheat</b> (UNII: 4J2I0SN84Y) (Wheat - UNII:4J2I0SN84Y)	Wheat	60 [hp_X] in 1 mL
<b>Atropa Belladonna</b> (UNII: WQZ3G9PF0H) (Atropa Belladonna - UNII:WQZ3G9PF0H)	Atropa Belladonna	15 [hp_X] in 1 mL
<b>Capsicum</b> (UNII: 00UK7646FG) (Capsicum - UNII:00UK7646FG)	Capsicum	15 [hp_X] in 1 mL
<b>Solanum Dulcamara Top</b> (UNII: KPS1B1162N) (Solanum Dulcamara Top - UNII:KPS1B1162N)	Solanum Dulcamara Top	15 [hp_X] in 1 mL
<b>Hyoscyamus Niger</b> (UNII: 4WRK2153H3) (Hyoscyamus Niger - UNII:4WRK2153H3)	Hyoscyamus Niger	15 [hp_X] in 1 mL
<b>Solanum Nigrum Whole</b> (UNII: 0FMD6WV47M) (Solanum Nigrum Whole - UNII:0FMD6WV47M)	Solanum Nigrum Whole	15 [hp_X] in 1 mL
<b>Datura Stramonium</b> (UNII: G6W4F0V8Z3) (Datura Stramonium - UNII:G6W4F0V8Z3)	Datura Stramonium	15 [hp_X] in 1 mL
<b>Tobacco Leaf</b> (UNII: 6YR2608RSU) (Tobacco Leaf - UNII:6YR2608RSU)	Tobacco Leaf	15 [hp_X] in 1 mL
<b>Solanum Lycopersicum</b> (UNII: 0243Q4990L) (Solanum Lycopersicum - UNII:0243Q4990L)	Solanum Lycopersicum	15 [hp_X] in 1 mL
<b>Lactose</b> (UNII: J2B2A4N98G) (Anhydrous Lactose - UNII:3SY5LH9PMK)	Lactose	15 [hp_X] in 1 mL
<b>Solanum Tuberosum</b> (UNII: 2A8I57T4MX) (Solanum Tuberosum - UNII:2A8I57T4MX)	Solanum Tuberosum	15 [hp_X] in 1 mL
<b>Saccharomyces Cerevisiae</b> (UNII: 978D8U419H) (Saccharomyces Cerevisiae - UNII:978D8U419H)	Saccharomyces Cerevisiae	15 [hp_X] in 1 mL
<b>Ustilago Maydis</b> (UNII: 4K7Z7K7SWG) (Ustilago Maydis - UNII:4K7Z7K7SWG)	Ustilago Maydis	15 [hp_X] in 1 mL
<b>Antimony Trisulfide</b> (UNII: F79059A38U) (Antimony Cation (3+) - UNII:069647RPT5)	Antimony Trisulfide	10 [hp_X] in 1 mL
<b>Silver Nitrate</b> (UNII: 95IT3W8JZE) (Silver Cation - UNII:57N7B0K90A)	Silver Nitrate	10 [hp_X] in 1 mL
<b>Arsenic Trioxide</b> (UNII: S7V92P67HO) (Arsenic Cation (3+) - UNII:C96613F5AV)	Arsenic Trioxide	10 [hp_X] in 1 mL
<b>Baptisia Tinctoria Root</b> (UNII: 5EF0HWI5WU) (Baptisia Tinctoria Root - UNII:5EF0HWI5WU)	Baptisia Tinctoria Root	10 [hp_X] in 1 mL
<b>Bryonia Alba Root</b> (UNII: T7J046YI2B) (Bryonia Alba Root - UNII:T7J046YI2B)	Bryonia Alba Root	10 [hp_X] in 1 mL
<b>Centaurea Benedicta</b> (UNII: 6L5ZL09795) (Centaurea Benedicta - UNII:6L5ZL09795)	Centaurea Benedicta	10 [hp_X] in 1 mL

<b>Cinchona Officinalis Bark</b> (UNII: S003A158SB) (Cinchona Officinalis Bark - UNII:S003A158SB)	Cinchona Officinalis Bark	10 [hp_X] in 1 mL
<b>Gelsemium Sempervirens Root</b> (UNII: 639KR60Q1Q) (Gelsemium Sempervirens Root - UNII:639KR60Q1Q)	Gelsemium Sempervirens Root	10 [hp_X] in 1 mL
<b>Ipecac</b> (UNII: 62BC8233L) (Ipecac - UNII:62BC8233L)	Ipecac	10 [hp_X] in 1 mL
<b>Lachesis Muta Venom</b> (UNII: VSW71SS07I) (Lachesis Muta Venom - UNII:VSW71SS07I)	Lachesis Muta Venom	10 [hp_X] in 1 mL
<b>Sodium Chloride</b> (UNII: 451W47IQ8X) (Chloride Ion - UNII:Q32ZN48698)	Sodium Chloride	10 [hp_X] in 1 mL
<b>Phosphorus</b> (UNII: 27YLU75U4W) (Phosphorus - UNII:27YLU75U4W)	Phosphorus	10 [hp_X] in 1 mL
<b>Podophyllum</b> (UNII: 2S713A4VP3) (Podophyllum - UNII:2S713A4VP3)	Podophyllum	10 [hp_X] in 1 mL
<b>Pulsatilla Vulgaris</b> (UNII: I76KB35JEV) (Pulsatilla Vulgaris - UNII:I76KB35JEV)	Pulsatilla Vulgaris	10 [hp_X] in 1 mL
<b>Toxicodendron Pubescens Leaf</b> (UNII: 6IO182RP7A) (Toxicodendron Pubescens Leaf - UNII:6IO182RP7A)	Toxicodendron Pubescens Leaf	10 [hp_X] in 1 mL
<b>Sepia Officinalis Juice</b> (UNII: QDL83WN8C2) (Sepia Officinalis Juice - UNII:QDL83WN8C2)	Sepia Officinalis Juice	10 [hp_X] in 1 mL
<b>Elymus Repens Root</b> (UNII: 3IXW0F6P8W) (Elymus Repens Root - UNII:3IXW0F6P8W)	Elymus Repens Root	10 [hp_X] in 1 mL
<b>Verbascum Thapsus</b> (UNII: C9TD27U172) (Verbascum Thapsus - UNII:C9TD27U172)	Verbascum Thapsus	10 [hp_X] in 1 mL
<b>Iris Versicolor Root</b> (UNII: X43D4L3DQC) (Iris Versicolor Root - UNII:X43D4L3DQC)	Iris Versicolor Root	3 [hp_X] in 1 mL
<b>Solidago Virgaurea Flowering Top</b> (UNII: 5405K23S50) (Solidago Virgaurea Flowering Top - UNII:5405K23S50)	Solidago Virgaurea Flowering Top	3 [hp_X] in 1 mL
<b>Lycopodium Clavatum Spore</b> (UNII: C88X29Y479) (Lycopodium Clavatum Spore - UNII:C88X29Y479)	Lycopodium Clavatum Spore	10 [hp_X] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>Alcohol</b> (UNII: 3K9958V90M)	
<b>Water</b> (UNII: 059QF0K00R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4572-1	30 mL in 1 BOTTLE, GLASS		
2	NDC:55714-4572-2	59 mL in 1 BOTTLE, GLASS		
3	NDC:55714-4572-0	15 mL in 1 BOTTLE, GLASS		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/2011	

**Labeler** - Newton Laboratories, Inc. (788793610)

**Registrant** - Newton Laboratories, Inc. (788793610)

**Establishment**

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	MANUFACTURE(55714-4572)

Revised: 6/2011

Newton Laboratories, Inc.