

**WALGREENS BOIL PAIN RELIEF- boil pain relief ointment**  
**Walgreens Company**

-----  
**Walgreens Boil Pain Relief Ointment**

**Drug Facts**

**Active Ingredient**

Benzocaine 20%

**Purpose**

Pain Reliever

**Uses**

- for the temporary relief of pain and discomfort caused by boils

**Warnings**

**For external use only**

**Do not use**

- for more than 3 days

**Ask a doctor before use if you have**

- boils on the lips, nose, cheeks or forehead.

**When using this product**

- avoid contact with eyes

**Stop use and ask a doctor if**

- fevers occur
- redness around the boil develops
- condition worsens or does not improve
- symptoms persist for more than 3 days
- symptoms clear up and occur again within a few days.

**Keep out of the reach of children. If swallowed, get medical help**

or contact poison Control Center (1-800-222-1222) right away.

## Directions

- Adults and children 2 years and older; Apply to the affected areas not more than 2 times daily
- Children under 2 years;ask a doctor

## Other Information

Store as controlled room temperature 20-25 C ( 68-77F)

## Inactive ingredients

Beeswax, Camphor, Eucalyptus Oil, Lanolin, Menthol, Paraffin, Petrolatum, Thymol

## Principal display panel 1 oz

Walgreens NDC 0363-9095-28

Boil Pain Relief Ointment

Benzocaine 20%/ Pain reliever

NET WT 1 OZ (28g)

**Walgreens** NDC 0363-9095-28

Compare to the active ingredient in BOIL-EASE<sup>SM</sup>

# Boil Pain Relief Ointment

BENZOCAINE 20% / PAIN RELIEVER

Maximum Strength

- Fast relief from the pain of boils

NET WT 1 OZ (28 g)

**Active ingredient**  
Benzocaine 20%.....

**Purpose**  
Pain Reliever

**Uses** • for the temporary relief of pain and discomfort caused by boils

**Warnings** For external use only. Do not use for more than 3 days Ask a doctor before use if you have  
• boils on the lips, nose, cheeks, or forehead When using this product • avoid contact with eyes

**Stop use and ask a doctor if** • fever occurs • redness around the boil develops • condition worsens or does not improve • symptoms persist for more than 3 days • symptoms clear up and occur again within a few days

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. **Directions** • adults and children 2 years of age and older: apply to affected area not more than 2 times daily. • children under 2 years of age: ask a doctor

**Other information** Store at controlled room temperature 20-25°C (68-77°F).

Walgreens Pharmacist Recommended. Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.  
<sup>SM</sup>This product is not manufactured or distributed by INSIGHT Pharmaceuticals LLC, owner of the registered trademark BOIL-EASE<sup>SM</sup>.

DISTRIBUTED BY: WALGREEN CO., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com 1-800-925-4733 ©2023 Walgreen Co.  
ITEM 625359 W00000-0000-0 W3ORG1023-F

NDC 0363-9095-28

**Walgreens**



Compare to the active ingredient in BOIL-EASE<sup>®</sup>†

**Maximum Strength**

• Fast relief from the pain of boils

090995

# Boil Pain Relief Ointment

BENZOCAINE 20% / PAIN RELIEVER

NET WT 1 OZ (28 g)

No Text

LOT  
EXP  
**OMIT B**

W90R01029-F



†Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. ††This product is not manufactured or distributed by INSIGHT Pharmaceuticals LLC, owner of the registered trademark BOIL-EASE<sup>®</sup>.

DISTRIBUTED BY: WALGREEN CO.  
DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com 1-800-925-4733  
©2023 Walgreen Co.  
MADE IN U.S.A. OF U.S. AND IMPORTED  
INGREDIENTS AND COMPONENTS

ITEM 625359 W00000-0000-0



No Text

**Drug Facts**  
Benzocaine 20%.....Pain Reliever

**Purpose**  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**  
• adults and children 2 years of age and older: apply to affected area not more than 2 times daily.  
• children under 2 years of age: ask a doctor.

**Other information**  
Store at controlled room temperature 20-25°C (68-77°F).

**Inactive ingredients**  
Beeswax, Camphor, Eucalyptus Oil, Lanolin, Menthol, Paraffin, Petrolatum, Thymol

**Warnings**  
For external use only.  
Do not use  
• for more than 3 days  
Ask a doctor before use if you have  
• boils on the lips, nose, cheeks, or forehead  
**When using this product**  
• avoid contact with eyes  
**Stop use and ask a doctor if**  
• fever occurs  
• redness around the boil develops  
• condition worsens or does not improve  
• symptoms persist for more than 3 days  
• symptoms clear up and occur again within a few days

## WALGREENS BOIL PAIN RELIEF

boil pain relief ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-9095
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	200 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>SYNTHETIC BEESWAX</b> (UNII: 08MNR5YE2R)	
<b>CAMPHOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET)	
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)	
<b>LANOLIN</b> (UNII: 7EV65EAW6H)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>PARAFFIN</b> (UNII: I9O0E3H2ZE)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>THYMOL</b> (UNII: 3J50XA376E)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0363-9095-28	1 in 1 CARTON	02/01/2024	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M017	02/01/2024	

**Labeler** - Walgreens Company (008965063)

Revised: 2/2024

Walgreens Company