

**ALLERGY RELIEF- diphenhydramine hydrochloride tablet, film coated**  
**Meijer, Inc.**

-----  
**ALLERGY RELIEF Tablets**

**Active ingredient (in each tablet)**

Diphenhydramine HCl 25 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - itchy, watery eyes
  - sneezing
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing

**Warnings**

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of** children. In case of overdose, get medical help or contact a Poison Control Center right away. 1(800)222-1222

### Directions

- take every 4 to 6 hours or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years of age and over	1 to 2 tablets
children 6 to under 12 years of age	1 tablet
children under 6 years of age	do not use this product in children under 6 years of age

### Other information

- **each tablet contains:** calcium 25 mg
- store at controlled room temperature 20°-25°C (68°-77°F)
- protect from moisture and light
- see end flap for expiration date and lot number

### Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, D&C red No 27, dicalcium phosphate, lecithin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide


### Questions or comments?

**1-888-287-1915**

DIST. BY MEIJER  
DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544

### PRINCIPAL DISPLAY PANEL

Carton 24 ct.



- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing

#### Warnings

##### Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

##### Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

##### Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

##### When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### Directions

- take every 4 to 6 hours
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use this product in children under 6 years of age

#### Other information

- each tablet contains calcium 25 mg
- store between 20-25°C (68-77°F)
- protected from moisture and light

#### Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, D&C Red #27 aluminum lake, lecithin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

#### Questions or comments?

1-888-333-9792

**meijer**

**Allergy Relief**

**meijer**

NDC 79481-0036-2

**Allergy Relief**

**SNEEZING; RUNNY NOSE;  
ITCHY, WATERY EYES; ITCHY THROAT**

**Diphenhydramine HCl | 25 mg  
Antihistamine**

**COMPARE TO BENADRYL®  
ALLERGY ULTRATAB®  
TABLETS ACTIVE INGREDIENT†**

**24  
TABLETS**



Actual Size



LOT:  
EXP:

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION  
THIS PRODUCT IS PACKAGED IN A CHILD RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.

†This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy Ultratab®.

DIST. BY MEIJER  
DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com

ORIG 04/23

Carton 48 ct

### Drug Facts

**Active ingredient (in each tablet) Purpose**  
Diphenhydramine HCl 25 mg.....Antihistamine

### Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing

### Warnings

#### Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

#### Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

#### Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

#### When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

### Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### Directions

- take every 4 to 6 hours
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use this product in children under 6 years of age

### Other information

- each tablet contains calcium 25 mg
- store between 20-25°C (68-77°F)
- protect from moisture and light

### Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, D&C Red #27 Al lake, lecithin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, talc, titanium dioxide

### Questions or comments?

1-888-333-9792

**meijer**

**Allergy Relief**

Diphenhydramine HCl | 25 mg | Antihistamine

NDC 79481-0036-4

**meijer**

**Allergy Relief**

SNEEZING; RUNNY NOSE;  
ITCHY, WATERY EYES; ITCHY THROAT

Diphenhydramine HCl | 25 mg  
Antihistamine

COMPARE TO  
BENADRYL®  
ALLERGY ULTRATAB®  
TABLETS  
ACTIVE INGREDIENT†



7 19283 01275 3

**48  
TABLETS**



Actual Size

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION  
THIS PRODUCT IS PACKAGED IN A CHILD RESISTANT AND  
TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.

LOT NO:  
EXP DATE:

†This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Benadryl® Allergy Ultratab®.

DIST. BY MEIJER  
DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com

ORIG 04/23

## ALLERGY RELIEF

diphenhydramine hydrochloride tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79481-0036
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)	
<b>ANHYDROUS DIBASIC CALCIUM PHOSPHATE</b> (UNII: L11K75P92J)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	OVAL (capsule shaped)	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	S4
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:79481-0036-2	2 in 1 CARTON	05/01/2023	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:79481-0036-4	4 in 1 BLISTER PACK; Type 0: Not a Combination Product	05/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/01/2023	

Labeler - Meijer, Inc. (006959555)

Revised: 12/2023

Meijer, Inc.