LORATADINE- loratadine tablet Granules Pharmaceuticals Inc.
Loratadine Tablets, 10 mg
ACTIVE INGREDIENT(S)
Loratadine 10 mg
PURPOSE
Antihistamine
USE(S)
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
🛮 runny nose
□ sneezing
□ itchy, water eyes
□ itching of the nose or throat
WARNINGS
DO NOT USE
if you have ever had an allergic reaction to this product or any of its ingredients
ASK A DOCTOR BEFORE USE IF

you have liver or kidney disease. Your doctor should determine if you need a different dose.

# WHEN USING THIS PRODUCT

do not take more than directed. Taking more than directed may cause drowsiness.

# STOP USE AND ASK DOCTOR IF

an allergic reaction to this product occurs. Seek medical help right away.

### PREGNANCY/BREASTFEEDING

ask a health professional before use

### **KEEP OUT OF REACH OF CHILDREN**

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **DIRECTIONS**

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

### OTHER INFORMATION

Tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken

### **Blister Foil Units**

safety sealed: do not use if the individual blister unit is open or torn

#### **STORAGE**

store between 20° to 25°C (68° to 77°F)

#### **INACTIVE INGREDIENTS**

Lactose monohydrate, magnesium stearate, sodium starch glycolate and starch maize pregelatinized


# **QUESTIONS OR COMMENTS**

Contact 1-877-770-3183 Mon-Fri 9:00 AM to 4:30 PM EST.

# PRINCIPAL DISPLAY PANEL



# Inside (adhesive side)



# LORATADINE

loratadine tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70010-162
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LORATADINE (LINII: 7AIO3BO7ON) (LORATADINE - LINII:7AIO3BO7ON)	LORATADINE	10 mg	

Inactive Ingredients	
Ingredient Name	Strength
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	

STARCH, CORN (UNII: O8232NY3SJ)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

Product Characteristics			
Color	white (White to off white)	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	G;10
Contains			

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:70010-162- 01	100 in 1 BOTTLE; Type 0: Not a Combination Product	11/17/2021		
2	NDC:70010-162- 34	300 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2022		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210722	01/01/2020	

**Labeler -** Granules Pharmaceuticals Inc. (079825711)

Revised: 1/2023 Granules Pharmaceuticals Inc.