

**GARNIER OMBRELLE KIDS ULTRA GENTLE BROAD SPECTRUM SPF 50 PLUS
SUNSCREEN WATER RESISTANT 80 MINUTES- avobenzone, drometrizole
trisiloxane, homosalate, octisalate and octocrylene spray
L'OREAL USA PRODUCTS INC**

Drug Facts

Active ingredients

AVOBENZONE 3%
DROMETRIZOLE TRISILOXANE 0.5%
HOMOSALATE 15%
OCTISALATE 5%
OCTOCRYLENE 3%

Warnings

For external use only.

Do not use on broken skin.

When using this product avoid contact with eyes. If contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if rash occurs.

Other warnings Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate container or store at temperatures over 50 °C.

Keep out of reach of children. If swallowed, call a poison control centre or get Medical help right away.

Directions

Children over 6 months of age • Shake well before use • Spray generously and spread evenly by hand 15 minutes before sun exposure • Hold container 10 to 15 cm from the skin to apply • Do not spray directly onto face. Spray on hands, then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • Avoid inhaling or exposing others to spray • Reapply at least every 2 hours • Reapply after 80 minutes of swimming or sweating • Reapply immediately after towel drying • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 11 a.m. – 3 p.m. ; and • wear long-sleeved shirts, pants, hats, and sunglasses.

Others

aqua/water, dimethicone, glycerin, butyloctyl salicylate, styrene/acrylates copolymer, isopropyl lauroyl sarcosinate, sorbitan tristearate, isotridecyl isononanoate, polyurethane-35, caprylyl methicone, phenoxyethanol, caprylyl glycol, sodium stearoyl

glutamate, polysorbate 61, glyceryl stearate, PEG-8 laurate, dimethiconol, PEG-12 dimethicone, p-anisic acid, stearyl alcohol, tocopherol, disodium EDTA, sodium dodecylbenzenesulfonate, methylpropanediol, phenylpropanol


GARNIER®
OMBRELLE®
Kids
Enfants
SUNSCREEN/ÉCRAN SOLAIRE
ULTRA GENTLE LOTION SPRAY / Lotion Vapo ULTRA DOUX
HYPOALLERGENIC/HYPOALLERGÉNIQUE
UVA + UVB
MEXORYL®
TECHNOLOGY
TECHNOLOGIE
And other sunscreen filters.
Et autres filtres solaires.

SPF/FPS
50+
BROAD-SPECTRUM
PROTECTION
À LARGE SPECTRE

WATER RESISTANT (80 MINUTES)
Alcohol free*
Fragrance free and colorant free

RÉSISTANT À L'EAU (80 MINUTES)
Sans alcool*
Sans parfum ni colorant



CAUTION/ATTENTION
CONTAINER MAY EXPLODE IF HEATED / CE CONTENANT PEUT EXPLOSER S'IL EST CHAUFFÉ

122 g
DIN 02464322

Active Ingredients (w/w) / Ingrédients actifs (p/p)

Homosalate 15%, Octisalate 5%, Octocrylene 3%, Avobenzone 3%, Drometrizole trisiloxane (Mexoryl® XL) 0.5%.

Warnings For external use only.

Do not use on broken skin.

When using this product avoid contact with eyes. If contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if rash occurs.

Other warnings Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate container or store at temperatures over 50°C.

Keep out of reach of children. If swallowed, call a poison control centre or get medical help right away.

Directions:

Children over 6 months of age • Shake well before use • Spray generously and spread evenly by hand 15 minutes before sun exposure • Hold container 10 to 15 cm from the skin to apply • Do not spray directly onto face. Spray on hands, then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • Avoid inhaling or exposing others to spray • Reapply at least every 2 hours • Reapply after 80 minutes of swimming or sweating • Reapply immediately after towel drying • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun-protective measures including: • limit time in the sun, especially from 11 a.m. - 3 p.m.; and • wear long-sleeved shirts, pants, hats, and sunglasses.

Mises en garde Pour usage externe seulement.

Ne pas utiliser sur une peau éraflée.

Lorsque vous utilisez ce produit éviter tout contact avec les yeux. Le cas échéant, bien rincer avec de l'eau.

Cessez d'utiliser et consultez un médecin si une éruption cutanée se développe.

Autres avertissements Contenu sous pression. Ne pas mettre dans l'eau chaude ni près des radiateurs, poêles ou autres sources de chaleur. Ne pas percer le contenant ni le jeter au feu, ni le conserver à des températures dépassant 50°C.

Garder hors de la portée des enfants. En cas d'ingestion, appeler immédiatement un centre antipoison ou obtenir une assistance médicale.

Mode d'emploi

Enfants de plus de 6 mois • Bien agiter avant d'utiliser • Vaporiser généralement puis étaler uniformément avec les mains 15 minutes avant l'exposition au soleil • Tenir le contenant à une distance de 10 à 15 cm de la peau lors de l'application • Ne pas vaporiser directement sur le visage. Vaporiser dans les mains, puis appliquer sur le visage • Ne pas appliquer par temps venteux • Utiliser dans un endroit bien ventilé • Eviter d'inhaler ou d'exposer d'autres personnes à la vaporisation • Appliquer de nouveau toutes les 2 heures • Appliquer de nouveau après 80 minutes de baignade ou après avoir transpiré • Appliquer de nouveau immédiatement après s'être séché à la serviette • Mesures de protection contre le soleil : Passer du temps au soleil augmente le risque de cancer de la peau et du vieillissement prématûre de la peau. Afin de diminuer ce risque, il convient d'utiliser régulièrement un écran solaire avec un FPS à large spectre d'au moins 15 et d'appliquer d'autres mesures de protection contre le soleil, telles que : • limiter le temps passé au soleil, notamment entre 11h - 15h ; et • porter des chemises à manches longues, des pantalons, un chapeau et des lunettes de soleil.

Inactive ingredients / Ingrédients inactifs

aqua, dimethicone, glycerin, butyloctyl salicylate, styrene/acrylates copolymer, isopropyl lauroyl sarcosinate, sorbitan tristearate, isotridecyl isononanoate, polyurethane-35, caprylyl methicone, phenoxyethanol, caprylic/glycerol, sodium stearoyl glutamate, polysorbate 61, glyceryl stearate, PEG-8 laurate, dimethiconol, PEG-12 dimethicone, p-anisic acid, stearyl alcohol, tocopherol, disodium EDTA, sodium dodecylbenzenesulfonate, methylpropanediol, phenylpropanol.

Questions? 1-888-966-2735 (9-OMBREL)

919063 3 Code FIL D270645/2

*ethyl alcohol free / sans alcool éthylique

GARNIER®

www.ombrelle.ca DOT2Q M5706

Dist. hy/par Ombrelle Canada, Montréal H4T 1K5



2703978

0

71249 35207 6



GARNIER® OMBRELLE®

Kids Enfants

SUNSCREEN/ÉCRAN SOLAIRE

ULTRA GENTLE LOTION SPRAY / LOTION VAPO ULTRA DOUX
HYPOALLERGENIC/HYPOALLERGÉNIQUE

UVA + UVB

MEXORYL® TECHNOLOGY TECHNOLOGIE

And other sunscreen filters. Et autres filtres solaires.

SPF/FPS 50+

BROAD-SPECTRUM PROTECTION À LARGE SPECTRE

WATER RESISTANT (80 MINUTES) RÉSISTANT À L'EAU (80 MINUTES)
Alcohol free* Sans alcool*
Fragrance free and colorant free Sans parfum ni colorant

CAUTION/ATTENTION
CONTAINER MAY EXPLODE IF HEATED / CE CONTENANT PEUT EXPLOSER S'IL EST CHAUFFÉ

122 g
DIN 02464322

Active Ingredients (w/w) / Ingédients actifs (p/p)
Homosalate 15%, Octisalate 5%, Octocrylene 3%, Avobenzone 3%, Drometrizole trisiloxane (Mexoryl® XL) 0.5%.

Warnings For external use only.
Do not use on broken skin.
When using this product avoid contact with eyes. If contact occurs, rinse thoroughly with water.
Stop use and ask a doctor if rash occurs.
Other warnings Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate container or store at temperatures over 50 °C.
Keep out of reach of children. If swallowed, call a poison control centre or get medical help right away.
Directions:
Children over 6 months of age • Shake well before use • Spray generously and spread evenly by hand 15 minutes before sun exposure • Hold container 10 to 15 cm from the skin to apply • Do not spray directly onto face. Spray on hands, then apply to face • Do not apply in windy conditions • Use in a well-ventilated area • Avoid inhaling or exposing others to spray • Reapply at least every 2 hours • Reapply after 80 minutes of swimming or sweating • Reapply immediately after towel drying • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun-protective measures including: • limit time in the sun, especially from 11 a.m. - 3 p.m.; and • wear long-sleeved shirts, pants, hats, and sunglasses.

Mises en garde Pour usage externe seulement.
Ne pas utiliser sur une peau éraflée.
Lorsque vous utilisez ce produit éviter tout contact avec les yeux. Le cas échéant, bien rincer avec de l'eau.
Cessez d'utiliser et consultez un médecin si une éruption cutanée se développe.
Autres avertissements Contenu sous pression. Ne pas mettre dans l'eau chaude ni près des radiateurs, poêles ou autres sources de chaleur. Ne pas percer le contenant ni le jeter au feu, ni le conserver à des températures dépassant 50 °C.
Garder hors de la portée des enfants. En cas d'ingestion, appeler immédiatement un centre antipoison ou obtenir une assistance médicale.
Mode d'emploi
Enfants de plus de 6 mois • Bien agiter avant d'utiliser • Vaporiser généreusement puis étaler uniformément avec les mains 15 minutes avant l'exposition au soleil • Tenir le contenant à une distance de 10 à 15 cm de la peau lors de l'application • Ne pas vaporiser directement sur le visage. Vaporiser dans les mains, puis appliquer sur le visage • Ne pas appliquer par temps venteux • Utiliser dans un endroit bien ventilé • Eviter d'inhaler ou d'exposer d'autres personnes à la vaporisation • Appliquer de nouveau toutes les 2 heures • Appliquer de nouveau après 80 minutes de baignade ou après avoir transpiré • Appliquer de nouveau immédiatement après s'être séché à la serviette • Mesures de protection contre le soleil : Passer du temps au soleil augmente le risque de cancer de la peau et du vieillissement prématûre de la peau. Afin de diminuer ce risque, il convient d'utiliser régulièrement un écran solaire avec un FPS à large spectre d'au moins 15 et d'appliquer d'autres mesures de protection contre le soleil, telles que : • limiter le temps passé au soleil, notamment entre 11h - 15h ; et • porter des chemises à manches longues, des pantalons, un chapeau et des lunettes de soleil.

Inactive ingredients / Ingédients inactifs
aqua, dimethicone, glycerin, butyloctyl salicylate, styrene/acrylates copolymer, isopropyl lauroyl sarcosinate, sorbitan tristearate, isotridecyl isononanoate, polyurethane-35, caprylyl methicone, phenoxyethanol, caprylyl glycol, sodium stearoyl glutamate, polysorbate 61, glyceryl stearate, PEG-8 laurate, dimethiconol, PEG-12 dimethicone, p-anisic acid, stearyl alcohol, tocopherol, disodium EDTA, sodium dodecylbenzenesulfonate, methylpropanediol, phenylpropanol.

Questions? 1-888-966-2735 (9-OMBREL)
919063 3 Code FIL D270645/2

*ethyl alcohol free / sans alcool éthylique

GARNIER®
www.ombrelle.ca DOT2QM5706
Dist. hyd'par Ombrelle Canada, Montréal H4T 1K5 2703978 0 71249 35207 6

GARNIER OMBRELLE KIDS ULTRA GENTLE BROAD SPECTRUM SPF 50 PLUS SUNSCREEN WATER RESISTANT 80 MINUTES

avobenzone, drometrizole trisiloxane, homosalate, octisalate and octocrylene spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-249
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
DROMETRIZOLE TRISILOXANE (UNII: HC228451X) (DROMETRIZOLE TRISILOXANE - UNII:HC228451X)	DROMETRIZOLE TRISILOXANE	5 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 mL

OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	30 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
STYRENE/ACRYLAMIDE COPOLYMER (500000 MW) (UNII: 5Z4DPO246A)	
ISOPROPYL LAUROYL SARCOSINATE (UNII: LYR06W430J)	
SORBITAN TRISTEARATE (UNII: 6LUM696811)	
ISOTRIDECYL ISONONANOATE (UNII: WEF51750MT)	
POLYURETHANE-35 (NOT MORE THAN 1000 MPAS AT 40%) (UNII: M50EV976QC)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
POLYSORBATE 61 (UNII: X9E1MY2JQG)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-8 LAURATE (UNII: 762O8IWA10)	
DIMETHICONOL (100000 CST) (UNII: OSA9UP217S)	
PEG-12 DIMETHICONE (UNII: ZEL54N6W95)	
P-ANISIC ACID (UNII: 4SB6Y7DMM3)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
EDETA TE DISODIUM (UNII: 7FLD91C86K)	
SODIUM DODECYLBENZENESULFONATE (UNII: 554127163Y)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
PHENYLPROPANOL (UNII: OF89703O4M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-249-01	122 mL in 1 CONTAINER; Type 0: Not a Combination Product	10/18/2021	02/28/2026

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
export only		10/18/2021	02/28/2026

Labeler - L'OREAL USA PRODUCTS INC (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
L'OREAL USA, INC		624244349	manufacture(49967-249)

Revised: 2/2024

L'OREAL USA PRODUCTS INC