

**CLINIQUE SUPER DEFENSE CITY BLOCK DAILY ENERGY PLUS FACE PROTECTOR
BROAD SPECTRUM SPF 50- octinoxate, titanium dioxide, and zinc oxide lotion
CLINIQUE LABORATORIES LLC**

**CLINIQUE SUPER DEFENSE CITY BLOCK DAILY ENERGY + FACE PROTECTOR
BROAD SPECTRUM SPF 50**

Drug Facts

Active ingredients

Octinoxate 5.0%
Titanium Dioxide 3.2%
Zinc Oxide 3.6%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
 - **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m -2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses

- children under 6 months of age: ask a doctor

Inactive ingredients

water/aqua/eau • dimethicone • butyloctyl salicylate • isononyl isononanoate • neopentyl glycol diheptanoate • lauryl peg-9 polydimethylsiloxylethyl dimethicone • butylene glycol • polydecene • polyhydroxystearic acid • ethylhexyl methoxycrylene • hydrated silica • dimethicone/vinyl dimethicone crosspolymer • trimethylsiloxysilicate • hydrolyzed wheat protein/pvp crosspolymer • hydroxyapatite • cetyl peg/ppg-10/1 dimethicone • dimethicone/peg-10/15 crosspolymer • sodium rna • quaternium-90 bentonite • sodium hyaluronate • dimethicone crosspolymer-3 • styrene/acrylates copolymer • sodium chloride • caprylyl glycol • peg-8 laurate • propylene carbonate • silica • tocopherol • sodium citrate • disodium edta • bht • phenoxyethanol • potassium sorbate • iron oxides (ci 77491) • iron oxides (ci 77492) [iln47235]

Other information

protect the product in this container from excessive heat and direct sun

PRINCIPAL DISPLAY PANEL - 40 ml Tube Carton

sun protection

SUPERDEFENSE
CITY BLOCK

daily energy + face protector

BROAD
SPECTRUM
SPF 50

CLINIQUE

1.4 FL.OZ.LIQ./
40 ml e

9.75^R

3.2^R

ALL SKIN TYPES
TOUS TYPES DE PEAU

1, 2, 3, 4

sun protection

**All Skin Types
Allergy Tested.
100% Fragrance Free.**

This energizing, go-anywhere daily SPF protector with antioxidants works to defend and awaken skin. Stop Signs® Technology helps prevent visible signs of aging by combating modern environmental aggressors including UVA/UVB and other skin irritants. Shøer, weightless, preps for makeup. Quick-absorbing and oil-free. Apply in AM after all treatment products and before makeup.

Drug Facts

Active

| Ingredients | Purpose |
|-----------------------|-----------|
| Octinoxate 5.0% | Sunscreen |
| Titanium Dioxide 3.2% | |
| Zinc Oxide 3.6% | |

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating

• **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

Drug Facts (cont'd)

- limit time in the sun, especially from 10 a.m.–2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age; ask a doctor

Inactive ingredients

water/aqua/eau • dimethicone • butyloctyl salicylate • isononyl isononanoate • neopentyl glycol diheptanoate • lauryl peg-9 polydimethylsiloxyethyl dimethicone • butylene glycol • polydecene • polyhydroxystearic acid • ethylhexyl methoxycrylene • hydrated silica • dimethicone/vinyl dimethicone crosspolymer • trimethylsiloxy silicate • hydrolyzed wheat protein/ pvp crosspolymer • hydroxyapatite • cetyl peg/ ppg-10/1 dimethicone • dimethicone/peg-10/15 crosspolymer • sodium rna • quaternium-90 bentonite • sodium hyaluronate • dimethicone crosspolymer-3 • styrene/acrylates copolymer • sodium chloride • caprylyl glycol • peg-8 laurate • propylene carbonate • silica • tocopherol • sodium citrate • disodium edta • bht • phenoxyethanol • potassium sorbate • iron oxides (ci 77491) • iron oxides (ci 77492) [in47235]

Other information

protect the product in this container from excessive heat and direct sun

**SUPERDEFENSE
CITY BLOCK**


daily energy + face protector

**BROAD
SPECTRUM
SPF 50**

CLINIQUE

1.4 FL.OZ.LIQ./
40 ml e

UPC/FPO



CLINIQUE SUPER DEFENSE CITY BLOCK DAILY ENERGY PLUS FACE PROTECTOR BROAD SPECTRUM SPF 50

octinoxate, titanium dioxide, and zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:49527-078 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 50 mg in 1 mL |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 32 mg in 1 mL |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 36 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE 100 (UNII: RO2660364U) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| ISONONYL ISONONANOATE (UNII: S4V5BS6GCX) | |
| NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X) | |
| LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA) | |
| 1,2-BUTANEDIOL (UNII: RUN0H01QEU) | |
| HYDROGENATED DIDECENE (UNII: 048B98MT5O) | |
| POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F) | |
| ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8) | |
| HYDRATED SILICA (UNII: Y6O7T4G8P9) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN) | |
| HYDROLYZED WHEAT PROTEIN (ENZYMATIC; 3000 MW) (UNII: J2S07SB0YL) | |
| TRIBASIC CALCIUM PHOSPHATE (UNII: 91D9GV0Z28) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X) | |

| |
|--|
| BIS-PEG-10 DIMETHICONE/DIMER DILINOLEATE COPOLYMER (UNII: CF5W1YCX11) |
| SODIUM CARBONATE (UNII: 45P3261C7T) |
| BENTONITE (UNII: A3N5ZCN45C) |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) |
| DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6) |
| METHACRYLATE/METHOXY PEG-10 MALEATE/STYRENE COPOLYMER (UNII: 39DK5WQ2PR) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) |
| PEG-8 LAURATE (UNII: 762O8IWA10) |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| TOCOPHEROL (UNII: ROZB2556P8) |
| SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR) |
| EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:49527-078-01 | 1 in 1 CARTON | 06/25/2020 | |
| 1 | | 40 mL in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 06/25/2020 | |

Labeler - CLINIQUE LABORATORIES LLC (044475127)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment

| Name | Address | ID/FEI | Business Operations |
|----------------------|---------|-----------|---|
| The Estee Lauder Inc | | 802599436 | manufacture(49527-078) , pack(49527-078) , label(49527-078) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------|---------|-----------|------------------------------------|
| NORTHTEC KEYSTONE | | 949264774 | pack(49527-078) , label(49527-078) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|------|---------|-----------|------------------------------------|
| PALC | | 078364654 | label(49527-078) , pack(49527-078) |

Revised: 12/2023

CLINIQUE LABORATORIES LLC