

**ANTI-DIARRHEAL- loperamide hydrochloride capsule, liquid filled
DOLGENCORP, LLC**

Loperamide HCl Capsules - Dollar General

Active ingredient (in each capsule)

Loperamide HCl 2 mg

Purpose

Anti-diarrheal

Use

controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings

Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

Heart alert: Taking more than directed can cause serious heart problems or death

Do not use

- if you have bloody or black stool
- in children under 12 years of age

Ask a doctor before use if you have

- fever
- mucus in the stool
- a history of liver disease
- a history of abnormal heart rhythm

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Loperamide may interact with certain prescription drugs.

When using this product

tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea.**
- **not for use in children under 12 years of age**
- adults and children 12 years and over: 2 capsules after the first loose stool; 1 capsule after each subsequent loose stool; but no more than 4 capsules in 24 hours

Other information

- store at 20°-25°C (68°-77°F). Protect from light.
- avoid excessive heat above 40°C (104°F)
- do not use if carton or blister unit is open or torn
- see side panel for lot number and expiration date

Inactive ingredients

butylated hydroxyanisole, edible ink, FD&C Blue #1, gelatin, glycerin, glyceryl caprylate, polyoxyl 40 hydrogenated castor oil, purified water

Questions or comments?

call toll free **1-866-309-9030** (Mon - Fri 9AM - 5PM EST)

THIS PRODUCT IS PACKAGED IN A CHILD-RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

*All trademarks are property of their respective owners.

This product is not affiliated with the makers/owners of Imodium[®] A-D.

DISTRIBUTED BY

DOLGENCORP, LLC

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072

MADE IN U.S.A

100%

Satisfaction

Guaranteed!

(888)309-9030

L0000563

Lot #

Expiration Date

R02/22

Principal Display Panel

DG TMhealth

Compare to the active ingredient of Imodium [®] A-D *

Anti-Diarrheal

Liquid Softgels

Loperamide HCl Soft Gelatin Capsules, 2 mg

- Controls the symptoms of diarrhea
- Suitable for adults and children 12 years and over

2 mg

24 Softgels**

Actual Softgel Size

**Each Liquid-filled capsule contains 2 mg Loperamide HCl

Anti-Diarrheal Liquid Softgels

Loperamide HCl Soft Gelatin Capsules, 2 mg



DG health

Compare to the
active ingredient
of Imodium® A-D*

Anti-Diarrheal Liquid Softgels

Loperamide HCl Soft Gelatin Capsules, 2 mg

- Controls the symptoms of diarrhea
- Suitable for adults and children
12 years and over



24 Softgels**

Actual Softgel Size
**Each Liquid-filled capsule
contains 2 mg Loperamide HCl

**2
mg**

DISTRIBUTED BY
DOLGENCORP, LLC
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072
MADE IN U.S.A.

100%
Satisfaction
Guaranteed!
(888) 309-9030

LOT
EXP. DATE
PAC

*All trademarks are property of their respective owners.
This product is not affiliated with the makers/owners of Imodium® A-D.



DO NOT USE IF CAPSULE IS CRACKED OR LEAKING
KEEP AWAY FROM CHILDREN
KEEP AWAY FROM HEAT

Anti-Diarrheal Liquid Softgels

Loperamide HCl Soft Gelatin Capsules, 2 mg

Drug Facts

Active ingredient (in each capsule) Loperamide HCl 2 mg

Purpose Antidiarrheal

Use Controls symptoms of diarrhea, including traveler's diarrhea

Warnings Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

Important alert: Taking more than directed can cause serious heart problems or death

Do not use if you have bloody or black stool or in children under 12 years of age

Ask a doctor before use if you have liver or kidney disease, a history of alcohol abuse, or a history of heart disease

Ask a doctor or pharmacist before use if you are taking a prescription drug. Loperamide may interact with certain prescription drugs.

When using this product: Avoid alcohol, dizziness, or drowsiness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if symptoms get worse or diarrhea lasts for more than 2 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions Drink plenty of clear fluids to help prevent dehydration caused by diarrhea.

Adults and children 12 years and over: 2 capsules after the first loose stool, 1 capsule after each subsequent loose stool, but no more than 4 capsules in 24 hours.

Other information Store at 20°-45°C (68°-113°F). Protect from light. Do not use if cap is cracked or broken or if cap is torn. See side panel for lot number and expiration date.

Inactive ingredients: Loperamide hydrochloride, white ink, FD&C Blue #1, gelatin, glycerin, glycerol caprylate, polyethylene glycol, polyethylene glycol 400, polyethylene glycol 600, polyethylene glycol 800, polyethylene glycol 1000, polyethylene glycol 1500, polyethylene glycol 2000, polyethylene glycol 3000, polyethylene glycol 4000, polyethylene glycol 6000, polyethylene glycol 8000, polyethylene glycol 10000, polyethylene glycol 15000, polyethylene glycol 20000, polyethylene glycol 30000, polyethylene glycol 40000, polyethylene glycol 60000, polyethylene glycol 80000, polyethylene glycol 100000, polyethylene glycol 150000, polyethylene glycol 200000, polyethylene glycol 300000, polyethylene glycol 400000, polyethylene glycol 600000, polyethylene glycol 800000, polyethylene glycol 1000000.

Questions or comments? Call toll free 1-888-309-9030 (Mon - Fri 9AM - 5PM EST)



ANTI-DIARRHEAL
loperamide hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-176
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	blue	Score	no score
Shape	CAPSULE	Size	10mm
Flavor		Imprint Code	LP2
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-176-12	2 in 1 CARTON	08/17/2018	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:55910-176-08	1 in 1 CARTON	06/03/2022	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021855	08/17/2018	

Labeler - DOLGENCORP, LLC (068331990)

Registrant - Bionpharma Inc. (079637826)

Establishment

Name	Address	ID/FEI	Business Operations
Patheon Softgels Inc.		002193829	manufacture(55910-176)

Revised: 6/2022

DOLGENCORP, LLC