

**HURLEY SUNSCREEN BROAD SPECTRUM SPF50- avobenzene,  
homosalate, octisalate, octocrylene spray  
Prime Packaging, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**HURLEY 50 REEF FRIENDLY SUNSCREEN SPRAY BROAD SPECTRUM SPF 50**

***Active Ingredients***

Avobenzene 3%

Homosalate 10%

Octisalate 5%

Octocrylene 5%

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings***

**For external use only.**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove. Keep away from face to avoid breathing it.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking. Contents under pressure do not puncture or incinerate. Do not store at temperatures above 120°F

***Directions***

- shake well before use
- apply liberally 15 minutes before sun exposure and rub into skin
- hold container 4 to 6 inches from the skin to apply
- do not spray directly onto

face. Spray on hands then apply to face • do not apply in windy conditions • use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

### ***Inactive ingredients***

Fragrance, SD Alcohol 40-B, Tocopheryl Acetate, VA/Butyl Maleate/Isobornyl Acrylate Copolymer.

### ***Other information***

- Protect this product from excessive heat and direct sun.
- Avoid spraying on fabrics - could cause discoloration.

### ***Questions or comments?***

Email: [Info@supplyaccy.com](mailto:Info@supplyaccy.com)

## **Hurley Broad Spectrum SPF15 Sunscreen Spray**



**50**  
REEF FRIENDLY

**SUNSCREEN SPRAY  
BROAD SPECTRUM  
SPF 50**

**PROTECTS SKIN FROM  
UVA + UVB RAYS**

**WATER / SWEAT RESISTANT  
(80 MINUTES)**

NET WT. 5.5 OZ / 156 g

### Drug Facts

#### Active Ingredients

Avobenzone 3%  
Homosalate 10%  
Octisalate 5%  
Octocrylene 5%

#### Purpose

Sunscreen

#### Uses

• Helps prevent sunburn  
• If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove. Keep away from face to avoid breathing it.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Flammable:** Do not use near heat, flame or while smoking. **Contents under pressure** – do not puncture or incinerate. Do not store at temperatures above 120°F.

#### Directions

- shake well before use
- apply liberally 15 minutes before sun exposure and rub into skin
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

#### Inactive Ingredients

Fragrance, SD Alcohol 40-B, Tocopheryl Acetate, VA/Butyl Maleate/Isobornyl Acrylate Copolymer

#### Other Information

- Protect this product from excessive heat and direct sun.
- Avoid spraying on fabrics - could cause discoloration

#### Questions or Comments?

Email [info@supplyaccy.com](mailto:info@supplyaccy.com)

DESIGNED IN COSTA MESA, CA  
33.8650°N, 117.8122°W  
ENGINEERED FOR FUN  
THE HURLEY TRADEMARKS, NAMES AND LOGOS ARE TRADEMARKS OF HILLY BRAND HOLDINGS LLC AND ITS AFFILIATES. DISTRIBUTED UNDER LICENSE BY SUPPLY ACCESSORIES LLC, NEW YORK, NY 10001, HURLEY.COM.  
MADE IN USA FROM US AND IMPORTED INGREDIENTS.



## HURLEY SUNSCREEN BROAD SPECTRUM SPF50

avobenzone, homosalate, octisalate, octocrylene spray

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13630-0203
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	24.93 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	41.55 mg in 1 mL

<b>OCTOCRYLENE</b> (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	41.55 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	83.1 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>ISOBORNYL ACRYLATE</b> (UNII: IX0PRH184P)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>VINYL ACETATE</b> (UNII: L9MK238N77)	
<b>DIBUTYL MALEATE</b> (UNII: 4X371TMK9K)	

### Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13630-0203-4	188 mL in 1 CAN; Type 0: Not a Combination Product	04/30/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/30/2020	

**Labeler** - Prime Packaging, Inc. (805987059)

**Registrant** - Prime Packaging, Inc. (805987059)

### Establishment

Name	Address	ID/FEI	Business Operations
Prime Enterprises, Inc.		101946028	manufacture(13630-0203) , analysis(13630-0203)

### Establishment

Name	Address	ID/FEI	Business Operations
Prime Packaging, Inc.		805987059	label(13630-0203) , pack(13630-0203)