

DUANE READE ALOE VERA PAIN RELIEVING- lidocaine gel
DUANE READE INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Lidocaine 0.50%

Menthol 0.10%

Purpose

Topical Analgesic

Uses

- temporary relief of pain and itching
- helps relieve and soothes pain from sunburn, minor burns, cuts, scrapes, skin irritations and insect bites.

Warnings

For external use only

Do not use

- in large quantities, particularly over raw surfaces or blistered areas.

When using this product

- avoid contact with eyes.

stop use and ask a doctor if

- conditions worsens or if symptoms persists for more than 7 days.
- symptoms clear up and occur again within a few days.

Keep out of the reach of children.

If swallowed get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age and older apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: do not use, ask a doctor.

Inactive Ingredients

Water, Aloe Barbadosensis Leaf Juice, SD Alcohol 40-B, Propylene Glycol, Glycerin, Polysorbate 20, Carbomer, Triethanolamine, Diazolidinyl urea, Disodium EDTA, Tocopherol, Blue 1.


Principal Display Panel

UNIQUELY NY DR_{TM} SINCE 1960

aloe
vera

pain relieving gel
with Lidocaine and Menthol

NET WT 16 OZ (454 g)



UNIQUELY NY **DR**™ SINCE 1960

**aloe
vera**

pain relieving gel

with Lidocaine
& Menthol

NET WT 16 OZ (454 g)

Drug Facts

Active Ingredients	Purpose
Lidocaine 0.50%	Topical Analgesic
Menthol 0.10%	Topical Analgesic

Uses

- temporary relief of pain and itching
- helps relieve and soothes pain from sunburn, minor burns, cuts, scrapes, skin irritations and insect bites.

Warnings

For external use only

Do not use

- in large quantities, particularly over raw surfaces or blistered areas.

When using this product

- avoid contact with eyes.

Stop use and ask a doctor if

- condition worsens or if symptoms persist for more than 7 days.
- symptoms clear up and occur again within a few days.

Keep out of the reach of children.

If swallowed get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: do not use, ask a doctor

Inactive Ingredients Water, Aloe Barbadensis Leaf Juice, SD Alcohol 40-B, Propylene Glycol, Glycerin, Polysorbate 20, Carbomer, Triethanolamine, Diazolidinyl Urea, Disodium EDTA, Tocopherol, Blue 1.

100%
GUARANTEED

DISTRIBUTED BY
DUANEreade

440 NINTH AVE.
NY, NY 10001
(866)375-6925
duanereade.com
Made in U.S.A.



DUANE READE ALOE VERA PAIN RELIEVING

lidocaine gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67732-408
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.5 g in 100 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.10 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
TROLAMINE (UNII: 9O3K93S3TK)	
TOCOPHEROL (UNII: R0ZB2556P8)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67732-408-19	454 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	10/23/2012	

Labeler - DUANE READE INC. (011988995)