GIL C-8- teat dip liquid Gilmer Industries, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Gil C-8

Non-Iodine Sanitizing Teat Dip

Use on each teat as an aid in a complete cow health care program to help reduce the spread of organisms that may cause mastitis.

Not intended to cure or help the healing of chapped or irritated teats.

In case of irritation or chapping, have cow examined by a veterinarian.

ACTIVE INGREDIENT

Caprylic Acid...... 1.00%

INACTIVE INGREDIENTS

Emollients, surfactants, FD&C color 99.00%

For External Use Only on Dairy Cows

WARNING

Causes serious eye irritation May be harmful if swallowed

Keep Out Of Reach Of Children

PRECAUTIONS

- KEEP FROM FREEZING. If frozen, discard.
- Do NOT get in eyes or on clothing.
- Do NOT take internally.
- Do NOT allow to contaminate food.
- Wash thoroughly after handling.
- Keep container tightly closed when not in use.
- Store in a cool, dry, well-ventilated area out of direct sunlight.

FIRST AID

IF IN EYES: Immediately flush eyes with plenty of water for at least

15 minutes occasionally lifting the upper and lower lids.

Contact a physician immediately.

IF SWALLOWED: Do NOT induce vomiting.

Drink large amounts of milk or water.

Contact a physician immediately.

Do not give anything by mouth to an unconscious person.

DIRECTIONS

Important: Do NOT mix with other teat spray, dip or product.

Always use fresh, undiluted product. If product becomes visibly dirty, discard contents and refill with fresh product.

Do NOT reuse or return used product to original container.

PRE-DIP/SPRAY/FOAM: Just prior to milking, if udders are heavily soiled, wash entire udder thoroughly with udder wash.

Dry udder with a single-service towel to avoid milk contamination.

Either spray or foam teats with undiluted Gil C-8; or fill teat cup with undiluted product and dip each teat as far as possible into the teat cup.

Wipe teat dry after dipping, foaming or spraying with a single-service towel to avoid contaminating milk.

POST-DIP: Immediately after milking, submerge entire teat in undiluted product.

Allow to air dry—do NOT wipe.

Do NOT let cows out in freezing weather until completely dry.



Non-lodine Sanitizing Teat Dip

For External Use Only on Dairy Cows

WARNING Causes serious eye irritation May be harmful if swallowed

Keep Out Of Reach Of Children

Use on each teat as an aid in a complete cow health care program to help reduce the spread of organisms that may cause mastitis.

Not intended to cure or help the healing of chapped or irritated teats. In case of irritation or chapping, have cow examined by a veterinarian.

Active Ingredient

Caprylic Acid1.00%

Inactive Ingredients

Emollient system, surfactants, FD&C color...... 99.00%

FIRST AID

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes occasionally lifting the upper and lower lids. Contact a physician immediately.

IF SWALLOWED: Do NOT induce vomiting. Drink large amounts of milk or water. Contact a physician immediately. Do not give anything by mouth to an unconscious person.



Gilmer Industries, Inc.

560 Stone Spring Road PO Box 1247 Harrisonburg, VA 22801 Harrisonburg, VA 22803 Phone 540/434-8877

Precautions

- KEEP FROM FREEZING. If frozen, discard.
- Do NOT get in eyes or on clothing. Do NOT take internally.
- Do NOT allow to contaminate food. Wash thoroughly after handling.
- Keep container tightly closed when not in use.
- Store in a cool, dry, well-ventilated area out of direct sunlight.

Important

Do NOT mix with any other teat spray, dip, or product.

Use Directions

Always use fresh, undiluted product. If product becomes visibly dirty, discard contents and refill with fresh product. Do NOT reuse or return used product to original container.

PRE-DIP/SPRAY/FOAM: Just prior to milking, if udders are heavily soiled, wash entire udder thoroughly with udder wash. Dry udder with a single-service towel to avoid milk contamination. Either spray or foam teats with undiluted Gil C-8; or fill teat cup with undiluted product and dip each teat as far as possible into the teat cup. Wipe teat dry after dipping, foaming or spraying with a single-service towel to avoid contaminating milk.

POST-DIP: Immediately after milking, submerge entire teat in undiluted product. Allow to air dry—do NOT wipe. Do NOT let cows out in freezing weather until completely dry.

Net Content:	
Lot:	Expiration



Non-lodine Sanitizing Teat Dip

For External Use Only on Dairy Cows

WARNING Causes serious eye irritation May be harmful if swallowed

Keep Out Of Reach Of Children

Use on each teat as an aid in a complete cow health care program to help reduce the spread of organisms that may cause mastitis.

Not intended to cure or help the healing of chapped or irritated teats. In case of irritation or chapping, have cow examined by a veterinarian.

Active Ingredient	NPE-free	
Caprylic Acid		1.00%
Inactive Ingredients		
Emollient system, so	urfactants, FD&C color	. 99.00%

FIRST AID

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes occasionally lifting the upper and lower lids. Contact a physician immediately.

IF SWALLOWED: Do NOT induce vomiting. Drink large amounts of milk or water. Contact a physician immediately. Do not give anything by mouth to an unconscious person.



Gilmer Industries, Inc.

560 Stone Spring Road PO Box 1247 Harrisonburg, VA 22801 Harrisonburg, VA 22803 Phone 540/434-8877

Precautions

- KEEP FROM FREEZING, If frozen, discard.
- Do NOT get in eyes or on clothing. Do NOT take internally.
- Do NOT allow to contaminate food. Wash thoroughly after handling.
- Keep container tightly closed when not in use.
- Store in a cool, dry, well-ventilated area out of direct sunlight.

Important

Do NOT mix with any other teat spray, dip, or product.

Use Directions

Always use fresh, undiluted product. If product becomes visibly dirty, discard contents and refill with fresh product. Do NOT reuse or return used product to original container.

PRE-DIP/SPRAY/FOAM: Just prior to milking, if udders are heavily soiled, wash entire udder thoroughly with udder wash. Dry udder with a single-service towel to avoid milk contamination. Either spray or foam teats with undiluted Gil C-8; or fill teat cup with undiluted product and dip each teat as far as possible into the teat cup. Wipe teat dry after dipping, foaming or spraying with a single-service towel to avoid contaminating milk.

POST-DIP: Immediately after milking, submerge entire teat in undiluted product. Allow to air dry—do NOT wipe. Do NOT let cows out in freezing weather until completely dry.

Net	Cont	tent:
IACE	COLI	tent.

Lot: Expiration:

GIL C-8

teat dip liquid

Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:54420-019
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CAPRYLIC/CAPRIC ACID (UNII: DI775RT244) (CAPRYLIC/CAPRIC ACID - UNII:DI775RT244)	CAPRYLIC/CAPRIC ACID	10000 mg in 1 L	

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:54420-019-01	3.78 L in 1 JUG			
2 NDC:54420-019-02	18.9 L in 1 DRUM			
3 NDC:54420-019-03	56.7 L in 1 DRUM			
4 NDC:54420-019-04	113.4 L in 1 DRUM			
5 NDC:54420-019-05	207.9 L in 1 DRUM			
6 NDC:54420-019-06	1039.5 L in 1 CONTAINER			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/11/2016	

Labeler - Gilmer Industries, Inc. (066017575)

Establishment			
Name	Address	ID/FEI	Business Operations
Gilmer Industries, Inc.		066017575	api manufacture, manufacture, label, pack

Revised: 1/2021 Gilmer Industries, Inc.