

GENGICURE- hyaluronic acid gel
Pella Pharmaceuticals Co. Ltd

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Gengicure

Forms and Presentation

Gel: Tube 15 g

Active Ingredient

Hyaluronic Acid

Inactive Ingredients

Aqua, Hydroxypropyl Cellulose, Sodium Benzoate and Dichlorobenzyl Alcohol.

Purpose

Helps healing internal and external mouth ulcers and relieving pain

Properties

gengicure® gel has a special formula immediately reduces pain and promotes the treatment of oral mucosal ulcers by accelerating normal healing process because it contains hyaluronic acid, a natural substance found in the connective tissues of the body. When applied to the ulcers it stimulates the production of new healthy tissue.

Paraben Free

Sugar Free

Colorants Free

Indication

gengicure ®gel helps healing internal and external mouth ulcers and relieving pain

Precautions

Keep out of reach of children

Warnings

- Do not swallow the product

- If symptoms persist consult your doctor

Contraindication

- Hypersensitivity to any of the components
- Do not use for children under 2 years

Pregnancy and Lactation

Ask your doctor or pharmacist for advice before using any product.

If you want to apply the gel during pregnancy or lactation then discuss this with your doctor

Interactions

No interactions between gengicure[®] gel and other drugs or substances are known or suspected.

Side effects

There are no known side effects

Dosage and administration

Apply a film of gel onto affected area only, massaging gently with clean fingers to aid its correct distribution and then keep it to dry for 30 – 60 seconds.

Apply 2-3 times daily, for one week or until the symptoms disappear.

It is advisable not to eat or drink for at least 30 minutes after application.


Storage Conditions

Store below 30 °C.

Primary Package

<p>gengicure[®] <i>gel</i></p>  <p>Protective barrier that promotes oral health يساعد في شفاء تقرحات الفم وتخفيف الألم</p>	<p>INGREDIENTS: Aqua, Hydroxypropyl Cellulose, Sodium Benzoate, Hyaluronic Acid, Dichlorobenzyl Alcohol.</p> <p>HOW TO USE: Apply a film of gel onto affected area only, massaging gently with clean fingers to aid correct distribution and then keep it to dry for 30 - 60 seconds. Apply 2-3 times daily. For one week or until the symptoms disappear. It is advisable not to eat or drink for at least 30 minutes after application.</p> <p>STORAGE: Store below 30 °C.</p> <p>طريقة الاستعمال: ضع طبقة رقيقة من الجل 2-3 مرات يوميا على المنطقة المصابة، ثم دلكه برفق بواسطة اصابع نظيفة لتوزيعه على توزيعه بشكل صحيح. ثم التزم حتى يجف لمدة 30-60 ثانية، يستخدم لمدة أسبوع أو إلى زوال الأعراض. يتصح بعدم تناول الطعام أو الشراب لمدة 30 دقيقة على الأقل بعد الاستخدام. • يحفظ بعيدا عن متناول الأطفال. • لا يستخدم للأطفال دون سن الثانية.</p> <p>MANUFACTURED BY Pella Pharmaceuticals Co. Ltd. Jordan Made in Jordan www.dermapharma.jo</p> <p>(derma)™</p> <p>15 g Gel</p>
--	---

Secondary Package



GENGICURE

hyaluronic acid gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82160-566
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYALURONIC ACID (UNII: S270N0TRQY) (HYALURONIC ACID - UNII:S270N0TRQY)	HYALURONIC ACID	0.3 mg in 15 g

Inactive Ingredients

Ingredient Name	Strength

WATER (UNII: 059QF0KO0R)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
DICHLOROBENZYL ALCOHOL (UNII: 1NKX3648J9)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82160-566-01	1 in 1 CARTON	01/15/2020	
1		15 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/15/2020	

Labeler - Pella Pharmaceuticals Co. Ltd (562370925)

Revised: 12/2021

Pella Pharmaceuticals Co. Ltd