

**CHILDRENS MULTI-SYMPATOM COLD - dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid**  
**Wal-Mart Stores, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Equate Children's Multi-Symptom Cold**

**ACTIVE INGREDIENT(S)**

Dextromethorphan HBr 5mg

Guaifenesin 100 mg

Phenyephine HCl 2.5 mg

**PURPOSE**

Cough Suppressant

Expectorant

Phenylephrine HCl

**USE(S)**

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive
- temporarily relieves:
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help your child get to sleep
- nasal congestion due to a cold
- stuffy nose

**WARNINGS**

.

**DO NOT USE**

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**ASK A DOCTOR BEFORE USE IF**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- persistent or chronic cough such as occurs with asthma
- cough that occurs with too much phlegm (mucus)

**WHEN USING THIS PRODUCT**

do not use more than directed

**STOP USE AND ASK DOCTOR IF**

- your child gets nervous, dizzy or sleepless
- symptoms do not get better within 7 days or occur with fever
- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache.

These could be signs of a serious illness.

**KEEP OUT OF REACH OF CHILDREN**

In case of overdose, get medical help or contact a Poison Control Center right away.

**DIRECTIONS**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- mL = milliliter

| Age                                | Dose                |
|------------------------------------|---------------------|
| children 6 years to under 12 years | 10 mL every 4 hours |
| children 4 years to under 6 years  | 5 mL every 4 hours  |
| children under 4 years             | do not use          |

**OTHER INFORMATION**

- each 5 mL contains: potassium 5 mg, sodium 5 mg

- store between 15-30°C (59-86°F)
- do not refrigerate
- dosing cup provided

## **INACTIVE INGREDIENTS**

anhydrous citric acid, D&C red # 33, dextrose, edetate disodium, FD&C blue # 1, FD&C Red #40, flavor, glycerin, methylparaben, potassium sorbate, propylene glycol, propyl gallate, purified water, saccharin sodium, sodium hydroxide, sorbitol solution, sucralose, xanthan gum

## **PRINCIPAL DISPLAY PANEL**

NDC 49035-715-03

**equate™**

Compare to Children's Mucinex® Multi-Symptom Cold active ingredients\*

Children's

### **Multi-Symptom Cold**

**Dextromethorphan HBr** 5 mg

Cough Suppressant

**Guaifenesin** 100 mg

Expectorant

**Phenylephrine HCl** 2.5 mg

Nasal Decongestant

Ages 4 to 12 years

- Relieves Stuffy Nose
- Soothes Cough
- Relieves Chest Congestion
- Thins and loosens Mucus
- Alcohol Free

**Very Berry Flavored**

**4 FL OZ (118 mL)**



## CHILDRENS MULTI-SYMP TOM COLD

dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:49035-715 |
| <b>Route of Administration</b> | ORAL           |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name                                                                                 | Basis of Strength                | Strength          |
|-------------------------------------------------------------------------------------------------|----------------------------------|-------------------|
| <b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH)<br>(DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN<br>HYDROBROMIDE | 5 mg<br>in 5 mL   |
| <b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)                           | GUAIFENESIN                      | 100 mg<br>in 5 mL |
| <b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE -                          | PHENYLEPHRINE                    | 2.5 mg            |

UNII:1WS297W6MV)

HYDROCHLORIDE

in 5 mL

**Inactive Ingredients**

| Ingredient Name                                 | Strength |
|-------------------------------------------------|----------|
| <b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL) |          |
| <b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)    |          |
| <b>DEXTROSE</b> (UNII: IY9XDZ35W2)              |          |
| <b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)      |          |
| <b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)   |          |
| <b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)   |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)              |          |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)         |          |
| <b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)     |          |
| <b>PROPYL GALLATE</b> (UNII: 8D4SNN7V92)        |          |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)      |          |
| <b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)         |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                 |          |
| <b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)      |          |
| <b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)      |          |
| <b>SORBITOL</b> (UNII: 506T60A25R)              |          |
| <b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)             |          |
| <b>XANTHAN GUM</b> (UNII: TTV12P4NEE)           |          |

**Product Characteristics**

|                 |       |                     |  |
|-----------------|-------|---------------------|--|
| <b>Color</b>    | RED   | <b>Score</b>        |  |
| <b>Shape</b>    |       | <b>Size</b>         |  |
| <b>Flavor</b>   | BERRY | <b>Imprint Code</b> |  |
| <b>Contains</b> |       |                     |  |

**Packaging**

| # | Item Code        | Package Description                                   | Marketing Start Date | Marketing End Date |
|---|------------------|-------------------------------------------------------|----------------------|--------------------|
| 1 | NDC:49035-715-03 | 118 mL in 1 BOTTLE; Type 0: Not a Combination Product | 10/01/2014           |                    |

**Marketing Information**

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|------------------------------------------|----------------------|--------------------|
| OTC MONOGRAPH FINAL | part341                                  | 10/01/2014           |                    |

**Labeler** - Wal-Mart Stores, Inc. (051957769)**Establishment**

| <b>Name</b>           | <b>Address</b> | <b>ID/FEI</b> | <b>Business Operations</b> |
|-----------------------|----------------|---------------|----------------------------|
| Guardian Drug Company |                | 119210276     | MANUFACTURE(49035-715)     |

Revised: 11/2022

Wal-Mart Stores, Inc.