TOPCARE CHILDRENS ALL DAY ALLERGY- cetirizine hcl solution Topco Associates LLC

Topco Associates LLC. Children's All-Day Allergy Drug Facts

Active ingredient (in each 5 mL)

Cetirizine HCl 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- use only with enclosed dosing cup
- find right dose on chart below
- mL = milliliter

adults and children 6 years and over	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.	
adults 65 years	5 mL once daily; do not take more than 5 mL in 24 hours.	
and over		
children 2 to under	2.5 mL once daily. If needed, dose can be increased to a maximum of 5	
6 years of age	mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL	
	in 24 hours.	
children under	ask a doctor	
2 years of age		
consumers with liver or kidney	ask a doctor	
disease		

Other information

- store between 20° to 25°C (68° to 77°F)
- · do not use if carton is opened, or if printed neckband is broken or missing
- see bottom panel for lot number and expiration date

Inactive ingredients

anhydrous citric acid, artificial bubble gum flavor, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose

Questions or comments?

1-888-423-0139

Package/Label Principal Display Panel

COMPARE TO CHILDREN'S ZYRTEC® ACTIVE INGREDIENT

children's

All-Day Allergy

CETIRIZINE HYDROCHLORIDE ORAL SOLUTION 1 mg / mL

ANTIHISTAMINE

OUR PHARMACISTS RECOMMEND

INDOOR & OUTDOOR ALLERGIES

24 HOUR

RELIEF OF:

Sneezing

Runny Nose

Itchy, Watery Eyes

Itchy Throat or Nose


Dye Free & Sugar Free

2 Years & older

BUBBLE GUM FLAVOR

4 FL OZ (118 mL)

Dosing cup included





ORAL SOLUTION 1 mg/mL **ANTIHISTAMINE**

INDOOR & OUTDOOR ALLERGIES

children's All-Day Allergy

CETIRIZINE HYDROCHLORIDE ORAL SOLUTION 1 mg/ml ANTIHISTAMINE

R & OUTDOOR ALLERGIES

Drug Facts

Active ingredient (in each 5 mL) etirizine HCl 5 mg

Purpose Antihistami

USES:
unique temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
unny nose seezing triby, watery eyes trohing of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
 avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase
- drowsiness be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

- iff pregnant or breast-feeding:

 if breast-feeding: not recommended

 if pregnant ask a health professional before use.

 Keep out of reach of children. In case of overdose
 get medical help or contact a Poison Control Center
 right away. (1-800-222-1222)

Drug Facts (continued)

Directions

use only with enclosed dosing cup find right dose on chart below mL = milliliter

- adults and children 5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours. 6 years and over 5 mL once daily; do not take more than 5 mL in 24 hours. adults 65 years

children 2 to under 2.5 mL once daily, If needed, 6 years of age dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.

children under 2 years of age ask a doctor consumers with liver or kidney disease ask a doctor

- Other information

 store between 20° to 25°C (68° to 77°F)

 do not use if carton is opened, or if printed neckband is broken or missing
 see bottom panel for lot number and expiration date

Inactive ingredients
anhydrous citric acid, artificial bubble gum flavor, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose

Questions or comments? 1-888-423-0139

Dosing cup should be washed and left to air dry after each use.

DISTRIBUTED BY TOPCO ASSOCIATES LLC ELK GROVE VILLAGE, IL 60007 ©TOPCO PER1017 QUESTIONS? 1-888-423-0139 topcare@topco.com www.topcarebrand.com





This Top Care® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.





6800-189-26 **→**TopCare。

COMPARE TO CHILDREN'S ZYRTEC® ACTIVE INGREDIENT*

children's **All-Day**

CETIRIZINE HYDROCHLORIDE ORAL SOLUTION 1 mg/mL ANTIHISTAMINE

INDOOR & OUTDOOR ALLERGIES



8

RELIEF OF:

- SneezingRunny Nose
- Itchy, Watery Eyes Itchy Throat or Nose



*This product is not manufactured or distributed by McNeil Consumer Healthcare, Division of McNeil-PPC, Inc., distributor of Children's Zyrtec®.

Desing cup Bichided



18926 88 C5

TopCare.

COMPARE TO CHILDREN'S ZYRTEC® ACTIVE INGREDIENT*

children's **All-Day**

CETIRIZINE HYDROCHLORIDE ORAL SOLUTION 1 mg/mL ANTIHISTAMINE



INDOOR & OUTDOOR ALLERGIES



Dye Free &

Sugar Free

z Years

f older

RELIEF OF: Sneezing

- Runny Nose
- Itchy, Watery Eyes Itchy Throat or Nose



4 FL OZ (118 mL)

Desiry cup included

TOPCARE CHILDRENS ALL DAY ALLERGY

cetirizine hcl solution

Product Information

HUMAN OTC DRUG NDC:36800-189 Product Type Item Code (Source)

ORAL Route of Administration

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDRO CHLO RIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg in 5 mL

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SORBITOL (UNII: 506T60A25R)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		

Product Characteristics			
Color	YELLOW (Clear to light yellow)	Score	
Shape		Size	
Flavor	BUBBLE GUM	Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:36800-189-26	1 in 1 CARTON	12/23/2013	
1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA204226	12/23/2013	

Labeler - Topco Associates LLC (006935977)

Revised: 11/2019 Topco Associates LLC