

WARMING ARTHRITIC PAIN AND JOINT RELIEF- actaea spicata, aescuculus hippocastanum, arnica montana, bellis perennis, bryonia, calcarea carbonica, calcarea fluorica, causticum, cimicifuga racemosa, formicum acidum, hypericum perforatum, lithium carbonicum, magnesia phosphorica, phosphorus, phytolacca decandra, pulsatilla, rhododendron chrysanthum, rhus tox, ruta graveolens, salicylicum acidum, sepia, zincum metallicum cream King Bio Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Warming Arthritic Pain and Joint Relief

Active Ingredients

Actaea spicata, Aescuculus hippocastanum, Arnica montana, Bellis perennis, Bryonia, Calcarea carbonica, Calcarea fluorica, Causticum, Cimicifuga racemosa, Formicum acidum, Hypericum perforatum, Lithium carbonicum, Magnesia phosphorica, Phosphorus, Phytolacca decandra, Pulsatilla, Rhododendron chrysanthum, Rhus tox, Ruta graveolens, Salicylicum acidum, Sepia, Zincum metallicum

□ Purpose

Actaea spicata.....fatigued joints
Aescuculus hippocastanum.....aching limbs
Arnica montana.....body aches
Bellis perennis.....muscular soreness
Bryonia.....physical weakness
Calcarea carbonica.....leg cramps
Calcarea fluorica.....backache
Causticum.....arthritic symptoms
Cimicifuga racemosa.....restless limbs, soreness
Formicum acidum.....stiff joints
Hypericum perfoatum.....joint discomfort
Lithium carbonicum.....aching joints, stiffness
Magnesia phosphorica.....leg cramps
Phosphorus.....elbow and shoulder joint discomfort
Phytolacca decandra.....rheumatic pains
Pulsatilla.....hip and joint discomfort
Rhododendron chrysanthum.....achy shoulders
Rhus tox.....sore tendons and ligaments
Ruta graveolens.....lower back discomfort
Salicylicum acidum.....knee discomforts
Sepia.....stiffness, restless limbs
Zincum metallicum.....backache

Uses

for temporary relief of symptoms: minor aches & pains associated with arthritis, backache, leg cramps, stiff, swollen joints, physical weakness, sore tendons and ligaments, body aches, hip & knee discomforts, muscular soreness, restless limbs

Warnings

☐ **For external use only. When using this product-** ☐ use only as directed. do not bandage tightly or use with a heating pad. avoid contact with eyes or mucous membranes. do not apply to wounds or damaged skin. avoid sun exposure to area applied. ☐ **Stop use and ask a doctor if-** ☐ condition worsens. symptoms persist for more than 7 days or clear up and occur again within a few days. severe skin irritation occurs or allergic reaction develops. ☐ **If pregnant or breast-feeding,** ☐ ask a healthcare professional before use. Nursing mothers should not apply to breast area. ☐ **Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.**

☐ **Keep out of reach of children.**

Directions

Shake before using. Patch test recommended on sensitive skin. ☐ **Adults & Children over 12 years of age:** apply generously to affected area up to 4 times daily. Massage into area gently. ☐ **Children 12 years of age or younger:** ☐ consult a doctor.

☐ Other Information

To open: unscrew cap, remove tube seal, replace cap. Safety sealed for your protection. Do not use if tube seal is missing. Store at 68-77 degrees Fahrenheit (20-25 degrees Celsius)

Inactive Ingredients

Water, Aloe barbadensis leaf juice, Simmondsia chinensis (jojoba) seed oil, glycerin, caprylic/capric triglyceride, Carya ovata bark extract, cetearyl alcohol, potassium cetyl phosphate, arginine HCL, dimethyl sulfone, cetearyl olivate, sorbitan olivate algin, xanthan gum, caprylhydroxamic acid, caprylyl glycol, Capsicum annuum resin, Cinnamomum cassia leaf oil, Citrus reticulata fruit extract, Betula lenta (birch) oil, Eugenia caryophyllus (clove) flower oil, camphor, Citrus aurantium amara fruit extract, Citrus aurantium sinensis peel extract, potassium chloride, sodium chloride, citric acid, ascorbic acid, lactic acid, vanillin, sodium hydroxide.

Drug Facts (continued)

Warnings

- For external use only. When using this product use only as directed. Do not bandage tightly or use with a healing pad.
- Avoid contact with eyes or mucous membranes. Do not apply to wounds or damaged skin. Avoid sun exposure to area applied.
- Stop use and ask a doctor if**
 - condition worsens. Symptoms persist for more than 7 days or clear up and occur again within a few days.
 - severe skin irritation occurs or allergic reaction develops.
 - If pregnant or breast-feeding, ask a healthcare professional before use. Nursing mothers should not apply to breast area.
 - Keep out of reach of children.
 - If swallowed, get medical help or contact a Poison Control Center immediately.

Directions


- Shake before using.
- Patch test recommended on sensitive skin.
- Adults & children over 12 years of age: apply generously to affected area up to 4 times daily. Massage into area gently.
- Children 12 years of age or younger: consult a doctor.

Other information

- To open: unscrew cap, remove tube seal, replace cap. Safety sealed for your protection. Do not use if tube seal is missing.
- Store at 68-77°F (20-25°C).

Inactive ingredients Water, Aloe barbadensis leaf juice, Simmondsia chinensis (jojoba) seed oil, glycerin, caprylic/capric triglyceride, Carya ovata bark extract, cetearyl alcohol, potassium cetyl phosphate, arginine HCl, dimethyl sulfone, cetearyl olivate, sorbitan olivate, algin, xanthan gum, caprylhydroxamic acid, caprylyl glycol, Capsicum annum resin, Cinnamomum cassia leaf oil, Citrus reticulata fruit extract*, Betula lenta (birch) oil, Eugenia caryophyllus (clove) flower oil, camphor, Citrus aurantium amara fruit extract*, Citrus aurantium sinensis peel extract*, potassium chloride, sodium chloride, citric acid, ascorbic acid, lactic acid, vanillin, sodium hydroxide**. ** may contain this ingredient.

* Organic Ingredient



Safe & Soothing Topical Cream



NDC# 57955-0935-3
HOMEOPATHIC

Warming

Arthritic Pain & Joint Relief

Temporarily Relieves:

Arthritic Symptoms
Stiff, Swollen & Achy Joints
Rheumatic Pains

The Healing Revolution

Drug Facts

Active ingredients Purpose †

Equal volumes of each HPUS active ingredient in 10X, 30X and 1LM potencies. Active ingredients 50% of total weight.

Actaea spicata	fatigued joints
Aesculus hippocastanum	aching limbs
Arnica montana	body aches
Bellis perennis	muscular soreness
Bryonia	physical weakness
Calcarea carbonica	leg cramps
Calcarea fluorica	backache
Causticum	arthritic symptoms
Cimicifuga racemosa	restless limbs, soreness
Formicum acidum	stiff joints
Hypericum perforatum	joint discomfort
Ledum palustre	aching in lower limbs
Lithium carbonicum	aching joints, stiffness
Magnesia phosphorica	leg cramps
Phosphorus	elbow and shoulder joint discomfort
Phytolacca decandra	rheumatic pains
Pulsatilla	hip and joint discomfort
Rhododendron chrysanthum	achy shoulders
Rhus tox	sore tendons and ligaments
Ruta graveolens	lower back discomfort
Salicylicum acidum	knee discomforts
Sepia	stiffness, restless limbs
Zincum metallicum	backache

†HPUS* indicates the active ingredients are in the official Homeopathic Pharmacopoeia of the United States.

Uses for temporary relief of symptoms:

- minor aches & pains associated with arthritis
- backache
- leg cramps
- stiff, swollen joints
- physical weakness
- sore tendons and ligaments
- body aches
- hip & knee discomforts
- muscular soreness
- restless limbs

† as per various homeopathic materia medicas. These uses have not been evaluated by the FDA, and product has not been clinically tested.

FDA Reg. #1053442

DrKings.com

NO Parabens • NO Dyes

Net Wt. 3 oz (85 g)

King Bio, Inc.: 3 Westside Drive
Asheville, NC 28806 USA
Questions? Call 866.298.2740

DrKings.com

Keep carton for complete drug facts and product information.

WARMING ARTHRITIC PAIN AND JOINT RELIEF

actaea spicata, aescuculus hippocastanum, arnica montana, bellis perennis, bryonia, calcarea carbonica, calcarea fluorica, causticum, cimicifuga racemosa, formicum acidum, hypericum perforatum, lithium carbonicum, magnesia phosphorica, phosphorus, phytolacca decandra, pulsatilla, rhododendron chrysanthum, rhus tox, ruta graveolens, salicylicum acidum, sepia, zincum metallicum cream

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:57955-0935
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACTAEA SPICATA ROOT (UNII: 3FU86L9OS0) (ACTAEA SPICATA ROOT - UNII:3FU86L9OS0)	ACTAEA SPICATA ROOT	10 [hp_X] in 85 g
HORSE CHESTNUT (UNII: 3C18L6RJAZ) (HORSE CHESTNUT - UNII:3C18L6RJAZ)	HORSE CHESTNUT	10 [hp_X] in 85 g
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	10 [hp_X] in 85 g
BELLIS PERENNIS (UNII: 2HU33I03UY) (BELLIS PERENNIS - UNII:2HU33I03UY)	BELLIS PERENNIS	10 [hp_X] in 85 g
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	10 [hp_X] in 85 g

OYSTER SHELL CALCIUM CARBONATE, CRUDE (UNII: 2E32821G6I) (OYSTER SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	OYSTER SHELL CALCIUM CARBONATE, CRUDE	10 [hp_X] in 85 g
CALCIUM FLUORIDE (UNII: O3B55K4YK1) (FLUORIDE ION - UNII:Q80VPU408O)	CALCIUM FLUORIDE	10 [hp_X] in 85 g
CAUSTICUM (UNII: DD5FO1WKFU) (CAUSTICUM - UNII:DD5FO1WKFU)	CAUSTICUM	10 [hp_X] in 85 g
BLACK COHOSH (UNII: K73E24S6X9) (BLACK COHOSH - UNII:K73E24S6X9)	BLACK COHOSH	10 [hp_X] in 85 g
FORMIC ACID (UNII: 0YIW783RG1) (FORMIC ACID - UNII:0YIW783RG1)	FORMIC ACID	10 [hp_X] in 85 g
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	10 [hp_X] in 85 g
RHODO DENDRON TOMENTOSUM LEAFY TWIG (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWIG - UNII:877L01IZ0P)	RHODO DENDRON TOMENTOSUM LEAFY TWIG	10 [hp_X] in 85 g
LITHIUM CARBONATE (UNII: 2BMD2GNA4V) (LITHIUM CATION - UNII:8H8Z5UER66)	LITHIUM CARBONATE	10 [hp_X] in 85 g
MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE (UNII: HF539G9L3Q) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE	10 [hp_X] in 85 g
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	10 [hp_X] in 85 g
PHYTOLACCA AMERICANA ROOT (UNII: 11E6V18VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6V18VEG)	PHYTOLACCA AMERICANA ROOT	10 [hp_X] in 85 g
ANEMONE PULSATILLA (UNII: I76KB35JEV) (ANEMONE PULSATILLA - UNII:I76KB35JEV)	ANEMONE PULSATILLA	10 [hp_X] in 85 g
RHODO DENDRON AUREUM LEAF (UNII: IV92NQJ73U) (RHODO DENDRON AUREUM LEAF - UNII:IV92NQJ73U)	RHODO DENDRON AUREUM LEAF	10 [hp_X] in 85 g
TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	10 [hp_X] in 85 g
RUTA GRAVEOLENS FLOWERING TOP (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)	RUTA GRAVEOLENS FLOWERING TOP	10 [hp_X] in 85 g
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	10 [hp_X] in 85 g
SEPIA OFFICINALIS JUICE (UNII: QDL83WN8C2) (SEPIA OFFICINALIS JUICE - UNII:QDL83WN8C2)	SEPIA OFFICINALIS JUICE	10 [hp_X] in 85 g
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	10 [hp_X] in 85 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
JOJOBA OIL (UNII: 724GKU717M)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL TRICAPRYLATE (UNII: 6P92858988)	
CARYA OVATA BARK (UNII: X765CF609L)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
ARGININE HYDROCHLORIDE (UNII: F7LTHIE20Y)	
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)	
CETEARYL OLIVATE (UNII: 58B69Q84JO)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
SODIUM ALGINATE (UNII: C269C4G2ZQ)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	

CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CAPSICUM (UNII: 00UK7646FG)
CHINESE CINNAMON LEAF OIL (UNII: 4U4V2F2E4Y)
TANGERINE JUICE (UNII: 391Y6QJ4XR)
METHYL SALICYLATE (UNII: LAV5U5022Y)
CLOVE OIL (UNII: 578389D6D0)
CAMPHOR LEAF OIL (UNII: 51D0RGY52V)
CITRUS AURANTIUM FRUIT RIND (UNII: 055456JHI7)
BITTER ORANGE OIL (UNII: 9TLV70SV6I)
POTASSIUM CHLORIDE (UNII: 660YQ98H0)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
ASCORBIC ACID (UNII: PQ6CK8PD0R)
LACTIC ACID (UNII: 33X04XA5AT)
VANILLIN (UNII: CHI530446X)
SODIUM HYDROXIDE (UNII: 55X04QC32I)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57955-0935-3	1 in 1 CARTON	01/01/2018	
1		85 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/01/2018	

Labeler - King Bio Inc. (617901350)

Registrant - King Bio Inc. (617901350)

Establishment			
Name	Address	ID/FEI	Business Operations
King Bio Inc.		617901350	manufacture(57955-0935)