

ABS BARRIER US- lactic acid, dodecylbenzenesulfonic acid solution
ABS Global Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

WARNING

Causes eye irritation.

Wash skin thoroughly after handling.

Do not mix with bleach or other chlorinated products - will cause chlorine gas.

For external use on dairy cows.

DIRECTIONS FOR USE

Mix Directions: Add 3.5 ounces of Valiant Catalyst (US) to one gallon of Valiant Barrier (US) and mix. Inverting the container approximately 5-7 times will adequately mix the two solutions. This mixed solution will remain stable for 7 days. After 7 days, discard solution and mix a new solution.

IMPORTANT: Do not add mixed Valiant Barrier (US) ready-to-use to any other teat dip or other products. If transferred from this container to any other, make sure the other container is thoroughly pre-cleaned and bears the proper container labeling for Valiant Barrier (US).

Use of a complete cow-care program including both pre and post dipping may aid in reducing the spread of organisms which may cause mastitis.

DIRECTIONS FOR TEAT DIPPING

Post-Milking: Immediately after milking, use the mixed Valiant Barrier (US) solution at full strength. Submerge the teat 2/3 of its length in the solution. Allow to air dry. Do not wipe. Always use mixed, uncontaminated, full strength solution. If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not turn cows out in the freezing weather until Valiant Barrier (US) is completely dry.

Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with a single-service towel. Use proper procedures for udder washing or pre-dipping.

NOTE: Valiant Barrier (US) is not intended to cure or help in the healing of chapped or irritated teats. In case of irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Valiant

quality milk

system

Barrier (US)

ABS

Barrier Teat Dip

Base - For use exclusively with Valiant Catalyst (US)

An aid in reducing the spread of organisms which may cause mastitis.

ACTIVE INGREDIENTS:

Lactic Acid.....2.5%

Linear Dodecyl Benzene Sulfonic Acid..1.6%

INERT INGREDIENTS:.....95.9%

(contains lanolin and propylene glycol)

TOTAL:.....100.0%

6300461

56.8L (15 US GAL)

Distributed by:

ABS Global, Inc. · P.O. Box 459

DeForest, Wisconsin USA 53532

www.absglobal.com

Manufactured by:

Ecolab Inc. · 1 Ecolab Place ·

St. Paul, MN 55102 USA ·

tel. 1 800 392 3392

© 2018 Ecolab USA Inc · All rights reserved

Made in U.S.A.

www.ecolab.com · 703636/5301/1218

Barrier (US)

Valiant™

quality milk
system



Barrier Teat Dip

Base – For use exclusively with Valiant Catalyst (US)

An aid in reducing the spread of organisms which may cause mastitis.

ACTIVE INGREDIENTS:

| | |
|--|---------------|
| Lactic Acid..... | 2.5% |
| Linear Dodecyl Benzene Sulfonic Acid | 1.6% |
| INERT INGREDIENTS: | 95.9% |
| (contains lanolin and propylene glycol) | |
| TOTAL: | 100.0% |

Barrier para sellar pezones

Base – Para usarse exclusivamente con Valiant Catalyst (US)

Una ayuda para reducir la diseminación de organismos que pueden causar mastitis.

INGREDIENTES ACTIVOS:

| | |
|--|---------------|
| Ácido láctico | 2,5% |
| Ácido lineal dodecilbensensulfónico..... | 1,6% |
| INGREDIENTES INERTES: | 95,9% |
| (contiene lanolina y glicol propileno) | |
| TOTAL: | 100,0% |

6300461
56.8 L (15 US GAL)



**KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE**

WARNING

Causes eye irritation.

Wash skin thoroughly after handling.
Do not mix with bleach or other chlorinated products - will cause chlorine gas.

For external use on dairy cows.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

DIRECTIONS FOR USE

Mix Directions: Add 3.5 ounces of Valiant Catalyst (US) to one gallon of Valiant Barrier (US) and mix. Inverting the container approximately 5-7 times will adequately mix the two solutions. This mixed solution will remain stable for 7 days. After 7 days, discard solution and mix a new solution.

IMPORTANT: Do not add mixed Valiant Barrier (US) ready-to-use to any other teat dip or other products. If transferred from this container to any other, make sure the other container is thoroughly pre-cleaned and bears the proper container labeling for Valiant Barrier (US). Use of a complete cow-care program including both pre and post dipping may aid in reducing the spread of organisms which may cause mastitis.

DIRECTIONS FOR TEAT DIPPING

Post-Milking: Immediately after milking, use the mixed Valiant Barrier (US) solution at full strength. Submerge the teat 2/3 of its length in the solution. Allow to air dry. Do not wipe. Always use mixed, uncontaminated, full strength solution. If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not turn cows out in the freezing weather until Valiant Barrier (US) is completely dry.

Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with a single-service towel. Use proper procedures for udder washing or pre-dipping.

NOTE: Valiant Barrier (US) is not intended to cure or help in the healing of chapped or irritated teats. In case of irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

**MANTÉNGALO ALEJADO DEL ALCANCE
DE LOS NIÑOS**

NO ES PARA USO HUMANO

ATENCIÓN

Provoca irritación ocular.

Lave la piel minuciosamente después del manejo.
No se mezcle con el blanqueo o otros productos tratados con cloro - causará el gas de cloro.

Para uso externo en vacas lecheras.

EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Si la irritación ocular persiste, consultar a un médico.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD:
1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revalidado al 1 651 222 5352 (número en los EE.UU.).

INSTRUCCIONES DE USO

Mezcla: Agregue 105 mL (3.5 onzas) de Valiant Catalyst (US) a 3.8 litros (1 gal) de Valiant Barrier (US) y mezcle. Para mezclar correctamente las dos soluciones, invierta el recipiente de 5 a 7 veces. Esta solución mezclada permanecerá estable por 7 días. Después de 7 días, tire la solución y mezcle otra nueva.

IMPORTANTE: No agregue Valiant Barrier (US) mezclada y listo para usar a ningún otro sellador de pezones o a otros productos. Si lo transfiere de este recipiente a otro, verifique que el otro esté minuciosamente limpio y que tenga la etiqueta de Valiant Barrier (US).

El uso de un programa completo para el cuidado de vacas, incluyendo el pre y post sellado, puede reducir la diseminación de organismos que pueden causar mastitis.

INSTRUCCIONES PARA EL SELLADO DE PEZONES

Post ordeño: Inmediatamente después de la ordeña, use la solución mezclada de Valiant Barrier (US) sin diluir. Sumerja 2/3 partes del pezón en la solución. Deje secar al aire. No lo limpie. Siempre use solución mezclada, no contaminada y sin diluir. Si el producto en la copa de sellado se ve sucio, tire el contenido y vuelva a llenar con producto sin diluir. No seque las vacas a la intemperie helada hasta que Valiant Barrier (US) se haya secado completamente.

Lave bien los pezones inmediatamente antes de la siguiente ordeña con una solución para lavado de ubres o con sellador de pezones para la pre-ordeña. Seque los pezones con una toalla desechable. Utilice los procedimientos adecuados para el lavado de ubres o para pre-sellado.

NOTA: Valiant Barrier (US) no intenta curar o ayudar a cicatrizar pezones irritados o agrietados. En caso de irritación o agrietamiento, consulte a su médico veterinario.

Distributed by:
ABS Global, Inc. - P.O. Box 459
DeForest, Wisconsin USA 53532
www.absglobal.com

Manufactured by:
Ecolab Inc. - 1 Ecolab Place -
St. Paul, MN 55102 USA -
tel. 1 800 392 3392
© 2018 Ecolab USA Inc - All rights reserved
Made in U.S.A.
www.ecolab.com - 703636/5301/1218

ABS BARRIER US

lactic acid, dodecylbenzenesulfonic acid solution

Product Information

| | | | |
|-------------------------|-----------------|--------------------|---------------|
| Product Type | OTC ANIMAL DRUG | Item Code (Source) | NDC:59282-100 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-----------------------------|------------------|
| DODECYLBENZENESULFONIC ACID (UNII: 60NSK897G9) (DODECYLBENZENESULFONIC ACID - UNII:60NSK897G9) | DODECYLBENZENESULFONIC ACID | 16 mg in 1 mL |
| LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT) | LACTIC ACID | 25 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------|----------|
| WATER (UNII: 059QF0K00R) | |

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

PEG-75 LANOLIN (UNII: 09179OX7TB)

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:59282-100-16 | 18900 mL in 1 PAIL | | |
| 2 | NDC:59282-100-17 | 56800 mL in 1 DRUM | | |
| 3 | NDC:59282-100-21 | 208000 mL in 1 DRUM | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| unapproved drug other | | 09/09/1998 | |

Labeler - ABS Global Inc. (835053570)

Revised: 1/2019

ABS Global Inc.