

**BABIENCE KIDS SUNSCREEN PINKFONG BABY SHARK SPF 50- ensulizole, octinoxate, octisalate, titanium dioxide, zinc oxide lotion
fmg Co.Ltd**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Babience KIDS Sunscreen SPF 50 pinkfong BABY SHARK 50ml

Active ingredients

Ensulizole 3.5%
Octinoxate 7.00%
Octisalate 4.5%
Titanium Dioxide 4.57%
Zinc Oxide 11.65%

Purpose

Sunscreen

USES

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours

- use a water resistant sunscreen if swimming or sweating
- children under 6 months of age: Ask a doctor

Inactive ingredients

WATER, CYCLOPENTASILOXANE, DIPROPYLENE GLYCOL, GLYCERIN, DICAPRYLYL CARBONATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, TROMETHAMINE, DIMETHICONE, VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER, PANTHENOL, DISTEARDIMONIUM HECTORITE, ALUMINUM HYDROXIDE, ZINC STEARATE, SORBITAN SESQUIOLEATE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, STEARIC ACID, GLYCERYL CAPRYLATE, HYDROGEN DIMETHICONE, DISTEARYLDIMONIUM CHLORIDE, ETHYLHEXYLGLYCERIN, TRIETHOXYCAPRYLYLSILANE, TRISODIUM EDTA, HELIANTHUS ANNUS (SUNFLOWER) SRPOUT EXTRACT, MENTHYL PCA, SODIUM PCA, SODIUM BENZOATE, TITANIUM DIOXIDE (CI 77891), FRAGRANCE

Other information

Protect this product in this container from excessive heat and direct sun

U.S.A./E.-U.: 1-800-FOR-AVON www.avon.com

PRINCIPAL DISPLAY PANEL

Babience

KIDS

Sunscreen

Broad Spectrum

SPF 50

50 ml / 1.69 fl. oz.

pinkfong BABY SHARK

Babience
KIDS
 Sunscreen
 Crème Solaire



**Broad Spectrum
 SPF 50**

50 ml / 1.69 fl. oz.

pinkfong
BABY SHARK

Active ingredients

Zinc oxide 11.65 %, Octinoxate 7.00 %, Titanium dioxide 4.57 %, Octisalate 4.50 %, Ensulizole 3.50 %

Purpose Sunscreen

Uses

- helps prevent sunburn

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun

U.S.A./É.-U.: 1-800-FOR-AVON www.avon.com

MADE IN KOREA

Copyright © Smart Study Co., Ltd.

All Rights Reserved.

Pinkfong® is a licensed trademark of Smart Study Co., Ltd.

DISTR. NEW AVON LLC, NEW YORK, NY 10006



Babience

Babience
KIDS
 Sunscreen
 Crème Solaire

Broad Spectrum
SPF 50

50 ml / 1.69 fl. oz.

Drug Facts

Active ingredients	Purpose
Zinc oxide 11.65 %	Sunscreen
Octinoxate 7.00 %	Sunscreen
Titanium dioxide 4.67 %	Sunscreen
Octisalate 4.50 %	Sunscreen
Ensulizole 3.50 %	Sunscreen

Use

• helps prevent sunburn

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- children under 6 months of age: Ask a doctor

Other information

• protect the product in this container from excessive heat and direct sun

Inactive ingredients

Water, Cyclopentasiloxane, Dipropylene glycol, Glycerin, Dicaprylyl carbonate, Lauryl ppg-9 polydimethylsiloxylethyl dimethicone, Tromethamine, Dimethicone, Vinyl dimethicone/methicone silsesquioxane crosspolymer, Panthenol, Disteardimonium hecтонite, Aluminum hydroxide, Zinc stearate, Sorbitan sesquiosulfate, Dimethicone/peg-10/15 crosspolymer, Dimethicone/vinyl dimethicone crosspolymer, Stearic acid, Glyceryl caprylate, Hydrogen dimethicone, Distearylidimonium chloride, Ethylhexylglycerin, Triethoxycaprylylsilane, Trisodium edta, Helianthus annuus (sunflower) sprout extract, Menthyl pca, Sodium pca, Sodium benzoate, Titanium dioxide (ci 77891), Fragrance

U.S.A./É-U: 1-800-FOR-AVON www.avon.com
 MADE IN KOREA
 DISTR. NEW AVON LLC, NEW YORK, NY 10006



BABIENCE KIDS SUNSCREEN PINKFONG BABY SHARK SPF 50

ensulizole, octinoxate, octisalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72330-800
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.285 g in 50 mL

ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	1.75 g in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.5 g in 50 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5.825 g in 50 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.25 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
MENTHYL DL-PYRROLIDONECARBOXYLATE (UNII: 8P18J856U2)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
ZINC STEARATE (UNII: H92E6QA4FV)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TROMETHAMINE (UNII: 023C2WHX2V)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
GLYCERIN (UNII: PDC6A3C0OX)	
PANTHENOL (UNII: WW9CM0067Z)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
HELIANTHUS ANNUUS SPROUT (UNII: 4P26HG1S5W)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72330-800-01	2 in 1 BOX	04/27/2020	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	04/27/2020	

Labeler - fmg Co.Ltd (690188305)

Registrant - LG HOUSEHOLD & HEALTH CARE LTD (688276187)

Establishment

Name	Address	ID/FEI	Business Operations
fmg Co.Ltd		690188305	manufacture(72330-800)

Revised: 12/2021

fmg Co.Ltd