

MECLIZINE- meclizine hcl 12.5mg tablet
Ulai Health LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each caplet)

Meclizine HCl 12.5 mg

Purpose

Antiemetic

Uses

prevents and treats nausea, vomiting or dizziness associated with motion sickness

Warnings

Do not use

in children under 12 years of age unless directed by a doctor.

Do not take this product, unless directed by a doctor, if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Do not take this product if you are taking sedatives or tranquilizers, without first consulting your doctor.

When using this product

- do not exceed recommended dosage
- may cause drowsiness
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- dosage should be taken one hour before travel starts

adults and children 12 years and over	take 2 or 4 caplets once daily or as directed by a doctor
---------------------------------------	---

Other information

- each caplet contains: **calcium 28 mg**
- store at 20 °-25°C (68 °-77°F)

Inactive ingredients

croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

Questions or comments?

(866) 562-2756 (Mon-Fri 8 AM to 4 PM EST)

PHARBEST

NDC 73057-386-11

Manufactured in the USA

Motion Sickness Relief

MECLIZINE

Meclizine HCl 12.5 mg

Antiemetic

• **Motion Sickness** • **Nausea** • **Vomiting**

1000 CAPLETS

PHARBEST  **Manufactured in the USA**
 NDC 73057-386-11
Motion Sickness Relief

MECLIZINE

Meclizine HCl 12.5 mg
Antiemetic

■ Motion Sickness ■ Nausea ■ Vomiting

1000 CAPLETS 

THIS PACKAGE FOR HOUSEHOLD WITHOUT YOUNG CHILDREN
TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts
Active ingredient (in each caplet)
 Meclizine HCl 12.5 mg.....Antiemetic
Uses
 prevents and treats nausea, vomiting or dizziness associated with motion sickness
Warnings
 Do not use in children under 12 years of age unless directed by a doctor.
 Do not take this product, unless directed by a doctor, if you have
 ■ glaucoma
 ■ a breathing problem such as emphysema or chronic bronchitis
 ■ trouble urinating due to an enlarged prostate gland
 Do not take this product if you are taking sedatives or tranquilizers, without first consulting your doctor.
 When using this product
 ■ do not exceed recommended dosage
 ■ may cause drowsiness
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness
 ■ avoid alcoholic drinks
 ■ use caution when driving a motor vehicle or operating machinery
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).
Directions
 ■ dosage should be taken one hour before travel starts
 adults and children take 2 or 4 caplets once daily or as directed by a doctor
 12 years and over:
Other information
 ■ each caplet contains: calcium 28 mg ■ store at 20°-25°C (68°-77°F)
Inactive ingredients croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid
Questions or comments? (866) 562-2756 (Mon-Fri 8 AM to 4 PM EST)
 Org. 06/19
 Distributed by:
 ULAI HEALTH LLC
 Alexandria, VA 22312

3 730571386111 4

MECLIZINE

meclizine hcl 12.5mg tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73057-386
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	12.5 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	2 pieces
Shape	CAPSULE (Capsule shaped tablet)	Size	13mm
Flavor		Imprint Code	PH049
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:73057-386-11	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/08/2019	
2	NDC:73057-386-08	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/08/2019	
Marketing Information				
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
	OTC monograph final	part336	07/08/2019	

Labeler - Ulai Health LLC (081181535)

Revised: 1/2022

Ulai Health LLC