

SHISEIDO BENEFIANCE WRINKLERESIST24 DAY- avobenzone, octinoxate, and octocrylene emulsion

SHISEIDO AMERICAS CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SHISEIDO BENEFIANCE WRINKLERESIST24 DAY EMULSION

Drug Facts

Active ingredients	Purpose
AVOBENZON 2.5 %	Sunscreen
OCTINOXATE 7.4 %	Sunscreen
OCTOCRYLENE 2.0 %	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every two hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER•GLYCERIN•SD ALCOHOL 40-B•DIPROPYLENE GLYCOL•XYLITOL•BUTYLENE GLYCOL•SILICA•POLYBUTYLENE GLYCOL/PPG-9/1 COPOLYMER•HYDROGENATED POLYDECENE•PEG-60 GLYCERYL ISOSTEARATE•TRIIOSOSTEARIN•DIMETHICONE•DIPHENYLSILOXY PHENYL TRIMETHICONE•XANTHAN GUM•PEG/PPG-17/4 DIMETHYL ETHER•PHYTOSTERYL MACADAMIATE•TOCOPHERYL ACETATE•SAPINDUS MUKUROSSI PEEL EXTRACT•UNCARIA GAMBIR EXTRACT•SODIUM ACETYLATED HYALURONATE•HYDROXYPROLINE•THYMUS SERPILLUM EXTRACT•CHLORELLA VULGARIS EXTRACT•STEARIC ACID•GLYCERYL STEARATE SE•BEHENYL ALCOHOL•ISOSTEARIC ACID•BEHENIC ACID•BEHENETH-20•TRIETHANOLAMINE•CELLULOSE GUM•DISODIUM EDTA•SODIUM METAPHOSPHATE•ALCOHOL•BHT•TOCOPHEROL•PHENOXYETHANOL•FRAGRANCE•IRON OXIDES•

Other information

Protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 75 mL Bottle Carton

SHISEIDO

BENEFIANCE

WrinkleResist24

Day Emulsion

BROAD SPECTRUM

SPF 18

SUNSCREEN

75mL 2.5 FL. OZ.

WrinkleResist24
Day Emulsion

SHISEIDO

SHISEIDO
BENEFIANCE
WRINKLERESIST24
DAY EMULSION
BROAD SPECTRUM
SPF 18

Age-defying benefit for youthful vibrance

An age-defense daytime moisturizer that helps protect skin from damage caused by external aging factors such as UV rays. The appearance of lines and wrinkles are dramatically reduced, while maintaining rich moisture to the skin under even dry conditions all day long.

- Smooth over face each morning after cleanser and softening lotion.
 - Apply liberally. Reducing the quantity of application will lower the level of sunscreen protection significantly.
- DERMATOLOGIST-TESTED.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
GLO. 10306
www.shiseido.com

Drug Facts

Active ingredients Purpose
AVOBENZONE 2.5% Sunscreen
OCTINOXATE 7.4% Sunscreen
OCTOCRYLENE 2.0% Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Drug Facts
(continued)

Inactive ingredients

WATER - GLYCERIN - SD ALCOHOL 40-B - DIPROPYLENE GLYCOL - XYLITOL - BUTYLENE GLYCOL - SILICA - POLYBUTYLENE GLYCOL/PPG-8/1 COPOLYMER - HYDROGENATED POLYDECENE - PEG-80 GLYCERYL ISOSTEARATE - TRISOSTEARIN - DIMETHICONE - DIPHENYLSILOXY PHENYL TRIMETHICONE - XANTHAN GUM - PEG/PPG-17/4 DIMETHYL ETHER - PHYTOSTERYL MACADAMATE - TOCOPHERYL ACETATE - SAMPINUS MUKUROSSI PEEL EXTRACT - UNCARIA GAMBIR EXTRACT - SODIUM ACETYLATED HYALURONATE - HYDROXYPROLINE - THYMUS SERPILLUM EXTRACT - CHLORELLA VULGARIS EXTRACT - STEARIC ACID - GLYCERYL STEARATE SE - BEHENYL ALCOHOL - ISOSTEARIC ACID - BEHENIC ACID - BEHENETH-20 - TRIETHANOLAMINE - CELLULOSE GUM - DISODIUM EDTA - SODIUM METAPHOSPHATE - ALCOHOL - BHT - TOCOPHEROL - PHENOXYETHANOL - FRAGRANCE - IRON OXIDES

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503



BENEFIANCE
WrinkleResist24

Day Emulsion
BROAD SPECTRUM
SPF 18
SUNSCREEN

75mL 2.5 FL. OZ.




CULTECH INC

003509

<http://s1872.com/10306AA>
See our website
for more information.

7 30852 10306 X



SHISEIDO BENEFIANCE WRINKLERESIST24 DAY

avobenzone, octinoxate, and octocrylene emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-628
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.94 g in 75 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	5.83 g in 75 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1.55 g in 75 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
XYLITOL (UNII: VCQ006KQ1E)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	
PEG-60 GLYCERYL ISOSTEARATE (UNII: WQP0973914)	
TRIISOSTEARIN (UNII: 71503RH8KG)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
XANTHAN GUM (UNII: TTV12P4NEE)	
PEG/PPG-17/4 DIMETHYL ETHER (UNII: 4ET18WJG5K)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
SAPINDUS MUKOROSI FRUIT RIND (UNII: 3D1P12PN9U)	
UNCARIA GAMBIR WHOLE (UNII: K63NT5I1B8)	
SODIUM ACETYLATED HYALURONATE (UNII: VN66R7GL93)	
HYDROXYPROLINE (UNII: RMB44WO89X)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
DOCOSANOL (UNII: 9G10E216XY)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
BEHENIC ACID (UNII: H390488X0A)	
BEHENETH-20 (UNII: BJ4GP2IFLN)	
TROLAMINE (UNII: 9O3K93S3TK)	

CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)

EDETATE DISODIUM (UNII: 7FLD91C86K)

SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)

ALCOHOL (UNII: 3K9958V90M)

BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)

.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)

PHENOXYETHANOL (UNII: HIE492ZZ3T)

FERRIC OXIDE RED (UNII: 1K09F3G675)

FERRIC OXIDE YELLOW (UNII: EX438O2MRT)

FERROSFERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-628-10	1 in 1 CARTON	01/01/2021	
1		75 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/01/2021	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Revised: 2/2021

SHISEIDO AMERICAS CORPORATION