

**THEFACESHOP NATURAL SUN OIL-FREE SUNSCREEN BROAD SPECTRUM SPF 50- ensulizole, octinoxate, octisalate, titanium dioxide, zinc oxide lotion
LG HOUSEHOLD & HEALTH CARE LTD**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

THEFACESHOP Natural Sun Oil-Free Sunscreen Broad Spectrum SPF 50

ACTIVE INGREDIENTS

Ensulizole 3.5%
Octinoxate 7.00%
Octisalate 4.5%
Titanium Dioxide 4.57%
Zinc Oxide 11.65%

PURPOSE

SUNSCREEN

USES

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

WARNINGS

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- Apply liberally 15 minutes before sun exposure and as needed.
- Reapply as needed or after towel drying, swimming, or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months: Ask a doctor

INACTIVE INGREDIENTS

WATER, CYCLOPENTASILOXANE, DIPROPYLENE GLYCOL, GLYCERIN, DICAPRYLYL CARBONATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, TROMETHAMINE, DIMETHICONE, VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER, PANTHENOL, DISTEARDIMONIUM HECTORITE, ALUMINUM HYDROXIDE, ZINC STEARATE, SORBITAN SESQUIOLEATE, DIMETHICONE/PEG-10/15 CROSSPOLYMER, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, STEARIC ACID, GLYCERYL CAPRYLATE, HYDROGEN DIMETHICONE, DISTEARYLDIMONIUM CHLORIDE, ETHYLHEXYLGLYCERIN, TRIETHOXYCAPRYLYLSILANE, TRISODIUM EDTA, HELIANTHUS ANNUS (SUNFLOWER) SRPOUT EXTRACT, MENTHYL PCA, SODIUM PCA, SODIUM BENZOATE, TITANIUM DIOXIDE (CI 77891), FRAGRANCE

OTHER INFORMATION

Protect this product from excessive heat and direct sun

QUESTIONS OR COMMENTS?

Call toll free **1-888-498-9004**

PRINCIPAL DISPLAY PANEL

**NATURAL SUN
OIL-FREE SUNSCREEN**

**BROAD SPECTRUM
SPF 50**

1.69 fl. oz. 50 mL



Veuillez lire
le mode d'emploi
avant utilisation

Please read
directions
before use



NATURAL SUN

OIL-FREE SUNSCREEN
CRÈME SOLAIRE SANS HUILE

50

BROAD SPECTRUM
À LARGE SPECTRE
SPF50



NATURAL
MOISTURIZING FACTOR
FACTEUR D'HYDRATATION
NATURELLE



OIL CONTROL
CONTRÔLE DE L'HUILE



NON-ANIMAL SOURCED
INGREDIENTS
AUCUN INGRÉDIENT DE
SOURCE ANIMALE

NATURAL SUN
OIL-FREE
SUNSCREEN
BROAD SPECTRUM SPF 50

An oil-control sunscreen that contains sebum absorbing powder that helps to cover up pores and completes a soft skin look

NATURAL SUN
CRÈME SOLAIRE
SANS HUILE
À LARGE SPECTRE FPS 50

Une crème solaire contrôle
brillance composée d'une
poudre qui absorbe l'excès de
sébum et aide à camoufler les
pores, procurant ainsi une peau
d'apparence douce et soyeuse.

1.69 fl. oz.

50 mL

DRUG FACTS

ACTIVE INGREDIENTS	PURPOSE
ZINC OXIDE 18.65%	SUNSCREEN
OCTINOXATE 7.00%	SUNSCREEN
TITANIUM DIOXIDE 4.57%	SUNSCREEN
OCTISALATE 4.50%	SUNSCREEN
ENSULIZOLE 3.50%	SUNSCREEN

USES

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

WARNINGS

For external use only

- Do not use on damaged or broken skin
- When using this product, keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash or irritation develops and lasts.
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- Apply liberally 15 minutes before sun exposure and as needed.
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. to 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

INACTIVE INGREDIENTS

WATER-CYCLOPENTASILOXANE-DIPROPYLENE GLYCOL-GLYCERIN-DICAPRYLYL CARBONATE-LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE-TROMETHAMINE-DIMETHICONE-VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER-PANTHENOL-DISTEARDIMONIUM HECTORITE-ALUMINUM HYDROXIDE-ZINC STEARATE-COSRITAN SESQUOLENATE-DIMETHICONE-PEG-10-15 CROSSPOLYMER-DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER-STEARIC ACID-GLYCERYL CAPRYLATE-HYDROGEN DIMETHICONE-DISTEARYL DIMONIUM CHLORIDE-ETHYLHEXYLGLYCERIN-TRITHOXYPARLYLSILANE-TRISODIUM EDTA-HELIANTHUS ANNUUS (SUNFLOWER) SPROUT EXTRACT-MENTHYL PCA-SODIUM PCA-SODIUM BENZOATE-TITANIUM DIOXIDE (CI 77891)-FRAGRANCE

OTHER INFORMATION

- Protect this product from excessive heat and direct sun

QUESTIONS OR COMMENTS? Call toll free 1-888-498-9004

Imported by LG Household & Health Care America, Inc.
Santa Fe Springs, CA 90670 USA
Made in Korea

THE FACESHOP
NATURAL STORY



THEFACESHOP NATURAL SUN OIL-FREE SUNSCREEN BROAD SPECTRUM SPF 50

ensulizole, octinoxate, octisalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:53208-195

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.5 g in 50 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5.825 g in 50 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.25 g in 50 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.285 g in 50 mL
ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	1.75 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HELIANTHUS ANNUUS SPROUT (UNII: 4P26HG1S5W)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
GLYCERIN (UNII: PDC6A3C0OX)	
PANTHENOL (UNII: WW9CM0067Z)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
MENTHYL DL-PYRROLIDONECARBOXYLATE (UNII: 8P18J856U2)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
WATER (UNII: 059QF0KO0R)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)	
ZINC STEARATE (UNII: H92E6QA4FV)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573Z X3X)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TROMETHAMINE (UNII: 023C2WHX2V)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53208-195-01	2 in 1 BOX	01/01/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2018	

Labeler - LG HOUSEHOLD & HEALTH CARE LTD (688276187)

Establishment

Name	Address	ID/FEI	Business Operations
fmg Co.Ltd		690188305	manufacture(53208-195)

Revised: 12/2021

LG HOUSEHOLD & HEALTH CARE LTD