

**HEAD-TO-TOE FAVORITES MINI SET- avobenzene, homosalate, octisalate, octocrylene**

**System Beauty, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Head-to-Toe Favorites Mini Set**

**Play Everyday Sunscreen SPF 50 with sunflower extract**

**Active Ingredients Purpose**

Avobenzene 3% Sunscreen

Homosalate 10% Sunscreen

Octisalate 5% Sunscreen

Octocrylene 7.5% Sunscreen

**Unseen Sunscreen Broad Spectrum SPF 40**

**Active Ingredients Purpose**

Avobenzene 3% Sunscreen

Homosalate 8% Sunscreen

Octocrylene 4% Sunscreen

Octisalate 5% Sunscreen

**Glow Screen Body Broad Spectrum SPF 40**

**Active Ingredient Purpose**

Avobenzene 3% Sunscreen

Homosalate 7% Sunscreen

Octisalate 5%. Sunscreen

Octocrylene 10% Sunscreen

**Glowscreen SPF 40**

**Active Ingredients Purpose**

Avobenzene 3% Sunscreen

Octisalate 5% Sunscreen

Octocrylene 10% Sunscreen

**Uses**

- Helps Prevent Sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of Skin cancer and early skin aging caused by the sun

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Stop use and ask a doctor** if rash occurs.

**For external use only**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

Directions

Apply generously and evenly 15 minutes before sun exposure

Reapply at least every 2 hours

Use a water resistant sunscreen if swimming or sweating

**Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10a.m. – 2p.m.

Wear long-sleeved shirts, pants, hats, and sunglasses

Children under 6 months: Ask a doctor

### **Glow screen body Broad Spectrum SPF 40**

- apply generously and evenly 15 minutes before sun exposure
- reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m.-2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months: Ask a doctor.

### **Play Everyday Sunscreen SPF 50 with Sunflower extract**

Directions

- Apply liberally 15 minutes before sun exposure

Reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear Long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

### **Play Everyday Sunscreen SPF 50 with sunflower extract**

Water, Acrylates Copolymer, Diisopropyl Sebacate, Glycerin, Isodecyl Neopentanoate, Isododecane, Lauryl Lactate, Cetyl Alcohol, Potassium Cetyl Phosphate, Brassica Campestris/Aleurites Fordi Copolymer, Oryza Sativa (Rice) Bran Extract, Cetearyl Oliviate, Ammonium Acryloyldimethyltaurate/VP Copolymer, Hydroxyacetophenone, Sorbitan Oliviate, Diethylhexyl Syringylidenemalonate, Aniba Rosaedora (Rosewood) Wood Oil, Chlorphenesin, Citrus Aurantium Dulcis (Orange) Peel Oil, Citrus Limon (Lemon) Peel Oil, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Ocimum Bascilicum (Basil) Flower/Leaf Extract, Pelargonium Graveolens Flower Oil, Pogostemon Cablin Oil, Pentylene Glycol, 1,2-hexanediol, Caprylyl Glycol, Xanthan Gum, Helianthus Annuus (Sunflower) Extract, Behenic Acid, Cetyl Behenate, Isostearyl Isostearate, Trisodium Ethylenediamene Disuccinate, Tocopherol, Allantoin, Rosmarinus Officinalis (Rosemary) Leaf Extract, Caprylic/Capric Triglyceride, Panthenol, Pentasodium Triphosphate, Citric Acid

### **Unseen sunscreen SPF 40**

Inactive Ingredients

Isododecane, Dimethicone Crosspolymer, Dimethicone/Bis-Isobutyl PPG-20 Crosspolymer, Polymethylsilsesquioxane, Isohexadecane, Dicrapyllyl Carbonate, Meadowfoam Estolide, Caprylic/Capric Triglyceride, Polyester-7, Neopentyl Glycol Diheptanoate, Lithothamnion Calcareum Extract, Butyrospermum Parkii (Shea) Butter, Jojoba Esters, Mannitol, Boswellia Serrata Resin Extract, Lecithin, Microcrystalline Cellulose, Diatomaceous Earth, Zinc Sulfate, Silica, Tocopherol

### **Glow Screen Body Broad Spectrum SPF 40**

Aletris Farinosa Root Extract, Bisabolol, Butyloctyl Salicylate, Calcium Sodium Borosilicate, Caprylhydroxamic Acid, Caprylic/Capric Triglyceride, Capryly Glycol, Cetearyl Alcohol, Coco-Caprylate/Caprinate, Coco-Glucoside, Coconut Alkanes, Erythritol, Ethyl Ferulate, Ethylhexyl Methoxycrylene, Glycerin, Glyceryl Stearate, Hydrogenated Polycyclopentadiene, Methyl Dihydroabietate, Mica, Polyester-8, Propanediol, Sodium Gluconate, Sodium Polyacrylate Starch, Sodium Stearoyl Glutamate, Titanium Dioxide, Tocopherol, Water, Xanthan Gum

### **Glowscreen SPF 40**

Water, Propanediol, Butyloctyl Salicylate, Glycerin, C12-15 Alkyl Benzoate, Polymethylsilsesquioxane, Niacinamide, Glyceryl Stearate Citrate, Bismuth Oxychloride,

Mica, Titanium Dioxide, Lauryl Lactate, Isododecane, Isodecyl Neopentanoate, Glyceryl Stearate, Diisopropyl Sebacate, Cetyl Phosphate, Caprylic/Capric Triglyceride, Coco-Caprylate, Ethylhexyl Hydroxystearate, Butylene Glycol, Arginine, Hydroxyacetophenone, Caprylyl Glycol, 1,2-Hexanediol, Iron Oxides, Sodium Hyaluronate, Chlorphenesin, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Trisodium Ethylenediamine Disuccinate, Phospholipids, Limonium Gerberi Extract, Leuconostoc/Radish Root Ferment Filtrate, Theobroma Cacao (Cocoa) Seed Extract, Pantothenic Acid, Tocopherol, Helianthus Annuus (sunflower) Seed Oil, Ferulic Acid

### **Head to Toe SPF Favorities Mini Set**

Head to Toe SPF Favorities Mini Set

Protect your skin from head to toe with this sample set, featuring our favorite glowy and everyday SPF's for face & body.

Unseen Sunscreen SPF 40 (10 ml)

Glowscreen SPF 40 (10ml)

Play Everyday Lotion SPF 50 with sunflower Extract (10ml)

Glowscreen Body SPF 40 (10 ml)

# HEAD-TO-TOE SPF FAVORITES MINI SET

Protect your skin from head to toe with this sample set, featuring our favorite glowy and everyday SPFs for face & body.

## Unseen Sunscreen SPF 40 (10ml)

Drug Facts	
<b>Active Ingredients</b> Avobenzene 3%, Homosalate 8%, Octisalate 5%, Octocrylene 4%.....Sunscreen	<b>Purpose</b>
<i>Uses</i> • Helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<i>Warnings</i> • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<i>Directions</i> • apply generously and evenly 15 minutes before sun exposure • reapply: • after 40 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor	
<i>Inactive Ingredients</i> Isododecane, Dimethicone Crosspolymer, Dimethicone/Bis-Isobutyl PPG-20 Crosspolymer, Polymethylsilsesquioxane, Isohexadecane, Dicaprylyl Carbonate, Meadowfoam Estolide, Caprylic/Capric Triglyceride, Polyester-7, Neopentyl Glycol Diheptanoate, Lithothamnion Calcareum Extract, Caprylyl Glycol, Butyrospermum Parkii (Shea) Butter, Jojoba Esters, Mannitol, Boswellia Serrata Resin Extract, Lecithin, Microcrystalline Cellulose, Diatomaceous Earth, Zinc Sulfate, Silica, Tocopherol	
<i>Questions or comments?</i> Contact our Sun Specialists 877-564-7330	

## Glowscreen SPF 40 (10 ml)

Drug Facts	
<b>Active Ingredients</b> Avobenzene 3%, Octisalate 5%, Octocrylene 10%.....Sunscreen	<b>Purpose</b>
<i>Uses</i> • Helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<i>Warnings</i> • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<i>Directions</i> • apply generously and evenly 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor	
<i>Inactive Ingredients</i> Water, Propanediol, Butyloctyl Salicylate, Glycerin, C12-15 Alkyl Benzoate, Polymethylsilsesquioxane, Niacinamide, Glyceryl Stearate Citrate, Bismuth Oxychloride, Mica, Titanium Dioxide, Lauryl Lactate, Isododecane, Isodecyl Neopentanoate, Glyceryl Stearate, Diisopropyl Sebacate, Cetyl Phosphate, Caprylic/Capric Triglyceride, Coco-Caprylate, Ethylhexyl Hydroxystearate, Butylene Glycol, Arginine, Hydroxyacetophenone, Caprylyl Glycol, 1,2-Hexanediol, Iron Oxides, Sodium Hyaluronate, Chlorphenesin, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Trisodium Ethylenediamine Disuccinate, Phospholipids, Limonium Gerberi Extract, Leuconostoc/Radish Root Ferment Filtrate, Theobroma Cacao (Cocoa) Seed Extract, Pantothenic Acid, Tocopherol, Helianthus Annuus (Sunflower) Seed Oil, Ferulic Acid	
<i>Questions or comments?</i> Contact our Sun Specialists 877-564-7330	





**PLAY Everyday Lotion SPF 50 with Sunflower Extract (10 ml)**

Drug Facts	
<b>Active Ingredients</b> Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 7.5%.....	<b>Purpose</b> .....Sunscreen
<b>Uses</b> • Helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • apply generously and evenly 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor	
<b>Inactive Ingredients</b> Water, Acrylates Copolymer, Diisopropyl Sebacate, Glycerin, Isodecyl Neopentanoate, Isododecane, Lauryl Lactate, Cetyl Alcohol, Potassium Cetyl Phosphate, Brassica Campestris/Aleurites Fordi Oil Copolymer, Oryza Sativa (Rice) Bran Extract, Cetearyl Oliviate, Ammonium Acryloyldimethyltaurate/VP Copolymer, Hydroxyacetophenone, Sorbitan Oliviate, Diethylhexyl Syringylidenemalonate, Aniba Rosaedora (Rosewood) Wood Oil, Chlorphenesin, Citrus Aurantium Dulcis (Orange) Peel Oil, Citrus Limon (Lemon) Peel Oil, Ethylhexylglycerin, Eucalyptus Globulus Leaf Oil, Ocimum Basilicum (Basil) Flower/Leaf Extract, Pelargonium Graveolens Flower Oil, Pogostemon Cablin Oil, Pentylene Glycol, 1,2-Hexanediol, Caprylyl Glycol, Xanthan Gum, Helianthus Annuus (Sunflower) Extract, Behenic Acid, Cetyl Behenate, Isostearyl Isostearate, Trisodium Ethylenediamine Disuccinate, Tocopherol, Allantoin, Rosmarinus Officinalis (Rosemary) Leaf Extract, Caprylic/Capric Triglyceride, Panthenol, Pentasodium Triphosphate, Citric Acid	
<i>Questions or comments?</i> Contact our Sun Specialists 877-564-7330	

**Glowscreen Body SPF 40 (10 ml)**

Drug Facts	
<b>Active Ingredients</b> Avobenzone 3%, Homosalate 7%, Octisalate 5% Octocrylene 10% .....	<b>Purpose</b> .....Sunscreen
<b>Uses</b> • Helps prevent sunburn • If used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun	
<b>Warnings</b> • For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • apply generously and evenly 15 minutes before sun exposure • reapply: • after 40 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months: ask a doctor	
<b>Inactive Ingredients</b> Aletris Farinosa Root Extract, Bisabolol, Butyloctyl Salicylate, Calcium Sodium Borosilicate, Caprylhydroxamic Acid, Caprylic/Capric Triglyceride, Caprylyl Glycol, Cetearyl Alcohol, Coco-Caprylate/Caprinate, Coco-Glucoside, Coconut Alkanes, Erythritol, Ethyl Ferulate, Ethylhexyl Methoxycrylene, Glycerin, Glyceryl Stearate, Hydrogenated Polycyclopentadiene, Methyl Dihydroabietate, Mica, Polyester-8, Propanediol, Sodium Gluconate, Sodium Polyacrylate Starch, Sodium Stearoyl Glutamate, Titanium Dioxide, Tocopherol, Water, Xanthan Gum	
<i>Questions or comments?</i> Contact our Sun Specialists 877-564-7330	

**Play Everyday Lotion SPF 50**

Supergoop!

PLAY


SPF 50 Everyday Lotion

With Sunflower Extract

Broad Spectrum Sunscreen SPF 50 PA ++++

Water & Sweat Resistant (80 minutes)

0.33 fl. oz./10 ml



**Unseen Sunscreen SPF 40**


Unseen Sunscreen

SPF 40

Broad Spectrum Sunscreen SPF 40 PA+++

Water & Sweat Resistant (40 minutes)

0.34 fl oz. / 10 ml.



## Glowscreen Body SPF 40

Glowscreen Body

SPF 40

Broad Spectrum Sunscreen SPF 40 PA+++

Water & Sweat Resistant (40 minutes)

0.34 fl.oz. / 10ml.





## Glowscreen SPF 40

Glowscreen

SPF 40 PA +++

0.34 fl. oz. / 10ml



## HEAD-TO-TOE FAVORITES MINI SET

avobenzone, homosalate, octisalate, octocrylene kit

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82384-0025
---------------------	----------------	---------------------------	----------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:82384-0025-1	1 in 1 KIT; Type 1: Convenience Kit of Co-Package	09/27/2021
---	------------------	---	------------

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 TUBE	10 mL
Part 2	1 TUBE	10 mL
Part 3	1 TUBE	10 mL
Part 4	1 TUBE	10 mL

### Part 1 of 4

## PLAY EVERYDAY SPF 50 WITH SUNFLOWER EXTRACT

avobenzone, homosalate, octisalate, octocrylene lotion

### Product Information

Item Code (Source)	NDC:82384-0026
Route of Administration	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7.5 g in 100 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>LAURYL LACTATE</b> (UNII: G5SU0BFK7O)	
<b>SORBITAN OLIVATE</b> (UNII: MDL271E3GR)	
<b>ROSEWOOD OIL</b> (UNII: F2522O5L7B)	
<b>ORANGE OIL, COLD PRESSED</b> (UNII: AKN3KSD11B)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>BEHENIC ACID</b> (UNII: H390488X0A)	
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>ROSEMARY</b> (UNII: IJ67X351P9)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>SODIUM TRIPOLYPHOSPHATE ANHYDROUS</b> (UNII: 9SW4PFD2FZ)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>LEMON OIL, COLD PRESSED</b> (UNII: I9GRO824LL)	
<b>OCIMUM BASILICUM FLOWERING TOP</b> (UNII: 7SAB275FP2)	
<b>PELARGONIUM GRAVEOLENS FLOWER OIL</b> (UNII: 3K0J1S7QGC)	

<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>EUCALYPTUS OIL</b> (UNII: 2R04ONI662)
<b>POGOSTEMON CABLIN LEAF OIL</b> (UNII: F3IN55X5PO)
<b>RICE BRAN</b> (UNII: R60QEP13IC)
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)
<b>AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER</b> (UNII: W59H9296ZG)
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)
<b>ISODECYL NEOPENTANOATE</b> (UNII: W60VYE24XC)
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)
<b>CETEARYL OLIVATE</b> (UNII: 58B69Q84JO)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ISODODECANE</b> (UNII: A8289P68Y2)
<b>DIISOPROPYL SEBACATE</b> (UNII: J8T3X564IH)
<b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)
<b>ALLANTOIN</b> (UNII: 344S277G0Z)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>HELIANTHUS ANNUUS FLOWERING TOP</b> (UNII: BKJ0J3D1BP)
<b>ISOSTEARYL ISOSTEARATE</b> (UNII: IV0Z586Z4Y)
<b>CETYL BEHENATE</b> (UNII: WFM51TRO3E)
<b>WATER</b> (UNII: 059QF0KOOR)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82384-0026-1	10 mL in 1 TUBE; Type 1: Convenience Kit of Co-Package		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	09/27/2021	

### Part 2 of 4

#### GLOWSCREEN BODY SPF 40

avobenzene, homosalate, octisalate, octocrylene cream

### Product Information

<b>Item Code (Source)</b>	NDC:82384-0029
<b>Route of Administration</b>	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	7 g in 100 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>COCONUT ALKANES</b> (UNII: 1E5KJY107T)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>METHYL DIHYDROABIETATE</b> (UNII: 7666FJ0J9F)	
<b>ERYTHRITOL</b> (UNII: RA96B954X6)	
<b>CAPRYLHYDROXAMIC ACID</b> (UNII: UPY805K99W)	
<b>SODIUM GLUCONATE</b> (UNII: R6Q3791S76)	
<b>SODIUM STEAROYL GLUTAMATE</b> (UNII: 65A9F4P024)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>ETHYL FERULATE</b> (UNII: 5B8915UELW)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>COCOYL CAPRYLOCAPRATE</b> (UNII: 8D9H4QU99H)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED)</b> (UNII: T9296U138P)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)	
<b>ALETRIS FARINOSA ROOT</b> (UNII: O021JGR97X)	
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82384-0029-1	10 mL in 1 TUBE; Type 1: Convenience Kit of Co-Package		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

**Part 3 of 4****UNSEEN SUNSCREEN SPF 40**

avobenzone, homosalate, octisalate, octocrylene cream

**Product Information**

<b>Item Code (Source)</b>	NDC:82384-0027
<b>Route of Administration</b>	TOPICAL

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	8 g in 100 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	4 g in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>DIATOMACEOUS EARTH</b> (UNII: 2RF6EJ0M85)	
<b>MANNITOL</b> (UNII: 3OWL53L36A)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>POLYESTER-7</b> (UNII: 0841698D2F)	
<b>DIMETHICONE/BIS-ISOBUTYL PPG-20 CROSSPOLYMER</b> (UNII: O4I3UFO6ZF)	
<b>INDIAN FRANKINCENSE</b> (UNII: 4PW41QCO2M)	
<b>ZINC SULFATE</b> (UNII: 89DS0H96TB)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>PHYMATOLITHON CALCAREUM</b> (UNII: 6J1M3WA0ZK)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>LECITHIN, SUNFLOWER</b> (UNII: 834K0WOS5G)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82384-0027-1	10 mL in 1 TUBE; Type 1: Convenience Kit of Co-Package		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	09/27/2021	

## Part 4 of 4

### GLOWSCREEN SPF 40

avobenzone, octisalate, octocrylene cream

## Product Information

Item Code (Source)	NDC:82384-0028
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>LAURYL LACTATE</b> (UNII: G5SU0BFK7O)	
<b>CETYL PHOSPHATE</b> (UNII: VT07D6X67O)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>TRISODIUM ETHYLENEDIAMINE DISUCCINATE</b> (UNII: YA22H34H9Q)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>COCO-CAPRYLATE</b> (UNII: 4828G836N6)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>GLYCERYL STEARATE CITRATE</b> (UNII: WH8T92A065)	
<b>DIISOPROPYL SEBACATE</b> (UNII: J8T3X564IH)	
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)	

<b>BISMUTH OXYCHLORIDE</b> (UNII: 4ZR792I587)
<b>MICA</b> (UNII: V8A1AW0880)
<b>ISODODECANE</b> (UNII: A8289P68Y2)
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)
<b>ETHYLHEXYL HYDROXYSTEARATE</b> (UNII: B7I80BVV5E)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)
<b>LIMONIUM GERBERI WHOLE</b> (UNII: 2J5K7YCF9F)
<b>COCOA</b> (UNII: D9108TZ9KG)
<b>FERULIC ACID</b> (UNII: AVM951ZWST)
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>ARGININE</b> (UNII: 94ZLA3W45F)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>ISODECYL NEOPENTANOATE</b> (UNII: W60VYE24XC)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>WATER</b> (UNII: 059QF0K00R)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82384-0028-1	10 mL in 1 TUBE; Type 1: Convenience Kit of Co-Package		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	09/27/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	09/27/2021	

**Labeler** - System Beauty, LLC (809198398)