NATURAL SENNA LAXATIVE- sennosides tablet Basic Drugs, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

BASIC DRUGS - NATURAL SENNA LAXATIVE - SENNOSIDES 8.6MG (0761-0790)

Active ingredient (in each tablet)

SENNOSIDES 8.6MG

Purpose

LAXATIVE

Uses

- for the relief of occasional constipation
- generally causes bowel movement in 6 to 12 hours

Warnings

Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have

• noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor or pharmacist before use if you

 are taking a prescription drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after

other drugs.

When using this product

• do not use for a period longer than 1 week.

Stop use and ask a doctor if

• rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

- take preferably at bedtime or as directed by a doctor
- If you do not have a confortable bowel movement by the second day, increase dosage by one tablet (do not exceed the maximum dosage) or decrease dose until you are confortable.

adults and children 12 years and over	take 2 tablets once a day.do not take more than 4 tablets twice a day.
children 6 to under 12 years	take 1 tablet once a day.do not take more than 2 tablets twice a day.
children 2 to under 6 years	take 1/2 tablet once a day.do not take more than 1 tablet twice a day.
children under 2 years	ask a doctor

Other information

• each tablet contains: calcium 40mg

• store at room temperature

Inactive ingredients

Collodial silicon dioxide, croscarmellose sodium, dibasic calcium phosphate, magnesium stearate, microcrystalline cellulose.

Questions?

937-898-4010



DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts

Active ingredient (in each tablet) Sennosides 8.6 mg.....Laxative

Purpose

Uses • for the relief of occasional constipation

· generally causes bowel movement in 6 to 12 hours

Warnings Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have . noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor or pharmacist before use if you . are taking a prescription drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product . do not use for a period longer than 1 week.

Stop use and ask a doctor if . rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

PEEL FOR DIRECTIONS

G7906-100-46-0

							ð.,	
Inactive ingredients dioxide, croscarmellose s phosphate, magnesium s	Other information	children under 2 years	children 2 to under 6 years	children 6 to under 12 years	adults and children 12 years and over	Directions take preferably at be if you do not have a second day, increase of the maximum do sage conflortable.	Drug Facts (continued)	
Inactive ingredients Colbidal silicon dioxide, croscarmellose sodium, dibasic calcium phosphate, magnesium stearate, microcrystalline	Other information • each tablet contains: calcium 40 mg • store at room temperature	ask a doctor	 take 1/2 tablet once a day. do not take more than 1 tablet twice a day. 	 take 1 tablet once a day. do not take more than 2 tablets twice a day. 	 take 2 tablets once a day. do not take more than 4 tablets twice a day. 	Directions take preferably at bedtime or as directed by a doctor if you do not have a comfortable bowel movement by the second day, increase dose by one tablet (do not exceed the maximum dosage) or decrease dose until you are comfortable.	S (continued)	

NATURAL SENNA LAXATIVE

sennosides tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0761-0790
Route of Administration	ORAL		

Questions? 937-898-4010

Manufactured for: Basic Drugs, Inc. Vandalla, Ohio 45377

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg	

Inactive Ingredients				
Ingredient Name	Strength			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)				
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				

Product Characteristics					
Color	brown	Score	no score		
Shape	ROUND	Size	8mm		
Flavor		Imprint Code	AZ 217		
Contains					

F	Packaging			
#	# Item Code	Package Description	Marketing Start Date	Marketing End Date

	100 in 1 BOTTLE; Type 0: Not a Combination Product	12/15/2021	
Marketing I	nformation		
	Annliestien Number er Menenne	Maulaatina Ctaut	Markating End
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
	Citation	_	_

Labeler - Basic Drugs, Inc. (052155082)

Revised: 1/2023 Basic Drugs, Inc.